

**ENVIRONMENT MONITORING  
REPORT FOR THE MONTH OF  
MARCH-2026**



**Client- M/s SREE METALIKS LTD.  
Address- Anra, Upper Raigoda, Banspal  
Dist- Keonjhar, Odisha**



**Monitored By - Green Force Associates Pvt. Ltd.  
Address- Plot No-1363/3850, At-Baibhab Nagar,  
Lane-2, Nakhara, Dist-Khorda, Odisha- 754001  
NABL Certificate No:- TC-12258**

# PHOTOGRAPHS OF ENVIRONMENT MONITORING



Report No- GFAPL/25-26/SMA/154


Issued Date- 04.04.2026

### TEST REPORT

<b>Client Name &amp; Address</b>	<i>M/s Sree Metaliks Ltd,</i> Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
<b>Nature of Sampling</b>	Ambient Air Quality Monitoring		
<b>Sampling By</b>	GFAPL's Representative		
<b>Location of performance of Laboratory activities</b>	Laboratory Permanent Facility	Deviation from the method (if any)	NO
<b>Discipline</b>	Chemical	Group	Atmospheric Pollution
<b>Sampling Location &amp; Coordinates</b>	AAQ1 - Near Entry Gate: 21°41'13.17"N Latitude & 85°26'17.90"E Longitude		
<b>Instrument Used</b>	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
<b>Sampling Method</b>	As Per IS: 5182		

Date of Sampling	PM <sub>10</sub> (µg/m <sup>3</sup> )	PM <sub>2.5</sub> (µg/m <sup>3</sup> )	SO <sub>2</sub> (µg/m <sup>3</sup> )	NO <sub>2</sub> (µg/m <sup>3</sup> )	CO (mg/m <sup>3</sup> )
02.03.2026	80.6	41.2	12.0	23.8	0.64
05.03.2026	84.2	42.9	12.8	24.8	0.66
09.03.2026	81.5	41.8	12.4	24.4	0.65
12.03.2026	79.4	40.7	12.6	24.8	0.66
16.03.2026	83.7	42.5	13.0	25.4	0.67
19.03.2026	86.4	44.1	13.6	26.0	0.68
23.03.2026	79.8	40.8	12.4	23.8	0.62
26.03.2026	81.2	41.6	12.8	24.4	0.63
30.03.2026	83.7	42.7	13.2	24.8	0.65
<b>Max</b>	<b>86.40</b>	<b>44.10</b>	<b>13.60</b>	<b>26.00</b>	<b>0.68</b>
<b>Min</b>	<b>79.40</b>	<b>40.70</b>	<b>12.00</b>	<b>23.80</b>	<b>0.62</b>
<b>Avg</b>	<b>82.28</b>	<b>42.03</b>	<b>12.76</b>	<b>24.69</b>	<b>0.65</b>
<b>NAAQ* Standard</b>	<b>100</b>	<b>60</b>	<b>80</b>	<b>80</b>	<b>4</b>
<b>Methods of Analysis</b>	<b>IS:5182 (Part-23)</b>	<b>IS:5182 (Part-24)</b>	<b>IS:5182 (Part-2)</b>	<b>IS:5182 (Part-6)</b>	<b>IS: 5182 (Part- 10)</b>

Reviewed By  
  
**TECHNICAL MANAGER**  
 GREENFORCE ASSOCIATES PRIVATE LIMITED  
 SHUBANESWAR, ODISHA  
 Mr. S.K. Parhi

Authorized Signatory  
  
**DEPUTY QUALITY MANAGER**  
 GREENFORCE ASSOCIATES PRIVATE LIMITED  
 SHUBANESWAR, ODISHA  
 Mr. M.L.N. Swain

**Note:**

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

\*END OF REPORT\*

Report No- GFAPL/25-26/SMA/155

Issued Date- 04.04.2026

### TEST REPORT

<b>Client Name &amp; Address</b>	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
<b>Nature of Sampling</b>	Ambient Air Quality Monitoring		
<b>Sampling By</b>	GFAPL's Representative		
<b>Location of performance of Laboratory activities</b>	Laboratory Permanent Facility	Deviation from the method (if any)	NO
<b>Discipline</b>	Chemical	Group	Atmospheric Pollution
<b>Sampling Location &amp; Coordinates</b>	AAQ2 - Near Security Barak: 21°41'2.88"N Latitude & 85°25'56.46"E Longitude		
<b>Instrument Used</b>	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
<b>Sampling Method</b>	As Per IS: 5182		

Date of Sampling	PM <sub>10</sub> (µg/m <sup>3</sup> )	PM <sub>2.5</sub> (µg/m <sup>3</sup> )	SO <sub>2</sub> (µg/m <sup>3</sup> )	NO <sub>2</sub> (µg/m <sup>3</sup> )	CO (mg/m <sup>3</sup> )
02.03.2026	69.4	35.1	10.4	21.4	0.55
05.03.2026	72.4	36.8	10.8	21.8	0.56
09.03.2026	70.1	35.7	10.8	22.4	0.57
12.03.2026	68.6	34.8	10.4	21.6	0.56
16.03.2026	71.2	36.2	10.8	22.4	0.57
19.03.2026	73.8	37.2	11.2	22.8	0.58
23.03.2026	65.4	33.5	9.4	19.0	0.52
26.03.2026	68.2	34.7	9.8	19.8	0.54
30.03.2026	69.8	35.6	10.4	21.0	0.55
<b>Max</b>	<b>73.80</b>	<b>37.20</b>	<b>11.20</b>	<b>22.80</b>	<b>0.58</b>
<b>Min</b>	<b>65.40</b>	<b>33.50</b>	<b>9.40</b>	<b>19.00</b>	<b>0.52</b>
<b>Avg</b>	<b>69.88</b>	<b>35.51</b>	<b>10.44</b>	<b>21.36</b>	<b>0.56</b>
<b>NAAQ* Standard</b>	<b>100</b>	<b>60</b>	<b>80</b>	<b>80</b>	<b>4</b>
<b>Methods of Analysis</b>	<b>IS:5182 (Part-23)</b>	<b>IS:5182 (Part-24)</b>	<b>IS:5182 (Part-2)</b>	<b>IS:5182 (Part-6)</b>	<b>IS: 5182 (Part- 10)</b>

Reviewed By  
**TECHNICAL MANAGER**  
 GREENFORCE ASSOCIATES PRIVATE LIMITED  
 BHUBANESWAR, ODISHA  
 Technical Manager  
 Mr. S.K. Parhi

Authorized Signatory  
**DEPUTY QUALITY MANAGER**  
 GREENFORCE ASSOCIATES PRIVATE LIMITED  
 BHUBANESWAR, ODISHA  
 Deputy Quality Manager  
 Mr. M.K. Swain

**Note:**

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

\*END OF REPORT\*

Report No- GFAPL/25-26/SMA/156

Issued Date- 04.04.2026

### TEST REPORT

<b>Client Name &amp; Address</b>	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
<b>Nature of Sampling</b>	Ambient Air Quality Monitoring		
<b>Sampling By</b>	GFAPL's Representative		
<b>Location of performance of Laboratory activities</b>	Laboratory Permanent Facility	Deviation from the method (if any)	NO
<b>Discipline</b>	Chemical	Group	Atmospheric Pollution
<b>Sampling Location &amp; Coordinates</b>	AAQ3 – Village Anara; Latitude: 21°41'20.01"N & Longitude: 85°26'19.10"E		
<b>Instrument Used</b>	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
<b>Sampling Method</b>	As Per IS: 5182		

Date of Sampling	PM <sub>10</sub> (µg/m <sup>3</sup> )	PM <sub>2.5</sub> (µg/m <sup>3</sup> )	SO <sub>2</sub> (µg/m <sup>3</sup> )	NO <sub>2</sub> (µg/m <sup>3</sup> )	CO (mg/m <sup>3</sup> )
02.03.2026	66.2	33.9	7.2	14.4	0.36
05.03.2026	63.8	32.4	7.0	14.0	0.35
09.03.2026	65.7	33.1	7.4	14.8	0.37
12.03.2026	62.4	31.6	7.0	14.4	0.36
16.03.2026	63.9	32.5	6.8	14.0	0.34
19.03.2026	65.2	32.9	7.2	14.6	0.35
23.03.2026	60.4	30.6	6.4	13.0	0.31
26.03.2026	62.1	31.5	6.6	13.4	0.32
30.03.2026	62.9	31.8	6.8	13.8	0.33
<b>Max</b>	<b>66.20</b>	<b>33.90</b>	<b>7.40</b>	<b>14.80</b>	<b>0.37</b>
<b>Min</b>	<b>60.40</b>	<b>30.60</b>	<b>6.40</b>	<b>13.00</b>	<b>0.31</b>
<b>Avg</b>	<b>63.62</b>	<b>32.26</b>	<b>6.93</b>	<b>14.04</b>	<b>0.34</b>
<b>NAAQ* Standard</b>	<b>100</b>	<b>60</b>	<b>80</b>	<b>80</b>	<b>4</b>
<b>Methods of Analysis</b>	<b>IS:5182 (Part-23)</b>	<b>IS:5182 (Part-24)</b>	<b>IS:5182 (Part-2)</b>	<b>IS:5182 (Part-6)</b>	<b>IS: 5182 (Part- 10)</b>

Reviewed By

**TECHNICAL MANAGER**  
GREENFORCE ASSOCIATES PRIVATE LIMITED  
Bhubaneswar, Odisha  
Technical Manager  
Mr. S.K. Parhi

Authorized Signatory

**DEPUTY QUALITY MANAGER**  
GREENFORCE ASSOCIATES PRIVATE LIMITED  
Bhubaneswar, Odisha  
Deputy Quality Manager  
Mr. S.K. Parhi

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

\*END OF REPORT\*

Report No- GFAPL/25-26/SMA/157

Issued Date- 04.04.2026

### TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling Location & Coordinates	AAQ4 - Village Raigad; Latitude: 21°40'58.51"N & Longitude: 85°25'26.93"E		
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
Sampling Method	As Per IS: 5182		

Date of Sampling	PM <sub>10</sub> (µg/m <sup>3</sup> )	PM <sub>2.5</sub> (µg/m <sup>3</sup> )	SO <sub>2</sub> (µg/m <sup>3</sup> )	NO <sub>2</sub> (µg/m <sup>3</sup> )	CO (mg/m <sup>3</sup> )
02.03.2026	60.7	30.7	6.2	13.4	0.34
05.03.2026	59.2	29.9	6.0	13.0	0.33
09.03.2026	63.1	31.8	6.4	13.6	0.35
12.03.2026	61.5	31.1	6.2	13.4	0.34
16.03.2026	58.4	29.8	5.8	13.0	0.33
19.03.2026	62.4	31.5	6.2	13.4	0.33
23.03.2026	57.6	29.1	5.8	12.0	0.30
26.03.2026	59.2	29.8	5.8	12.4	0.31
30.03.2026	60.4	30.6	6.0	12.8	0.32
Max	63.10	31.80	6.40	13.60	0.35
Min	57.60	29.10	5.80	12.00	0.30
Avg	60.28	30.48	6.04	13.00	0.33
NAAQ* Standard	100	60	80	80	4
Methods of Analysis	IS:5182 (Part-23)	IS:5182 (Part-24)	IS:5182 (Part-2)	IS:5182 (Part-6)	IS: 5182 (Part- 10)

Reviewed By  
**TECHNICAL MANAGER**  
 GREENFORCE ASSOCIATES PRIVATE LIMITED  
 BHUBANESWAR, ODISHA  
 Technical Manager  
 Mr. S.K. Parhi

Authorized Signatory  
**DEPUTY QUALITY MANAGER**  
 GREENFORCE ASSOCIATES PRIVATE LIMITED  
 BHUBANESWAR, ODISHA  
 Dy. Quality Manager  
 Mr. M.K. Swain

**Note:**

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

**\*END OF REPORT\***

Report No- GFAPL/25-26/SMA/158

Issued Date- 04.04.2026

### TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
Sampling Method	As Per IS: 5182		

Location Code	Sampling Location	Date of Sampling	O3 ( $\mu\text{g}/\text{m}^3$ )	NH3 ( $\mu\text{g}/\text{m}^3$ )
AAQ-1	Near Entry Gate	19.03.2026	11.8	26.8
AAQ-2	Near Security Barak	19.03.2026	10.4	23.8
AAQ-3	Village Anara	19.03.2026	<8.0	<20.0
AAQ-4	Village Raigad	19.03.2026	<8.0	<20.0
NAAQ* Standard Methods of Analysis			100 IS:5182 (Part-9)	400 IS:5182 (Part-25)

Reviewed By  
**TECHNICAL MANAGER**  
 GREENFORCE ASSOCIATES PRIVATE LIMITED  
 BHUBANESWAR, ODISHA  
 Mr. S.K. Parhi

Authorized Signatory  
**DEPUTY QUALITY MANAGER**  
 GREENFORCE ASSOCIATES PRIVATE LIMITED  
 BHUBANESWAR, ODISHA  
 Mr. M.K. Swain

**Note:**

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

\*END OF REPORT\*

# GREEN FORCE ASSOCIATES PRIVATE LIMITED

(An ISO 14001, 9001, 45001 certified Consulting Organization & NABL Accredited Laboratory)


Report No- GFAPL/25-26/SMA/159


Issued Date- 04.04.2026

## TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler		
Sampling Method	As Per IS: 5182		

Location code	Sampling Location	Date of Sampling	Pb ( $\mu\text{g}/\text{m}^3$ )	Ni ( $\text{ng}/\text{m}^3$ )	As ( $\text{ng}/\text{m}^3$ )	C <sub>6</sub> H <sub>6</sub> ( $\mu\text{g}/\text{m}^3$ )	BaP ( $\text{ng}/\text{m}^3$ )
AAQ-1	Near Entry Gate	19.03.2026	<0.1	<6.0	<0.5	<5	<1
AAQ-2	Near Security Barak	19.03.2026	<0.1	<6.0	<0.5	<5	<1
AAQ-3	Village Anara	19.03.2026	<0.1	<6.0	<0.5	<5	<1
AAQ-4	Village Raigad	19.03.2026	<0.1	<6.0	<0.5	<5	<1
NAAQ* Standard			1	20	6	5	1
Methods of Analysis			IS:5182 (Part-22)	IS:5182 (Part-26)	As per CPCB method followed by AAS	IS:5182 (Part-11)	IS:5182 (Part-12)

Reviewed By  
  
 TECHNICAL MANAGER  
 GREENFORCE ASSOCIATES PRIVATE LIMITED  
 Technical Manager  
 ODISHA  
 Mr. S.K. Parhi

Authorized Signatory  
  
 DEPUTY QUALITY MANAGER  
 GREENFORCE ASSOCIATES PRIVATE LIMITED  
 Dy. Quality Manager  
 ODISHA  
 Mr. M.K. Swain

### Note:

- The results listed refer only to tested samples and applicable parameters. Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

\*END OF REPORT\*

--1--

Report No- GFAPL/25-26/SMA/160

Issued Date- 04.04.2026

### TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Ambient Noise Monitoring		
Location of performance of Laboratory activities	Site Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling By	GFAPL's Representative	Date of Sampling	20.03.2026
Instrument Used	Sound Level Meter		
Sampling Method	As Per IS:9989		

Sl. No.	Locations	Day Time	Night Time
		Results in dB(A)	
1	Near Entry Gate; Latitude: 21°41'13.17"N & Longitude: 85°26'17.90"E	69.2	61.4
2	Near Security Barak; Latitude: 21°41'2.88"N & Longitude: 85°25'56.46"E	58.2	45.4
Industrial Zone permissible limits as per CPCB Norms		Day Time – 75 dB(A)	Night Time – 70 dB(A)

Reviewed By:  
TECHNICAL MANAGER  
GREENFORCE ASSOCIATES PRIVATE LIMITED  
Bhubaneswar, ODISHA  
Mr. S.K. Parhi

Authorized Signatory  
DEPUTY QUALITY MANAGER  
GREENFORCE ASSOCIATES PRIVATE LIMITED  
Bhubaneswar, ODISHA  
By Quality Manager  
Mr. M.K. Swain

**Note:**

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

**\*END OF REPORT\***

--1--

Report No- GFAPL/25-26/SMA/161

Issued Date- 04.04.2026

### TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Workzone Noise Monitoring		
Location of performance of Laboratory activities	Site Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling By	GFAPL's Representative	Date of Sampling	20.03.2026
Instrument Used	Sound Level Meter		
Sampling Method	As Per IS:9989		

S. No.	Locations	Day Time	Night Time
		Results in dB(A)	
1	Near W.Bridge-1; Latitude: 21°40'67.60"N & Longitude: 85°26'45.20"E	66.7	55.6
2	Near W.Bridge-2; Latitude: 21°40'55.60"N & Longitude: 85°26'16.20"E	66.1	55.2
<i>Industrial Zone permissible limits as per CPCB Norms</i>		Day Time – 75 dB(A)	Night Time –70 dB(A)

Reviewed By  
**TECHNICAL MANAGER**  
 GREENFORCE ASSOCIATES PRIVATE LIMITED  
 Technical Manager  
 SHUBANESWAR, ODISHA  
 Mr. S.K. Parhi

Authorized Signatory  
**DEPUTY QUALITY MANAGER**  
 GREENFORCE ASSOCIATES PRIVATE LIMITED  
 By Quality Manager  
 SHUBANESWAR, ODISHA  
 Mr. M.K. Swain

**Note:**

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

\*END OF REPORT\*

Report No- GFAPL/25-26/SMA/162

Issued Date- 04.04.2026

### TEST REPORT

<b>Client Name &amp; Address</b>	<i>M/s Sree Metaliks Ltd,</i> Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
<b>Nature of Sampling</b>	Fugitive Dust Emission		
<b>Location of performance of Laboratory activities</b>	Laboratory Permanent Facility	Deviation from the method (if any)	NO
<b>Discipline</b>	Chemical	Group	Atmospheric Pollution
<b>Sampling By</b>	GFAPL's Representative		
<b>Instrument Used</b>	Respirable Dust Sampler (RDS)		
<b>Sampling Method</b>	As Per IS: 5182		

Sl. No.	Name of Location	Coordinates of Location	Date of Sampling	Result
1	Near W.Bridge - 1	Lat: 21°40'67.60"N Long:85°26'45.20"E	20.03.2026	1002.8
2	Near W.Bridge - 2	Lat: 21°40'55.60"N Long: 85°26'16.20"E	20.03.2026	978.4
<b>Fugitive Standard</b>				<b>1200</b>
<b>Methods of Analysis</b>			<b>IS:5182 (Part-4)</b>	

Reviewed By  
**TECHNICAL MANAGER**  
 GREENFORCE ASSOCIATES PRIVATE LIMITED  
 BHUBANESWAR, ODISHA  
 Technical Manager  
**Mr. S.K. Parhi**

Authorized Signatory  
**DEPUTY QUALITY MANAGER**  
 GREENFORCE ASSOCIATES PRIVATE LIMITED  
 BHUBANESWAR, ODISHA  
 By Quality Manager  
**Mr. M.K. Swain**

**Note:**

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

\*END OF REPORT\*

Report No- GFAPL/25-26/SMA/163

Issued Date- 04.04.2026

### TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Stack Monitoring		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling By	GFAPL's Representative		
Date of Sampling	20.03.2026	Date of Receiving	21.03.2026
Date of Analysis	23.03.2026	Date of Complete	24.03.2026
Sampling Location & Coordinates	ST1- Stack (ESP 1 connected to TG): Lat-21° 40' 58.15"N, Long-85° 26' 11.05"E ST2- Stack (ESP 2 connected to TG): Lat- 21° 40' 57.48"N, Long-85° 26' 14.01"E		
Instrument Used	Stack monitoring Kit; Vacuum Pump; Pyrometer		
Sampling Method	As Per IS:11255		

Sl. No.	Parameters	Testing Method	As per CTO Standard	ST1	ST2
01	Flue gas Temperature in K	IS-11255 (PART-3) 1985, (RA-2013)		371.0	379.0
02	Velocity in m/sec	IS-11255 (PART-3) 1985, (RA-2013)	---	16.27	16.50
03	PM (mg/Nm3)	IS-11255(PART-1) 1985, (RA-2014) Gravimetric Method	30	24.2	21.8
04	SO <sub>2</sub> (mg/Nm3)	IS-11255(PART-2) 1985, (RA-2019)	600	37.6	38.4
05	NO <sub>x</sub> (mg/Nm3)	IS-11255(PART-2) 1985	300	24.2	46.7

Reviewed By  
**TECHNICAL MANAGER**  
 GREENFORCE ASSOCIATES PRIVATE LIMITED  
 BHUBANESWAR, ODISHA  
 Mr. S.K. Parhi

Authorized Signatory  
**DEPUTY QUALITY MANAGER**  
 GREENFORCE ASSOCIATES PRIVATE LIMITED  
 BHUBANESWAR, ODISHA  
 Mr. M.K. Swain

**Note:**

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

\*END OF REPORT\*

--1 of 2--

Report No- GFAPL/25-26/SMA/164

Issued Date- 04.04.2026

### TEST REPORT

<b>Client Name &amp; Address</b>	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
<b>Nature of Sampling</b>	Sewage Treatment Plant		
<b>Sampling By</b>	GFAPL's Representative		
<b>Location of performance of Laboratory activities</b>	Laboratory Permanent Facility	<b>Deviation from the method (if any)</b>	NO
<b>Discipline</b>	Chemical	<b>Group</b>	Water
<b>Date of Sampling</b>	20.03.2026	<b>Date of Receiving</b>	21.03.2026
<b>Date of Analysis</b>	23.03.2026	<b>Date of Complete</b>	27.03.2026
<b>Sampling Location</b>	STP OUTLET: Lat- 21° 41' 13.48"N, Long- 85° 26' 15.79"E		
<b>Sampling Method</b>	As Per APHA 24th ED: 1060B:2023		

Sl.No.	Parameter	Testing Methods	Unit	Standard as per- MoEFCC 13 <sup>th</sup> October 2017	STP
01	pH Value @250C	APHA 24 <sup>th</sup> ED 4500 H+B:2023	--	6.5-9.0	7.48
02	Total Dissolved Solids(TDS)	APHA 24 <sup>th</sup> ED 2540-C: 2023	mg/l	--	169
03	Total Suspended Solids(TSS)	APHA 24 <sup>th</sup> ED 2540-D: 2023	mg/l	<50	20
04	Oil & Grease	IS 3025 PART 39-1991 RA-2003	mg/l	--	<1.0
05	Biological Oxygen Demand	IS 3025 (PART 44) : 1993 REA-2009	mg/l	20	<2.0
06	Chemical Oxygen Demand	APHA 24 <sup>th</sup> ED 5220 C:2023	mg/l	--	20
07	Total Kjheldhal Nitrogen	APHA 24th ED 4500- Norg B; NH3-B, C:2023	mg/l	--	<0.7

REMARKS: Laboratory Oil & Grease BDL Value is <2.0

Reviewed By  
**TECHNICAL MANAGER**  
 GREENFORCE ASSOCIATES PRIVATE LIMITED  
 BHUBANESWAR, ODISHA  
 Mr. S.K. Parhi

Authorized Signatory  
**DEPUTY QUALITY MANAGER**  
 GREENFORCE ASSOCIATES PRIVATE LIMITED  
 BHUBANESWAR, ODISHA  
 Mr. M.K. Swain

**Note:**

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

\*END OF REPORT\*

--1--

Report No-GFAPL/25-26/ SMA /165

Issued Date-04.04.2026

**TEST REPORT**

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Surface Water		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Water
Date of Sampling	20.03.2026	Date of Receiving	21.03.2026
Date of Analysis	23.03.2026	Date of Complete	27.03.2026
Sampling Location & Coordinates	SW: Brahmani nala; Latitude: 21°41'14.10"N & Longitude: 85°25'49.19"E		
Sampling Method	As Per APHA 24th ED: 1060B:2023		

Sl.No.	Parameter	Testing Methods	Unit	Standard as per IS-2296 Class-C	SW
1.	Colour	IS 3025: (Part 4) 1983	Hazen	300	<5.0
2.	Turbidity	APHA 24 <sup>th</sup> ED: 2130-B-2023	NTU	--	<1.0
3.	pH	APHA 24 <sup>th</sup> ED: 4500-H+B:2023	LIMITED	6.5-8.5	7.42
4.	Conductivity	APHA 24 <sup>th</sup> ED 2510-B: 2023	μS/cm	--	243.1
5.	Total Dissolved Solid	APHA 24 <sup>th</sup> ED 2540-C: 2023	mg/l	1500	151.0
6.	Chloride(as Cl)	APHA 24 <sup>th</sup> Ed 4500- Cl-B:2023	mg/l	600	20.0
7.	Cyanide (as CN)	APHA 24 <sup>th</sup> ED 4500-CN-F	mg/l	0.05	<0.02
8.	Hexavalent Chromium(asCr+6)	APHA 24 <sup>th</sup> ED 3500-Cr-B: 2023	mg/l	0.05	<0.05
9.	Iron(as Fe)	APHA 24 <sup>th</sup> ED 3500-Fe-B: 2023	mg/l	50	0.4
10.	Sulfate(asSO4)	APHA 24 <sup>th</sup> ED 4500-SO4 D: 2023	mg/l	400	6.8
11.	Nitrate (as NO3)	APHA 24 <sup>th</sup> ED 4500-NO3-B: 2023	mg/l	50	1.84
12.	Fluoride(as F)	APHA 24 <sup>th</sup> ED 4500-F-C: 2023	mg/l	1.5	<0.05

Sl.No.	Parameter	Testing Methods	Unit	Standard as per IS-2296 Class-C	SW
12	Oil & Grease (max)	IS 3025 PART 39-1991 RA-2003	mg/l	0.1	<2.0
13	Dissolved oxygen (min)	APHA 24 <sup>th</sup> ED 4500 O-C:2023	mg/l	4	5.8
14	BOD (3)days at 27 <sup>o</sup> C (max)	IS 3025 (PART 44): 1993 REA-2009	mg/l	3.0	2.8
15	Chemical Oxygen Demand as COD	APHA 24 <sup>th</sup> ED 5220 C:2023	mg/l	--	18
3.	Copper (as Cu)	IS: 3025(Part 42)	mg/l	1.5	<0.03

REMARKS: Laboratory Oil & Grease BDL Value is <2.0

Reviewed By  
**TECHNICAL MANAGER**  
 GREENFORCE ASSOCIATES PRIVATE LIMITED  
 BHUBANESWAR, ODISHA  
 Technical Manager  
 Mr. S.K. Parhi

Authorized Signatory  
**DEPUTY QUALITY MANAGER**  
 GREENFORCE ASSOCIATES PRIVATE LIMITED  
 BHUBANESWAR, ODISHA  
 By Quality Manager  
 Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters. Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

**\*END OF REPORT\***

# GREEN FORCE ASSOCIATES PRIVATE LIMITED

(An ISO 14001, 9001, 45001 certified Consulting Organization & NABL Accredited Laboratory)

Report No-GFAPL/25-26/ SMA /165

Issued Date-04.04.2026

## TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Surface Water		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Water
Date of Sampling	20.03.2026	Date of Receiving	21.03.2026
Date of Analysis	23.03.2026	Date of Complete	27.03.2026
Sampling Location & Coordinates	SW: Brahmani nala; Latitude: 21°41'14.10"N & Longitude: 85°25'49.19"E		
Sampling Method	As Per APHA 24th ED: 1060B:2023		

Sl.No.	Parameter	Testing Methods	Unit	Standard as per IS-2296 Class-C	SW
1.	Phenolic Compounds as C <sub>6</sub> H <sub>5</sub> OH	APHA 24 <sup>th</sup> ED 5530 B,D:2023	mg/l	--	<0.001
2.	Lead (as Pb)	APHA 3111 B,C	mg/l	0.1	<0.01
3.	Zinc (as Zn)	APHA 3111 B,C	mg/l	15	<0.03
4.	Arsenic as As	IS: 3025 (Part 37)	mg/l	0.2	<0.001
5.	Selenium (as Se)	APHA 3114 B	mg/l	0.05	<0.001
6.	Cadmium (as Cd)	IS: 3025 (Part 41)	mg/l	0.01	<0.001
7.	Total Coliform	APHA 24 <sup>th</sup> ED 9222-H: 2023	MPN/100 ml	5000	14

Reviewed By  
**TECHNICAL MANAGER**  
 GREENFORCE ASSOCIATES PRIVATE LIMITED  
 BHUBANESHWAR, ODISHA  
 Technical Manager  
 Mr. S.K. Parhi

Authorized Signatory  
**DEPUTY QUALITY MANAGER**  
 GREENFORCE ASSOCIATES PRIVATE LIMITED  
 BHUBANESHWAR, ODISHA  
 Deputy Quality Manager  
 Mr. M.K. Swain

**Note:**

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

\*END OF REPORT\*

Report No- GFAPL/25-26/ SMA/166

Issued Date-04.04.2026

**TEST REPORT**

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Ground Water		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Water
Date of Sampling	20.03.2026	Date of Receiving	21.03.2026
Date of Analysis	23.03.2026	Date of Complete	27.03.2026
Sampling Location & Coordinates	GW1-Inside Plant; Latitude: 21°40'58.14"N & Longitude: 85°26'9.43"E GW2-Village Anara; Latitude: 21°41'20.01"N & Longitude: 85°26'19.10"E GW3-Village Raigad; Latitude: 21°40'58.51"N & Longitude: 85°25'26.93"E		
Sampling Method	As Per APHA 24th ED: 1060B:2023		

Sl. No.	Parameter	Testing Methods	Unit	Standard as per IS: 10500, 2012		GW1	GW2	GW3
				AL	PL			
1.	Colour	IS: 3025-(Part 4)-1983	Hazen	5	15	<5.0	<5.0	<5.0
2.	Turbidity	APHA 24th ED: 2130-B-2023	NTU	1	5	<1	<1	<1
3.	pH Value @250C	APHA 24th ED 4500-H+B:2023		6.5	8.5	7.04	7.01	7.08
4.	Total Dissolved Solids(TDS)	APHA 24th ED 2540-C: 2023	mg/l	500	2000	224.0	212.0	215.0
5.	Chloride (as Cl)	APHA 24th Ed 4500- Cl-B:2023	mg/l	250	1000	25.0	27.0	23.0
6.	Total Hardness	APHA 24th ED 2340-C: 2023	mg/l	200	600	138.0	124.0	132.0
7.	Calcium	APHA 24th Ed 3500- Ca-B:2023	mg/l	75	200	34.5	31.3	32.9
8.	Magnesium	APHA 24th ED 3500-Mg-B: 2023	mg/l	30	100	12.6	11.2	12.1
9.	Total Alkalinity	APHA 24th ED 2320-B: 2023	mg/l	200	600	124	112	122
10.	Residual Free Chlorine	APHA 24 <sup>th</sup> ED 4500 CL-B:2023	mg/l	0.2	1.0	<0.2	<0.2	<0.2
11.	Cyanide	APHA 24th ED 4500 CN-F:2023	mg/l	0.05	NR	<0.02	<0.02	<0.02

Sl.No.	Parameter	Testing Methods	Unit	Standard as per IS: 10500, 2012		GW1	GW2	GW2
				AL	PL			
12.	Total Chromium	APHA 24th ED 3500-Cr-B: 2023	mg/l	0.05	NR	<0.05	<0.05	<0.05
13.	Iron	APHA 24th ED 3500-Fe-B: 2023	mg/l	0.3	NR	0.24	0.26	0.25
14.	Sulfate	APHA 24th ED 4500-SO4 D: 2023	mg/l	200	400	4.1	3.4	4.2
15.	Fluoride	APHA 24th ED 4500-F-C: 2023	mg/l	1.0	1.5	<0.05	<0.05	<0.05
16.	Boron	APHA 24th ED 4500 B-B:2023	mg/l	0.5	1.0	<0.01	<0.01	<0.01
17.	Manganese	IS 3025 PART-59:2006 RA 2012	mg/l	0.1	0.3	<0.05	<0.05	<0.05
18.	Sodium as Na	APHA 24th ED 3500- Na-B	mg/l	--	--	14.5	15.8	13.5
19.	Potassium as K	APHA 24th ED 3500- K-B	mg/l	--	--	2.2	1.8	1.6
20.	Taste	APHA 24th ED: 2160-B 24th ED: 2160-B	---	Agreeable	Agreeable	AL	AL	AL
21.	Nitrate	APHA 24th ED 4500-NO3-E: 2023	mg/l	45	NR	1.82	1.72	1.68
22.	Copper (as Cu)	IS: 3025 (Part 42)	mg/l	0.05	1.5	<0.03	<0.03	<0.03
23.	Mercury (as Hg)	APHA 24th ED 3500Hg: 2023	mg/l	0.001	NR	<0.001	<0.001	<0.001
24.	Aluminum ( as Al)	APHA 24th ED 3500Al: 2023	mg/l	0.03	0.2	<0.01	<0.01	<0.01

REMARKS: NR- not relaxable; AL-Acceptable Limit; PL- Permissible Limit;

Reviewed By  
**TECHNICAL MANAGER**  
 GREENFORCE ASSOCIATES PRIVATE LIMITED  
 BHUBANESWAR, ODISHA  
 By Technical Manager  
**Mr. S.K. Parhi**

Authorized Signatory  
**DEPUTY QUALITY MANAGER**  
 GREENFORCE ASSOCIATES PRIVATE LIMITED  
 BHUBANESWAR, ODISHA  
 By Quality Manager  
**Mr. M.K. Swain**

**Note:**

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

**\*END OF REPORT\***

# GREEN FORCE

## ASSOCIATES PRIVATE LIMITED

(An ISO 14001, 9001, 45001 certified Consulting Organization & NABL Accredited Laboratory)

Report No- GFAPL/25-26/ SMA/166

Issued Date-04.04.2026

### TEST REPORT

<b>Client Name &amp;Address</b>	<i>M/s Sree Metaliks Ltd,</i> Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
<b>Nature of Sampling</b>	<b>Ground Water</b>		
<b>Sampling By</b>	<b>GFAPL's Representative</b>		
<b>Location of performance of Laboratory activities</b>	<b>Laboratory Permanent Facility</b>	<b>Deviation from the method (if any)</b>	<b>NO</b>
<b>Discipline</b>	<b>Chemical</b>	<b>Group</b>	<b>Water</b>
<b>Date of Sampling</b>	20.03.2026	<b>Date of Receiving</b>	21.03.2026
<b>Date of Analysis</b>	23.03.2026	<b>Date of Complete</b>	27.03.2026
<b>Sampling Location &amp; Coordinates</b>	GW1-Inside Plant; Latitude: 21°40'58.14"N & Longitude: 85°26'9.43"E GW2-Village Anara; Latitude: 21°41'20.01"N & Longitude: 85°26'19.10"E GW3-Village Raigad; Latitude: 21°40'58.51"N & Longitude: 85°25'26.93"E		
<b>Sampling Method</b>	<b>As Per APHA 24th ED: 1060B:2023</b>		

Sl. No.	Parameter	Testing Methods	Unit	Standard as per		GW1	GW2	GW3
				IS: 10500, 2012				
1.	Odour	APHA 24th ED: 2150-B-2023		Agreeable	Agreeable	U/O	U/O	U/O
2.	Cadmium (as Cd)	IS: 3025(Part 41)	mg/l	0.003	NR	<0.001	<0.001	<0.001
3.	Zinc (as Zn)	APHA 24th ED 3500 Zn: 2023	mg/l	5	15	<0.03	<0.03	<0.03
4.	Lead (as Pb)	APHA 24th ED 3500 Pb: 2023	mg/l	0.01	NR	<0.01	<0.01	<0.01
5.	Selenium (as Se)	APHA 24th ED 3500 B: 2023	mg/l	0.01	NR	<0.001	<0.001	<0.001

-3 of 4-

# GREEN FORCE

## ASSOCIATES PRIVATE LIMITED

(An ISO 14001, 9001, 45001 certified Consulting Organization & NABL Accredited Laboratory)

Sl.No	Parameter	Testing Methods	Unit	Standard as per IS: 10500, 2012		GW1	GW2	GW3
				AL	PL			
6.	Arsenic (as As)	APHA24th ED 3500As: 2023	mg/l	0.01	0.05	<0.001	<0.001	<0.001
7.	Mineral Oil	APHA 24th ED5220B: 2023	mg/l	0.5	NR	ND	ND	ND
8.	Anionic Detergents (as MBAS)	APHA24th ED 5540 C: 2023	mg/l	0.2	1.0	ND	ND	ND
9.	Phenolic Compound (as C <sub>6</sub> H <sub>5</sub> OH)	APHA 24th ED 5530 B,D: 2023	mg/l	--	--	<0.001	<0.001	<0.001
10.	Total Coliforms	APHA 24th ED 9222-H: 2023	MPN/100 ml	--	--	<1.8	<1.8	<1.8

REMARKS: NR- not relaxable; AL-Acceptable Limit; PL- Permissible Limit;

Reviewed By  
TECHNICAL MANAGER  
GREENFORCE ASSOCIATES PRIVATE LIMITED  
Bhubaneswar, Odisha  
Mr. S.K. Parhi

Authorized Signatory  
DEPUTY QUALITY MANAGER  
GREENFORCE ASSOCIATES PRIVATE LIMITED  
Bhubaneswar, Odisha  
Mr. M.K. Swain

**Note:**

- > The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- > Total liability of our lab is limited to the invoiced amount.
- > Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- > This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- > Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

**\*END OF REPORT\***

Report No-GFAPL/25-26/ SMA/167

Issued Date-04.04.2026

**TEST REPORT**

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Ground Water Level		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Water
Date of Sampling	20.03.2026		
Sampling Method	As Per CPCB Guidelines		

Sl. No.	Locations	Result
1	GWL1-Inside Plant; Latitude: 21°40'58.14"N & Longitude: 85°26'9.43"E	4.7 m
2	GWL2-Village Anara; Latitude: 21°41'20.01"N & Longitude: 85°26'19.10"E	5.3 m
3	GWL3-Village Raigad; Latitude: 21°40'58.51"N & Longitude: 85°25'26.93"E	5.1 m

Reviewed By  
**TECHNICAL MANAGER**  
GREENFORCE ASSOCIATES PRIVATE LIMITED  
BHUBANESWAR, ODISHA  
Technical Manager  
Mr. S.K. Parhi

Authorized Signatory  
**DEPUTY QUALITY MANAGER**  
GREENFORCE ASSOCIATES PRIVATE LIMITED  
BHUBANESWAR, ODISHA  
Dy. Quality Manager  
Mr. M.K. Swain

**Note:**

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

**\*END OF REPORT\***

Report No- GFAPL/25-26/ SMA /168

Issued Date-04.04.2026

### TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Soil		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Soil and Rock
Date of Sampling	20.03.2026	Date of Receiving	21.03.2026
Date of Analysis	23.03.2026	Date of Complete	27.03.2026
Sampling Location & Coordinates	S1-Inside Plant; Latitude 21°40'57.85"N & Longitude: 85°26'10.16"E S2-Village Raigad; Latitude: 21°41'0.25"N & Longitude: 85°19'20.16"E S3-Village Anra; Latitude: 21°59'35.29"N & Longitude: 85°19'10.86"E		
Sampling Method	As Per TNAU Agri Portal		

	Parameters	Testing Methods	Unit	Analysis Results		
				S-1	S-2	S-3
1	pH	--	---	6.31	6.28	6.34
2	Organic Carbon	IS: 2720(Part-26)-1987	%	1.08	1.44	1.4
3	Moisture content	IS: 2720(Part-22)-1972	%	5.8	6.1	5.9
4	Specific Gravity	IS: 2720(Part-3/Sec1)-1980	Gs	2.7	2.64	2.64
5	Sulfate	IS: 2720(Part-27)-1977	mg/Kg	68	124	130
6	Electrical conductivity	IS: 14767: 2000	µs/cm	208.9	192.4	195.1
7	Bulk Density	GFAPL/SOP/Soil & Rock/03-23	gm/cc	1.35	1.27	1.27
8	Nitrogen as N	IS: 14684: 1999	kg/hect	48	112	124

**RECEIVED BY MANAGER**  
**GREENFORCE ASSOCIATES PRIVATE LIMITED**  
 Technical Manager  
 BHUBANESWAR, ODISHA  
 Mr. S.K. Parhi

Authorized Signatory  
**DEPUTY QUALITY MANAGER**  
**GREENFORCE ASSOCIATES PRIVATE LIMITED**  
 By Quality Manager  
 BHUBANESWAR, ODISHA  
 Mr. M.K. Swain

**Note:**

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

\*END OF REPORT\*

--1 of 2--

# GREEN FORCE ASSOCIATES PRIVATE LIMITED

(An ISO 14001, 9001, 45001 certified Consulting Organization & NABL Accredited Laboratory)  
Report No- GFAPL/25-26/ SMA /168 Issued Date-04.04.2026

## TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Soil		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Soil and Rock
Date of Sampling	20.03.2026	Date of Receiving	21.03.2026
Date of Analysis	23.03.2026	Date of Complete	27.03.2026
Sampling Location & Coordinates	S1-Inside Plant; Latitude:21°40'57.85"N& Longitude: 85°26'10.16"E S2-Village Raigad; Latitude:21°41'0.25"N& Longitude: 85°19'20.16"E S3-Village Anra ; Latitude: 21°59'35.29"N & Longitude: 85°19'10.86"E		
Sampling Method	As Per TNAU Agri Portal		

Sl. No.	Parameters	Testing Methods	Unit	Analysis Results		
				S-1	S-2	S-3
1	Colour	GFAPL/SOP/Soil & Rock/01-23	---	Brown	Brown	Brown
2	Soil Texture	GFAPL/SOP/Soil & Rock/02-23	---	Sandy loamy	Sandy Clay loamy	Sandy Clay loamy
3	Calcium as Ca	DIS: 2720(Part-23)	mg/kg	428	378	392
4	Magnesium as Mg	GFAPL/SOP/Soil & Rock/04-23	mg/kg	214	194	198
5	Phosphorus	GFAPL/SOP/Soil & Rock/05-23	kg/hect	24	30	30
6	Potassium	GFAPL/SOP/Soil & Rock/06-23	mg/kg	164	142	140
7	Chloride	GFAPL/SOP/Soil & Rock/07-23	mg/kg	136	130	128
8	Manganese as Mn	GFAPL/SOP/Soil & Rock/08-23	mg/kg	8.12	4.98	5.84
9	Iron	GFAPL/SOP/Soil & Rock/09-23	%	2.98	1.78	1.64

Reviewed By  
TECHNICAL MANAGER  
GREENFORCE ASSOCIATES PRIVATE LIMITED  
Bhubaneswar, ODISHA  
Technical Manager  
Mr. S.K. Parhi

Authorized Signatory  
DEPUTY QUALITY MANAGER  
GREENFORCE ASSOCIATES PRIVATE LIMITED  
Bhubaneswar, ODISHA  
By Quality Manager  
Mr. M.K. Swain

**Note:**

- > The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- > Total liability of our lab is limited to the invoiced amount.
- > Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- > This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- > Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

\*END OF REPORT\*

--2 of 2--