

**ENVIRONMENT MONITORING
REPORT FOR THE MONTH OF
APRIL-2026**



Client- M/s SREE METALIKS LTD.

Address- Anra, Upper Raigoda, Banspal

Dist- Keonjhar, Odisha





Monitored By - Green Force Associates Pvt. Ltd.

Address- Plot No-1363/3850, At-Baibhab Nagar,

Lane-2, Nakhara, Dist-Khorda, Odisha- 754001

NABL Certificate No:- TC-12258

PHOTOGRAPHS OF ENVIRONMENT MONITORING



ULR No- TC1616726000000003F

Report No- GFAPL/26-27/SMA/001

Issued Date- 04.05.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling Location & Coordinates	AAQ1 - Near Entry Gate: 21°41'13.17"N Latitude & 85°26'17.90"E Longitude		
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
Sampling Method	As Per IS: 5182		

Date of Sampling	Lab Id Code	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)	CO (mg/m ³)
03.04.2026	GF/26-27/A020	80.5	41.4	12.8	24.4	0.64
07.04.2026	GF/26-27/A056	70.4	35.6	9.4	18.2	0.43
10.04.2026	GF/26-27/A094	75.2	38.3	10.4	20.4	0.50
14.04.2026	GF/26-27/A119	79.4	40.8	12.8	23.8	0.58
17.04.2026	GF/26-27/A148	81.8	41.7	13.4	25.2	0.62
21.04.2026	GF/26-27/A187	86.6	44.6	14.4	27.6	0.68
24.04.2026	GF/26-27/A222	88.7	45.4	14.8	28.2	0.70
28.04.2026	GF/26-27/A265	81.5	42.5	13.4	26.4	0.67
Max		88.7	45.4	14.8	28.2	0.70
Min		70.4	35.6	9.4	18.2	0.43
Avg		80.5	41.2	12.6	24.2	0.60
NAAQ* Standard		100	60	80	80	4
Methods of Analysis		IS:5182 (Part-23)	IS:5182 (Part-24)	IS:5182 (Part-2)	IS:5182 (Part-6)	IS: 5182 (Part- 10)

TECHNICAL MANAGER
 Reviewed By
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 BHUBANESWAR, ODISHA
 Technical Manager
 Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 BHUBANESWAR, ODISHA
 Dy. Quality Manager
 Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

ULR No- TC1616726000000004F

Report No- GFAPL/26-27/SMA/002

Issued Date- 04.05.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling Location & Coordinates	AAQ2 - Near Security Barak: 21°41'2.88"N Latitude & 85°25'56.46"E Longitude		
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
Sampling Method	As Per IS: 5182		

Date of Sampling	Lab Id Code	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)	CO (mg/m ³)
03.04.2026	GF/26-27/A021	70.4	35.9	10.0	20.8	0.54
07.04.2026	GF/26-27/A057	60.2	30.6	6.9	14.2	0.34
10.04.2026	GF/26-27/A095	65.8	33.3	7.0	14.4	0.37
14.04.2026	GF/26-27/A120	70.2	35.8	8.8	17.4	0.43
17.04.2026	GF/26-27/A149	71.6	36.7	9.8	19.8	0.50
21.04.2026	GF/26-27/A188	74.2	37.9	11.8	22.8	0.56
24.04.2026	GF/26-27/A223	77.8	39.2	12.6	24.4	0.60
28.04.2026	GF/26-27/A266	74.2	37.5	11.4	22.8	0.58
Max		77.8	39.2	12.6	24.4	0.60
Min		60.2	30.6	6.9	14.2	0.34
Avg		70.5	35.8	9.7	19.5	0.49
NAAQ* Standard		100	60	80	80	4
Methods of Analysis		IS:5182 (Part-23)	IS:5182 (Part-24)	IS:5182 (Part-2)	IS:5182 (Part-6)	IS: 5182 (Part- 10)

Reviewed By
TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESWAR, ODISHA
Technical Manager
Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESWAR, ODISHA
Dy Quality Manager
Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters. Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

ULR No- TC1616726000000005F

Report No- GFAPL/26-27/SMA/003

Issued Date- 04.05.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling Location & Coordinates	AAQ3 – Village Anara; Latitude: 21°41'20.01"N & Longitude: 85°26'19.10"E		
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
Sampling Method	As Per IS: 5182		

Date of Sampling	Lab Id Code	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)	CO (mg/m ³)
03.04.2026	GF/26-27/A022	63.6	32.3	6.8	13.8	0.33
07.04.2026	GF/26-27/A058	52.8	26.1	5.8	12.8	0.30
10.04.2026	GF/26-27/A096	57.8	29.2	6.3	13.4	0.32
14.04.2026	GF/26-27/A124	61.6	32.1	6.4	13.6	0.33
17.04.2026	GF/26-27/A150	63.7	34.6	6.8	14.2	0.35
21.04.2026	GF/26-27/A189	67.5	34.2	7.4	15.0	0.39
24.04.2026	GF/26-27/A224	69.9	35.8	7.8	15.8	0.40
28.04.2026	GF/26-27/A267	66.4	33.8	7.2	14.6	0.35
Max		69.9	35.8	7.8	15.8	0.40
Min		52.8	26.1	5.8	12.8	0.30
Avg		62.9	32.2	6.8	14.1	0.34
NAAQ* Standard		100	60	80	80	4
Methods of Analysis		IS:5182 (Part-23)	IS:5182 (Part-24)	IS:5182 (Part-2)	IS:5182 (Part-6)	IS: 5182 (Part- 10)

Reviewed By
TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESWAR, ODISHA
Technical Manager
Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESWAR, ODISHA
Dy Quality Manager
Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

ULR No- TC1616726000000006F

Report No- GFAPL/26-27/SMA/004

Issued Date- 04.05.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling Location & Coordinates	AAQ4 - Village Raigad; Latitude: 21°40'58.51"N & Longitude: 85°25'26.93"E		
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
Sampling Method	As Per IS: 5182		

Date of Sampling	Lab Id Code	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)	CO (mg/m ³)
03.04.2026	GF/26-27/A023	61.2	30.9	6.3	13.0	0.32
07.04.2026	GF/26-27/A059	50.6	25.6	5.4	12.4	0.29
10.04.2026	GF/26-27/A097	56.6	28.8	5.8	12.8	0.30
14.04.2026	GF/26-27/A122	60.4	30.4	6.3	13.2	0.32
17.04.2026	GF/26-27/A151	61.8	31.7	6.4	13.6	0.33
21.04.2026	GF/26-27/A190	66.4	33.8	7.0	14.4	0.37
24.04.2026	GF/26-27/A225	67.4	38.3	7.6	15.0	0.39
28.04.2026	GF/26-27/A268	65.3	32.9	7.0	14.4	0.34
Max		67.4	38.3	7.6	15.0	0.39
Min		50.6	25.6	5.4	12.4	0.29
Avg		61.2	31.5	6.4	13.6	0.33
NAAQ* Standard		100	60	80	80	4
Methods of Analysis		IS:5182 (Part-23)	IS:5182 (Part-24)	IS:5182 (Part-2)	IS:5182 (Part-6)	IS: 5182 (Part- 10)

Reviewed By
TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESWAR, ODISHA
 Technical Manager
 Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESWAR, ODISHA
 Dy. Quality Manager
 Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1--

ULR No- TC1616726000000007F

Report No- GFAPL/26-27/SMA/005

Issued Date- 04.05.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
Sampling Method	As Per IS: 5182		

Location Code	Sampling Location	Lab Id Code	Date of Sampling	O ₃ (µg/m ³)	NH ₃ (µg/m ³)
AAQ-1	Near Entry Gate	GF/26-27/A187	21.04.2026	13.3	27.7
AAQ-2	Near Security Barak	GF/26-27/A188	21.04.2026	10.2	24.2
AAQ-3	Village Anara	GF/26-27/A189	21.04.2026	<8.0	<20.0
AAQ-4	Village Raigad	GF/26-27/A190	21.04.2026	<8.0	<20.0
NAAQ* Standard				100	400
Methods of Analysis				IS:5182 (Part-9)	IS:5182 (Part-25)

Reviewed By
TECHNICAL MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 BHUBANESHWAR, ODISHA
 Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 BHUBANESHWAR, ODISHA
 Mr. M.K. Swain

Note:

- > The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- > Total liability of our lab is limited to the invoiced amount.
- > Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- > This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- > Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

GREEN FORCE

ASSOCIATES PRIVATE LIMITED

(An ISO 14001, 9001, 45001 certified Consulting Organization & NABL Accredited Laboratory)

Report No- GFAPL/26-27/SMA/006

Issued Date- 04.05.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler		
Sampling Method	As Per IS: 5182		

Location code	Sampling Location	Date of Sampling	Pb ($\mu\text{g}/\text{m}^3$)	Ni (ng/m^3)	As (ng/m^3)	C ₆ H ₆ ($\mu\text{g}/\text{m}^3$)	BaP (ng/m^3)
AAQ-1	Near Entry Gate	21.04.2026	<0.1	<6.0	<0.5	<5	<1
AAQ-2	Near Security Barak	21.04.2026	<0.1	<6.0	<0.5	<5	<1
AAQ-3	Village Anara	21.04.2026	<0.1	<6.0	<0.5	<5	<1
AAQ-4	Village Raigad	21.04.2026	<0.1	<6.0	<0.5	<5	<1
NAAQ* Standard			1	20	6	5	1
Methods of Analysis			IS:5182 (Part-22)	IS:5182 (Part-26)	As per CPCB method followed by AAS	IS:5182 (Part-11)	IS:5182 (Part-12)

Reviewed By
TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESWAR, ODISHA
Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESWAR, ODISHA
By Quality Manager
Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters. Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

ULR No- TC1616726000000008F

Report No- GFAPL/26-27/SMA/007

Issued Date- 04.05.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Ambient Noise Monitoring		
Location of performance of Laboratory activities	Site Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling By	GFAPL's Representative	Date of Sampling	20.04.2026
Instrument Used	Sound Level Meter		
Sampling Method	As Per IS:9989		

Sl. No.	Locations	Day Time	Night Time
		Results in dB(A)	
1	Near Entry Gate; Latitude: 21°41'13.17"N & Longitude: 85°26'17.90"E	70.2	61.8
2	Near Security Barak; Latitude: 21°41'2.88"N & Longitude: 85°25'56.46"E	59.6	46.7
Industrial Zone permissible limits as per CPCB Norms		Day Time – 75 dB(A)	Night Time – 70 dB(A)

Reviewed By

TECHNICAL MANAGER

GREENFORCE ASSOCIATES PRIVATE LIMITED

Technical Manager

BHUBANESWAR, ODISHA

Mr. S.K. Parhi

Authorized Signatory

DEPUTY QUALITY MANAGER

GREENFORCE ASSOCIATES PRIVATE LIMITED

Deputy Quality Manager

BHUBANESWAR, ODISHA

Note:

- The results listed refer only to tested samples and applicable parameters. Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1--

ULR No- TC1616726000000009F

Report No- GFAPL/26-27/SMA/008

Issued Date- 04.05.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Workzone Noise Monitoring		
Location of performance of Laboratory activities	Site Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling By	GFAPL's Representative	Date of Sampling	20.04.2026
Instrument Used	Sound Level Meter		
Sampling Method	As Per IS:9989		

S. No.	Locations	Day Time	Night Time
		Results in dB(A)	
1	Near W.Bridge-1; Latitude: 21°40'67.60"N & Longitude: 85°26'45.20"E	67.2	56.1
2	Near W.Bridge-2; Latitude: 21°40'55.60"N & Longitude: 85°26'16.20"E	66.9	55.8
Industrial Zone permissible limits as per CPCB Norms		Day Time - 75 dB(A)	Night Time -70 dB(A)

Reviewed By
TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
Bhubaneswar, Odisha
Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
Bhubaneswar, Odisha
Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1--

ULR No- TC1616726000000010F

Report No- GFAPL/26-27/SMA/009

Issued Date- 04.05.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Fugitive Dust Emission		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling By	GFAPL's Representative		
Instrument Used	Respirable Dust Sampler (RDS)		
Sampling Method	As Per IS: 5182		

Sl. No.	Name of Location	Lab Id Code	Coordinates of Location	Date of Sampling	Result
1	Near W.Bridge - 1	GF/26-27/A191	Lat: 21°40'67.60"N Long: 85°26'45.20"E	22.04.2026	1064.8
2	Near W.Bridge - 2	GF/26-27/A192	Lat: 21°40'55.60"N Long: 85°26'16.20"E	22.04.2026	1008.5
Fugitive Standard				1200	
Methods of Analysis				IS:5182 (Part-4)	

Reviewed By

TECHNICAL MANAGER

GREENFORCE ASSOCIATES PRIVATE LIMITED

BHUBANESWAR, ODISHA

Technical Manager

Mr. S.K. Parhi

Authorized Signatory

DEPUTY QUALITY MANAGER

GREENFORCE ASSOCIATES PRIVATE LIMITED

BHUBANESWAR, ODISHA

By Quality Manager

Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1--

ULR No- TC1616726000000011F

Report No- GFAPL/26-27/SMA/010

Issued Date- 04.05.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Stack Monitoring		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling By	GFAPL's Representative		
Date of Sampling	22.04.2026	Date of Receiving	23.04.2026
Date of Analysis	24.04.2026	Date of Complete	25.04.2026
Sampling Location & Coordinates	ST1- Stack (ESP 1 connected to TG): Lat-21° 40' 58.15"N, Long-85° 26' 11.05"E ST2- Stack (ESP 2 connected to TG): Lat- 21° 40' 57.48"N, Long-85° 26' 14.01"E		
Instrument Used	Stack monitoring Kit; Vacuum Pump; Byrometer	Lab Id Code	ST1-GF/26-27/St008 ST1-GF/26-27/St009
Sampling Method	As Per IS: 11255		

Sl. No.	Parameters	Testing Method	As per CTO Standard	ST1	ST2
01	Flue gas Temperature in K	IS-11255 (PART-3) 1985, (RA-2013)	---	369.0	377.0
02	Velocity in m/sec	IS-11255 (PART-3) 1985, (RA-2013)	---	15.94	16.63
03	PM (mg/Nm3)	IS-11255(PART-1) 1985, (RA-2014) Gravimetric Method	30	23.20	20.40
04	SO2 (mg/Nm3)	IS-11255(PART-2) 1985, (RA-2019)	600	38.2	36.6
05	NOx (mg/Nm3)	IS-11255(PART-2) 1985	300	25.7	48.1

Resigned By
TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESWAR, ODISHA
Technical Manager
Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESWAR, ODISHA
Dy. Quality Manager
Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1 of 2--

ULR No- TC1616726000000012F

Report No- GFAPL/26-27/SMA/011

Issued Date- 04.05.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Sewage Treatment Plant		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Water
Date of Sampling	27.04.2026	Date of Receiving	28.04.2026
Date of Analysis	28.04.2026	Date of Complete	02.05.2026
Sampling Location	STP OUTLET: Lat- 21° 41' 13.48"N, Long- 85° 26' 15.79"E		
Sampling Method	As Per APHA 24th ED: 1060B:2023	Lab Id Code	GF/26-27/W039

Sl.No.	Parameter	Testing Methods	Unit	Standard as per- MoEFCC 13 th October 2017	STP
01	pH Value @250C	APHA 24 th ED 4500 H+B:2023		6.5-9.0	7.51
02	Total Dissolved Solids(TDS)	APHA 24 th ED 2540-C: 2023	mg/l	--	173.0
03	Total Suspended Solids(TSS)	APHA 24 th ED 2540-D: 2023	mg/l	<50	16
04	Biological Oxygen Demand	IS 3025 (PART 44) : 1993 REA-2009	mg/l	20	<2.0
05	Chemical Oxygen Demand	APHA 24 th ED 5220 C:2023	mg/l	--	18.00
06	Oil & Grease	IS 3025 PART 39-1991 RA-2003	mg/l	--	<2.0
07	Total Kjeldhal Nitrogen	APHA 24th ED 4500- Norg B; NH3-B, C:2023	mg/l	--	0.7

REMARKS: Laboratory Oil & Grease BDL Value is <2.0

Reviewed By
TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
Bhubaneswar, Odisha
Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
Bhubaneswar, Odisha
Mr. M. B. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1--