

**ENVIRONMENT MONITORING
REPORT FOR THE MONTH OF
MAY-2026**



Client- M/s SREE METALIKS LTD.

Address- Anra, Upper Raigoda, Banspal

Dist- Keonjhar, Odisha



Monitored By - Green Force Associates Pvt. Ltd.

Address- Plot No-1363/3850, At-Baibhab Nagar,

Lane-2, Nakhara, Dist-Khorda, Odisha- 754001

NABL Certificate No:- TC-12258

PHOTOGRAPHS OF ENVIRONMENT MONITORING



Keonjhar, Odisha, India 
Mcpq+cgr, Keonjhar, Odisha 758085, India
Lat 21.687186° Long 85.437812°



Keonjhar, Odisha, India 
Mcpq+cgr, Keonjhar, Odisha 758085, India
Lat 21.6872° Long 85.437893°



Jaladihi, Odisha, India 
Mcmj+mr, Jaladihi, Odisha 758085, India
Lat 21.685524° Long 85.4308°



Jaladihi, Odisha, India 
Mcmj+mr, Jaladihi, Odisha 758085, India
Lat 21.685493° Long 85.43141°

ULR No- TC1616726000000108F

Report No- GFAPL/26-27/SMA/012

Issued Date- 06.06.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling Location & Coordinates	AAQ1 - Near Entry Gate: 21°41'13.17"N Latitude & 85°26'17.90"E Longitude		
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
Sampling Method	As Per IS: 5182		

Date of Sampling	Lab Id Code	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)	CO (mg/m ³)
01.05.2026	GF/26-27/A286	77.5	39.2	12.4	24.4	0.64
05.05.2026	GF/26-27/A319	72.5	37.1	10.8	21.0	0.58
08.05.2026	GF/26-27/A354	75.6	38.8	11.8	22.4	0.60
12.05.2026	GF/26-27/A385	68.2	34.5	9.4	18.0	0.51
15.05.2026	GF/26-27/A414	74.8	37.9	11.3	22.8	0.58
19.05.2026	GF/26-27/A453	80.1	41.3	13.2	26.4	0.64
22.05.2026	GF/26-27/A492	84.2	42.9	14.4	27.8	0.67
26.05.2026	GF/26-27/A531	81.5	42.0	14.8	28.2	0.70
29.05.2026	GF/26-27/A558	74.6	37.5	10.6	21.0	0.52
Max		84.2	42.9	14.8	28.2	0.70
Min		68.2	34.5	9.4	18.0	0.51
Avg		76.5	39.0	12.0	23.5	0.60
NAAQ* Standard		100	60	80	80	4
Methods of Analysis		IS:5182 (Part-23)	IS:5182 (Part-24)	IS:5182 (Part-2)	IS:5182 (Part-6)	IS: 5182 (Part- 10)

Reviewed By
TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESWAR, ODISHA
Technical Manager
Mr. S.K. Parhi

Authorized Signature
DEPUTY QUALITY MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESWAR, ODISHA
Dy Quality Manager
Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

ULR No- TC1616726000000109F

Report No- GFAPL/26-27/SMA/013

Issued Date- 06.06.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling Location & Coordinates	AAQ2 - Near Security Barak: 21°41'2.88"N Latitude & 85°25'56.46"E Longitude		
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
Sampling Method	As Per IS: 5182		

Date of Sampling	Lab Id Code	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)	CO (mg/m ³)
01.05.2026	GF/26-27/A287	70.1	35.8	10.0	20.0	0.54
05.05.2026	GF/26-27/A320	65.2	32.9	8.4	16.4	0.45
08.05.2026	GF/26-27/A355	68.4	34.6	9.0	17.8	0.48
12.05.2026	GF/26-27/A386	62.4	31.5	7.4	14.8	0.36
15.05.2026	GF/26-27/A415	65.4	33.8	8.4	16.8	0.41
19.05.2026	GF/26-27/A454	69.4	35.4	9.4	19.4	0.48
22.05.2026	GF/26-27/A493	72.4	36.7	10.0	20.4	0.51
26.05.2026	GF/26-27/A532	70.8	36.0	10.4	20.8	0.54
29.05.2026	GF/26-27/A559	66.4	33.1	7.8	15.4	0.36
Max		72.4	36.7	10.4	20.8	0.54
Min		62.4	31.5	7.4	14.8	0.36
Avg		67.8	34.3	8.9	17.9	0.45
NAAQ* Standard		100	60	80	80	4
Methods of Analysis		IS:5182 (Part-23)	IS:5182 (Part-24)	IS:5182 (Part-2)	IS:5182 (Part-6)	IS: 5182 (Part- 10)

Reviewed By
TECHNICAL MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 BHUBANESWAR, ODISHA
 Technical Manager
 Mr. S.K. Parhi

DEPUTY QUALITY MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 BHUBANESWAR, ODISHA
 Dy Quality Manager
 Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters. Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

ULR No- TC1616726000000110F

Report No- GFAPL/26-27/SMA/014

Issued Date- 06.06.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling Location & Coordinates	AAQ3 – Village Anara; Latitude: 21°41'20.01"N & Longitude: 85°26'19.10"E		
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
Sampling Method	As Per IS: 5182		

Date of Sampling	Lab Id Code	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)	CO (mg/m ³)
01.05.2026	GF/26-27/A288	63.5	32.1	6.8	13.8	0.34
05.05.2026	GF/26-27/A321	58.4	29.6	6.0	12.0	0.28
08.05.2026	GF/26-27/A356	60.2	30.4	6.4	12.4	0.29
12.05.2026	GF/26-27/A387	52.8	26.5	5.4	11.8	0.26
15.05.2026	GF/26-27/A416	55.8	27.9	6.0	12.4	0.28
19.05.2026	GF/26-27/A455	60.8	30.8	6.8	14.0	0.34
22.05.2026	GF/26-27/A494	64.8	32.5	7.4	14.8	0.36
26.05.2026	GF/26-27/A533	66.4	33.5	7.8	15.4	0.38
29.05.2026	GF/26-27/A560	59.8	30.0	5.8	12.0	0.28
Max		66.4	33.5	7.8	15.4	0.38
Min		52.8	26.5	5.4	11.8	0.26
Avg		60.2	30.3	6.4	13.1	0.31
NAAQ* Standard		100	60	80	80	4
Methods of Analysis		IS:5182 (Part-23)	IS:5182 (Part-24)	IS:5182 (Part-2)	IS:5182 (Part-6)	IS: 5182 (Part- 10)

Reviewed By
TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESWAR, ODISHA
Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESWAR, ODISHA
Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

ULR No- TC1616726000000111F

Report No- GFAPL/26-27/SMA/015

Issued Date- 06.06.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling Location & Coordinates	AAQ4 - Village Raigad; Latitude: 21°40'58.51"N & Longitude: 85°25'26.93"E		
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
Sampling Method	As Per IS: 5182		

Date of Sampling	Lab Id Code	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)	CO (mg/m ³)
01.05.2026	GF/26-27/A289	62.6	32.7	6.4	13.4	0.33
05.05.2026	GF/26-27/A322	56.8	28.3	5.8	11.8	0.27
08.05.2026	GF/26-27/A357	59.1	30.0	6.0	12.0	0.28
12.05.2026	GF/26-27/A388	50.4	25.0	5.3	11.4	0.25
15.05.2026	GF/26-27/A417	53.9	27.1	5.8	11.8	0.27
19.05.2026	GF/26-27/A456	58.2	29.6	6.4	13.4	0.32
22.05.2026	GF/26-27/A495	60.9	31.3	6.8	14.0	0.34
26.05.2026	GF/26-27/A534	63.1	32.0	7.0	14.4	0.35
29.05.2026	GF/26-27/A561	57.6	29.4	5.5	11.4	0.27
Max		63.1	32.0	7.0	14.4	0.35
Min		50.4	25.0	5.3	11.4	0.25
Avg		58.0	29.4	6.1	12.6	0.29
NAAQ* Standard		100	60	80	80	4
Methods of Analysis		IS:5182 (Part-23)	IS:5182 (Part-24)	IS:5182 (Part-2)	IS:5182 (Part-6)	IS: 5182 (Part- 10)

Reviewed By
TECHNICAL MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 BHUBANESHWAR, ODISHA
 Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 BHUBANESHWAR, ODISHA
 Mr. M.K. Swain

Note:

- > The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- > Total liability of our lab is limited to the invoiced amount.
- > Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- > This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- > Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

ULR No- TC1616726000000112F

Report No- GFAPL/26-27/SMA/016

Issued Date- 06.06.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
Sampling Method	As Per IS: 5182		

Location Code	Sampling Location	Lab Id Code	Date of Sampling	O ₃ (µg/m ³)	NH ₃ (µg/m ³)
AAQ-1	Near Entry Gate	GF/26-27/A453	19.05.2026	12.3	26.3
AAQ-2	Near Security Barak	GF/26-27/A454	19.05.2026	9.8	22.8
AAQ-3	Village Anara	GF/26-27/A455	19.05.2026	<8.0	<20.0
AAQ-4	Village Raigad	GF/26-27/A456	19.05.2026	<8.0	<20.0
NAAQ* Standard				100	400
Methods of Analysis				IS:5182 (Part-9)	IS:5182 (Part-25)

Reviewed By
TECHNICAL MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 BHUBANESWAR, ODISHA
 Technical Manager
 Mr. S.K. Parida

Authorized Signatory
DEPUTY QUALITY MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 BHUBANESWAR, ODISHA
 Dr. Quality Manager
 Mr. M.K. Swain

Note:

- > The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- > Total liability of our lab is limited to the invoiced amount.
- > Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- > This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- > Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

GREEN FORCE

ASSOCIATES PRIVATE LIMITED

(An ISO 14001, 9001, 45001 certified Consulting Organization & NABL Accredited Laboratory)

Report No- GFAPL/26-27/SMA/017

Issued Date- 06.06.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler		
Sampling Method	As Per IS: 5182		

Location code	Sampling Location	Date of Sampling	Pb ($\mu\text{g}/\text{m}^3$)	Ni (ng/m^3)	As (ng/m^3)	C ₆ H ₆ ($\mu\text{g}/\text{m}^3$)	BaP (ng/m^3)
AAQ-1	Near Entry Gate	19.05.2026	<0.1	<6.0	<0.5	<5	<1
AAQ-2	Near Security Barak	19.05.2026	<0.1	<6.0	<0.5	<5	<1
AAQ-3	Village Anara	19.05.2026	<0.1	<6.0	<0.5	<5	<1
AAQ-4	Village Raigad	19.05.2026	<0.1	<6.0	<0.5	<5	<1
NAAQ* Standard			1	20	6	5	1
Methods of Analysis			IS:5182 (Part-22)	IS:5182 (Part-26)	As per CPCB method followed by AAS	IS:5182 (Part-11)	IS:5182 (Part-12)

Reviewed By
TECHNICAL MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 Technical Manager
 Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 Deputy Quality Manager
 Mr. M.K. Swain

Note:

- > The results listed refer only to tested samples and applicable parameters. Endorsement of products is neither inferred nor implied.
- > Total liability of our lab is limited to the invoiced amount.
- > Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- > This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- > Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

ULR No- TC1616726000000113F


Report No- GFAPL/26-27/SMA/018


Issued Date- 06.06.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Ambient Noise Monitoring		
Location of performance of Laboratory activities	Site Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling By	GFAPL's Representative	Date of Sampling	20.05.2026
Instrument Used	Sound Level Meter		
Sampling Method	As Per IS:9989		

Sl. No.	Locations	Day Time	Night Time
		Results in dB(A)	
1	Near Entry Gate; Latitude: 21°41'13.17"N & Longitude: 85°26'17.90"E	71.2	62.7
2	Near Security Barak; Latitude: 21°41'2.88"N & Longitude: 85°25'56.46"E	66.5	48.9
Industrial Zone permissible limits as per CPCB Norms		Day Time – 75 dB(A)	Night Time – 70 dB(A)

Reviewed By

TECHNICAL MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 BHUBANESWAR, ODISHA

Authorized Signatory

DEPUTY QUALITY MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 BHUBANESWAR, ODISHA

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

ULR No- TC1616726000000114F

Report No- GFAPL/26-27/SMA/019

Issued Date- 06.06.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Workzone Noise Monitoring		
Location of performance of Laboratory activities	Site Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling By	GFAPL's Representative	Date of Sampling	20.05.2026
Instrument Used	Sound Level Meter		
Sampling Method	As Per IS:9989		

S. No.	Locations	Day Time	Night Time
		Results in dB(A)	
1	Near W.Bridge-1; Latitude: 21°40'67.60"N & Longitude: 85°26'45.20"E	69.3	58.1
2	Near W.Bridge-2; Latitude: 21°40'55.60"N & Longitude: 85°26'16.20"E	67.4	56.8
Industrial Zone permissible limits as per CPCB Norms		Day Time – 75 dB(A)	Night Time –70 dB(A)

Reviewed By
TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
 Technical Manager
 Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
 By Quality Manager
 Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1--

ULR No- TC1616726000000115F

Report No- GFAPL/26-27/SMA/020

Issued Date- 06.06.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Fugitive Dust Emission		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling By	GFAPL's Representative		
Instrument Used	Respirable Dust Sampler (RDS)		
Sampling Method	As Per IS: 5182		

Sl. No.	Name of Location	Lab Id Code	Coordinates of Location	Date of Sampling	Result
1	Near W.Bridge - 1	GF/26-27/A463	Lat: 21°40'67.60"N Long: 85°26'45.20"E	20.05.2026	1001.5
2	Near W.Bridge - 2	GF/26-27/A464	Lat: 21°40'55.60"N Long: 85°26'16.20"E	20.05.2026	987.2
Fugitive Standard				1200	
Methods of Analysis				IS:5182 (Part-4)	

Reviewed By
TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESWAR, ODISHA
 Technical Manager
 Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESWAR, ODISHA
 Deputy Quality Manager
 Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1--

ULR No- TC1616726000000116F

Report No- GFAPL/26-27/SMA/021

Issued Date- 06.06.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Stack Monitoring		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling By	GFAPL's Representative		
Date of Sampling	22.05.2026	Date of Receiving	23.05.2026
Date of Analysis	23.05.2026	Date of Complete	25.05.2026
Sampling Location & Coordinates	ST1- Stack (ESP 1 connected to TG): Lat-21° 40' 58.15"N, Long-85° 26' 11.05"E ST2- Stack (ESP 2 connected to TG): Lat- 21° 40' 57.48"N, Long-85° 26' 14.01"E		
Instrument Used	Stack monitoring Kit; Vacuum Pump; Byrometer	Lab Id Code	ST1-GF/26-27/St017 ST1-GF/26-27/St018
Sampling Method	As Per IS: 11255		

Sl. No.	Parameters	Testing Method	As per CTO Standard	ST1	ST2
01	Flue gas Temperature in K	IS-11255 (PART-3) 1985, (RA-2013)	---	371.0	375.0
02	Velocity in m/sec	IS-11255 (PART-3) 1985, (RA-2013)	---	16.05	16.74
03	PM (mg/Nm ³)	IS-11255(PART-1) 1985, (RA-2014) Gravimetric Method	30	24.50	19.80
04	SO ₂ (mg/Nm ³)	IS-11255(PART-2) 1985, (RA-2019)	600	36.8	34.2
05	NO _x (mg/Nm ³)	IS-11255(PART-2) 1985	300	24.8	46.9

Reviewed By

TECHNICAL MANAGER

GREENFORCE ASSOCIATES PRIVATE LIMITED
Technical Manager
BHUBANESWAR, ODISHA
Mr. S.K. Parida

DEPUTY QUALITY MANAGER

Authorized Signatory
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESWAR, ODISHA
Dy Quality Manager
Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1 of 2--

ULR No- TC1616726000000117F

Report No- GFAPL/26-27/SMA/022

Issued Date- 06.06.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Sewage Treatment Plant		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Water
Date of Sampling	24.05.2026	Date of Receiving	25.05.2026
Date of Analysis	25.05.2026	Date of Complete	29.05.2026
Sampling Location	STP OUTLET: Lat- 21° 41' 13.48"N, Long- 85° 26' 15.79"E		
Sampling Method	As Per APHA 24th ED: 1060B:2023	Lab Id Code	GF/26-27/W101

Sl.No.	Parameter	Testing Methods	Unit	Standard as per- MoEFCC 13 th October 2017	STP
01	pH Value @250C	APHA 24 th ED 4500 H-B:2023		6.5-9.0	7.45
02	Total Dissolved Solids(TDS)	APHA 24 th ED 2540-C: 2023	mg/l	--	186.0
03	Total Suspended Solids(TSS)	APHA 24 th ED 2540-D: 2023	mg/l	<50	10
04	Biological Oxygen Demand	IS 3025 (PART 44) : 1993 REA-2009	mg/l	20	<2.0
05	Chemical Oxygen Demand	APHA 24 th ED 5220 C:2023	mg/l	--	14.0
06	Oil & Grease	IS 3025 PART 39-1991 RA-2003	mg/l	--	<2.0
07	Total Kjeldhal Nitrogen	APHA 24th ED 4500- Norg B; NH3-B, C:2023	mg/l	--	0.7

REMARKS: Laboratory Oil & Grease BDL Value is <2.0

Reviewed By
TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
Bhubaneswar, Odisha
Mr. S.K. Parhi

DEPUTY QUALITY MANAGER
Authorized Signatory
GREENFORCE ASSOCIATES PRIVATE LIMITED
Bhubaneswar, Odisha
Dy Quality Manager
Mr. M.K. Swain

Note:

- > The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- > Total liability of our lab is limited to the invoiced amount.
- > Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- > This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- > Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1--