

**ENVIRONMENT MONITORING
REPORT FOR THE MONTH OF
OCTOBER-2025**




Client- M/s SREE METALIKS LTD.
Address- Anra, Upper Raigoda, Banspal
Dist- Keonjhar, Odisha



Monitored By - Green Force Associates Pvt. Ltd.
Address- Plot No-1363/3850,At-Baibhab Nagar,
Lane-2,Nakhara, Dist-Khorda, Odisha- 754001
NABL Certificate No:- TC-12258

PHOTOGRAPHS OF ENVIRONMENT MONITORING



Report No- GFAPL/25-26/SMA/087

Issued Date- 04.11.2025

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling Location & Coordinates	AAQ1 - Near Entry Gate: 21°41'13.17"N Latitude & 85°26'17.90"E Longitude		
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
Sampling Method	As Per IS: 5182		

Date of Sampling	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)
02.10.2025	48.2	23.5	5.4	10.6
06.10.2025	46.8	22.9	5.2	10.4
09.10.2025	52.7	26.2	5.8	11.0
13.10.2025	58.6	28.5	6.4	12.4
16.10.2025	62.6	32.5	6.8	13.0
20.10.2025	66.8	33.6	7.4	14.2
23.10.2025	71.2	36.1	8.2	14.8
27.10.2025	68.2	33.9	7.6	14.2
30.10.2025	70.6	35.4	8.2	15.0
Max	71.20	36.10	8.20	15.00
Min	46.80	22.90	5.20	10.40
Avg	60.63	30.29	6.78	12.84
NAAQ* Standard	100	60	80	80
Methods of Analysis	IS:5182 (Part-23)	IS:5182 (Part-24)	IS:5182 (Part-2)	IS:5182 (Part-6)

Reviewed By

CHIEF ANALYST

GREENFORCE ASSOCIATES PRIVATE LIMITED

Chief Analyst
Miss. Arti Sahoo

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

Authorized Signatory

TECHNICAL MANAGER

GREENFORCE ASSOCIATES PRIVATE LIMITED

Technical Manager
Mr. S. A. Panda

Report No- GFAPL/25-26/SMA/088

Issued Date- 04.11.2025

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling Location & Coordinates	AAQ2 - Near Security Barak: 21°41'2.88"N Latitude & 85°25'56.46"E Longitude		
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
Sampling Method	As Per IS: 5182		

Date of Sampling	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)
02.10.2025	45.6	22.2	4.6	9.6
06.10.2025	43.8	21.6	4.6	9.6
09.10.2025	49.2	24.5	5.2	10.2
13.10.2025	53.6	26.8	5.6	10.8
16.10.2025	55.6	27.8	6.0	11.8
20.10.2025	58.2	29.2	6.2	12.2
23.10.2025	60.4	30.3	6.6	12.8
27.10.2025	56.8	28.6	6.2	11.4
30.10.2025	58.9	29.2	6.4	12.4
Max	60.40	30.30	6.60	12.80
Min	43.80	21.60	4.60	9.60
Avg	53.57	26.69	5.71	11.20
NAAQ* Standard	100	60	80	80
Methods of Analysis	IS:5182 (Part-23)	IS:5182 (Part-24)	IS:5182 (Part-2)	IS:5182 (Part-6)

Reviewed By

CHIEF ANALYST
Chief Analyst
GREENFORCE ASSOCIATES PRIVATE LIMITED
Miss. Arti Sahoo
BHUBANESWAR, ODISHA

Authorized Signatory

TECHNICAL MANAGER
Technical Manager
GREENFORCE ASSOCIATES PRIVATE LIMITED
SHUBHESWAR, ODISHA

Note:

- The results listed refer only to tested samples and applicable parameters. Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

Report No- GFAPL/25-26/SMA/089

Issued Date- 04.11.2025

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling Location & Coordinates	AAQ3 – Village Anara; Latitude: 21°41'20.01"N & Longitude: 85°26'19.10"E		
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
Sampling Method	As Per IS: 5182		

Date of Sampling	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)
02.10.2025	24.2	11.8	<4.0	<9.0
06.10.2025	22.6	10.7	<4.0	<9.0
09.10.2025	29.8	14.6	<4.0	<9.0
13.10.2025	34.8	17.2	<4.0	<9.0
16.10.2025	37.8	18.5	<4.0	<9.0
20.10.2025	42.5	21.2	<4.0	<9.0
23.10.2025	45.8	22.8	4.6	9.6
27.10.2025	41.8	20.7	<4.0	<9.0
30.10.2025	44.6	22.1	<4.0	<9.0
Max	45.80	22.80	4.60	9.60
Min	22.60	10.70	<4.0	<9.0
Avg	35.99	17.73	4.60	9.60
NAAQ* Standard	100	60	80	80
Methods of Analysis	IS:5182 (Part-23)	IS:5182 (Part-24)	IS:5182 (Part-2)	IS:5182 (Part-6)

Reviewed By

CHIEF ANALYST
GREENFORCE ASSOCIATES PRIVATE LIMITED
Chief Analyst
BHUBANESWAR, ODISHA
Miss. Arti Sahoo

Authorized Signatory

TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
Bhubaneswar, Odisha
Mr. S.K. Parhi

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1--

Report No- GFAPL/25-26/SMA/090

Issued Date- 04.11.2025

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling Location & Coordinates	AAQ4 - Village Raigad; Latitude: 21°40'58.51"N & Longitude: 85°25'26.93"E		
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
Sampling Method	As Per IS: 5182		

Date of Sampling	PM10 ($\mu\text{g}/\text{m}^3$)	PM2.5 ($\mu\text{g}/\text{m}^3$)	SO ₂ ($\mu\text{g}/\text{m}^3$)	NO ₂ ($\mu\text{g}/\text{m}^3$)
02.10.2025	23.6	11.6	<4.0	<9.0
06.10.2025	21.2	10.8	<4.0	<9.0
09.10.2025	28.7	14.1	<4.0	<9.0
13.10.2025	34.1	16.6	<4.0	<9.0
16.10.2025	36.9	18.2	<4.0	<9.0
20.10.2025	39.8	19.6	<4.0	<9.0
23.10.2025	42.8	21.2	<4.0	<9.0
27.10.2025	40.8	20.2	<4.0	<9.0
30.10.2025	43.4	21.5	<4.0	<9.0
Max	43.40	21.50	<4.0	<9.0
Min	21.20	10.80	<4.0	<9.0
Avg	34.59	17.09	<4.0	<9.0
NAAQ* Standard	100	60	80	80
Methods of Analysis	IS:5182 (Part-23)	IS:5182 (Part-24)	IS:5182 (Part-2)	IS:5182 (Part-6)

Reviewed By

CHIEF ANALYST
GREENFORCE ASSOCIATES PRIVATE LIMITED
Bhubaneswar, Odisha
Miss. Arti Sahoo

Authorized Signatory

TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
Bhubaneswar, Odisha
Mr. S.K. Parhi

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1--

GREEN FORCE

ASSOCIATES PRIVATE LIMITED

An ISO 14001, 9001, 45001 certified Consulting Organization & NABL Accredited Laboratory

Report No- GFAPL/25-26/SMA/091

Issued Date- 04.11.2025

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling Location & Coordinates	AAQ1 - Near Entry Gate: 21°41'13.17"N Latitude & 85°26'17.90"E Longitude AAQ2 - Near Security Barak: 21°41'2.88"N Latitude & 85°25'56.46"E Longitude		
Instrument Used	CO Analyser		
Sampling method	As Per IS: 5182		

Date of Sampling	CO (mg/m3)	
	AAQ1	AAQ2
02.10.2025	0.30	0.22
06.10.2025	0.29	0.21
09.10.2025	0.31	0.26
13.10.2025	0.33	0.29
16.10.2025	0.34	0.31
20.10.2025	0.35	0.32
23.10.2025	0.36	0.33
27.10.2025	0.35	0.31
30.10.2025	0.37	0.32
Max	0.37	0.33
Min	0.29	0.21
Avg	0.33	0.29
NAAQ* Standard	4	
Methods of Analysis	IS: 5182 (Part- 10)	

Reviewed By

CHIEF ANALYST
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESWAR, ODISHA
Miss. Arth Sahoo

Authorized Signatory

TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESWAR, ODISHA
Mr. S.K. Parhi

Note:

- > The results listed refer only to tested samples and applicable parameters. Endorsement of products is neither inferred nor implied.
- > Total liability of our lab is limited to the invoiced amount.
- > Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- > This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- > Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

GREEN FORCE

ASSOCIATES PRIVATE LIMITED

An ISO 14001, 9001, 45001 certified Consulting Organization & NABL Accredited Laboratory

Report No- GFAPL/25-26/SMA/092

Issued Date- 04.11.2025

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling Location & Coordinates	AAQ3 - Village Anara; Latitude: 21°41'20.01"N & Longitude: 85°26'19.10"E AAQ4- Village Raigad; Latitude: 21°40'58.51"N & Longitude: 85°25'26.93"E		
Instrument Used	CO Analyser		
Sampling Method	As Per IS: 5182		

Date of Sampling	CO (mg/m3)	
	AAQ3	AAQ4
02.10.2025	0.11	0.11
06.10.2025	0.10	0.10
09.10.2025	0.14	0.13
13.10.2025	0.16	0.15
16.10.2025	0.18	0.17
20.10.2025	0.20	0.19
23.10.2025	0.22	0.20
27.10.2025	0.20	0.18
30.10.2025	0.21	0.19
Max	0.22	0.20
Min	0.10	0.10
Avg	0.17	0.16
NAAQ* Standard	4	
Methods of Analysis	IS: 5182 (Part- 10)	

Reviewed By
CHIEF ANALYST
GREENFORCE ASSOCIATES PRIVATE LIMITED
Chief Analyst
BHUBANESWAR, ODISHA
Miss. Arti Sahoo

Authorized Signatory
TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
Technical Manager
BHUBANESWAR, ODISHA
Mr. S.K. Parhi

Note:

- > The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- > Total liability of our lab is limited to the invoiced amount.
- > Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- > This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- > Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1--

Report No- GFAPL/25-26/SMA/093

Issued Date- 04.11.2025

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
Sampling Method	As Per IS: 5182		

Location Code	Sampling Location	Date of Sampling	O ₃ ($\mu\text{g}/\text{m}^3$)	NH ₃ ($\mu\text{g}/\text{m}^3$)
AAQ-1	Near Entry Gate	20.10.2025	<8.0	<20.0
AAQ-2	Near Security Barak	20.10.2025	<8.0	<20.0
AAQ-3	Village Anara	20.10.2025	<8.0	<20.0
AAQ-4	Village Raigad	20.10.2025	<8.0	<20.0
NAAQ* Standard			100	400
Methods of Analysis			IS:5182 (Part-9)	IS:5182 (Part-25)

Reviewed By

CHIEF ANALYST

GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESWAR, ODISHA

Chief Analyst

Miss. Arti Sahoo

Authorized Signatory

TECHNICAL MANAGER

GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESWAR, ODISHA

Technical Manager
Mr. S.K. Parhi

Note:

- > The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- > Total liability of our lab is limited to the invoiced amount.
- > Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- > This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- > Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

GREEN FORCE

ASSOCIATES PRIVATE LIMITED

An ISO 14001, 9001, 45001 certified Consulting Organization & NABL Accredited Laboratory

Report No- GFAPL/25-26/SMA/094

Issued Date- 04.11.2025

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler		
Sampling Method	As Per IS: 5182		

Location code	Sampling Location	Date of Sampling	Pb ($\mu\text{g}/\text{m}^3$)	Ni (ng/m^3)	As (ng/m^3)	C ₆ H ₆ ($\mu\text{g}/\text{m}^3$)	BaP (ng/m^3)
AAQ-1	Near Entry Gate	20.10.2025	<0.1	<6.0	<0.5	<5	<1
AAQ-2	Near Security Barak	20.10.2025	<0.1	<6.0	<0.5	<5	<1
AAQ-3	Village Anara	20.10.2025	<0.1	<6.0	<0.5	<5	<1
AAQ-4	Village Raigad	20.10.2025	<0.1	<6.0	<0.5	<5	<1
NAAQ* Standard			1	20	6	5	1
Methods of Analysis			IS:5182 (Part-22)	IS:5182 (Part-26)	As per CPCB method followed by AAS	IS:5182 (Part-11)	IS:5182 (Part-12)

Reviewed By

CHIEF ANALYST
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESWAR, ODISHA
Miss. Arti Sahoo

Authorized Signatory

TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESWAR, ODISHA
Mr. S.K. Parhi

Note:

- The results listed refer only to tested samples and applicable parameters. Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

Report No- GFAPL/25-26/SMA/095

Issued Date- 04.11.2025

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Ambient Noise Monitoring		
Location of performance of Laboratory activities	Site Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling By	GFAPL's Representative	Date of Sampling	20.10.2025
Instrument Used	Sound Level Meter		
Sampling Method	As Per IS:9989		

Sl. No.	Locations	Day Time	Night Time
		Results in dB(A)	
1	Near Entry Gate; Latitude: 21°41'13.17"N & Longitude: 85°26'17.90"E	67.5	57.1
2	Near Security Barak; Latitude: 21°41'2.88"N & Longitude: 85°25'56.46"E	55.2	47.4
Industrial Zone permissible limits as per CPCB Norms		Day Time – 75 dB(A)	Night Time – 70 dB(A)

Reviewed By

CHIEF ANALYST
GREENFORCE ASSOCIATES PRIVATE LIMITED
Chief Analyst
Miss. Arti Sahoo

Authorized Signatory

TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
Bhubaneswar, Odisha
Mr. S.K. Parhi

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

Report No- GFAPL/25-26/SMA/096

Issued Date- 04.11.2025

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Workzone Noise Monitoring		
Location of performance of Laboratory activities	Site Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling By	GFAPL's Representative	Date of Sampling	20.10.2025
Instrument Used	Sound Level Meter		
Sampling Method	As Per IS:9989		

S. No.	Locations	Day Time	Night Time
		Results in dB(A)	
1	Near W.Bridge-1; Latitude: 21°40'67.60"N & Longitude: 85°26'45.20"E	63.6	53.4
2	Near W.Bridge-2; Latitude: 21°40'55.60"N & Longitude: 85°26'16.20"E	64.1	54.1
Industrial Zone permissible limits as per CPCB Norms		Day Time – 75 dB(A)	Night Time –70 dB(A)

Reviewed By

CHIEF ANALYST
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESWAR, ODISHA
Chief Analyst
Miss. Arti Sahoo

Note:

Authorized Signatory

TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESWAR, ODISHA
Mr. S.K. Paul

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

Report No- GFAPL/25-26/SMA/097

Issued Date- 04.11.2025

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Fugitive Dust Emission		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling By	GFAPL's Representative		
Instrument Used	Respirable Dust Sampler (RDS)		
Sampling Method	As Per IS: 5182		

Sl. No.	Name of Location	Coordinates of Location	Date of Sampling	Result
1	Near W.Bridge - 1	Lat: 21°40'67.60"N Long:85°26'45.20"E	21.10.2025	568.2
2	Near W.Bridge - 2	Lat: 21°40'55.60"N Long: 85°26'16.20"E	21.10.2025	554.5
Fugitive Standard				1200
Methods of Analysis			IS:5182 (Part-4)	

Reviewed By

CHIEF ANALYST
GREENFORCE ASSOCIATES PRIVATE LIMITED
Chief Analyst
BHUBANESHWAR, ODISHA
Miss. Arti Sahoo

Authorized Signatory

TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
Technical Manager
BHUBANESHWAR, ODISHA
Mr. S.R. Parhi

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

Report No- GFAPL/25-26/SMA/098

Issued Date- 04.11.2025


TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Stack Monitoring		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling By	GFAPL's Representative		
Date of Sampling	20.10.2025	Date of Receiving	21.10.2025
Date of Analysis	21.10.2025	Date of Complete	23.10.2025
Sampling Location & Coordinates	ST1- Stack (ESP 1 connected to TG): Lat-21° 40' 58.15"N, Long-85° 26' 11.05"E ST2- Stack (ESP 2 connected to TG): Lat- 21° 40' 57.48"N, Long-85° 26' 14.01"E		
Instrument Used	Stack monitoring Kit; Vacuum Pump; Pyrometer		
Sampling Method	As Per IS:11255		

Sl. No.	Parameters	Testing Method	As per CTO Standard	ST1	ST2
01	Flue gas Temperature in K	IS-11255 (PART-3) 1985, (RA-2013)	---	373.0	375.0
02	Velocity in m/sec	IS-11255 (PART-3) 1985, (RA-2013)	---	14.73	15.61
03	PM (mg/Nm ³)	IS-11255(PART-1) 1985, (RA-2014) Gravimetric Method	30	22.5	27.2
04	SO ₂ (mg/Nm ³)	IS-11255(PART-2) 1985, (RA-2019)	600	36.4	34.2

Reviewed By

Authorized Signatory


CHIEF ANALYST
GREENFORCE ASSOCIATES PRIVATE LIMITED
Miss. Anu Sahoo
Bhubaneswar, ODISHA


TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
Mr. S. K. Das
Bhubaneswar, ODISHA

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

GREEN FORCE

ASSOCIATES PRIVATE LIMITED

An ISO 14001, 9001, 45001 certified Consulting Organization & NABL Accredited Laboratory

Report No- GFAPL/25-26/SMA/098

Issued Date- 04.11.2025

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Stack Monitoring		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling By	GFAPL's Representative		
Date of Sampling	20.10.2025	Date of Receiving	21.10.2025
Date of Analysis	21.10.2025	Date of Complete	23.10.2025
Sampling Location & Coordinates	ST1- Stack (ESP 1 connected to TG): Lat-21° 40' 58.15"N, Long-85° 26' 11.05"E ST2- Stack (ESP 2 connected to TG): Lat- 21° 40' 57.48"N, Long-85° 26' 14.01"E		
Instrument Used	Stack monitoring Kit; Vacuum Pump; Pyrometer		
Sampling Method	As Per IS:11255		

Sl. No	Parameters	Testing Method	As per CTO Standard	ST1	ST2
01	NOx (mg/Nm3)	IS-11255(PART-2) 1985	300	28.4	44.8

Reviewed By

Authorized Signatory

Chief Analyst
GREENFORCE ASSOCIATES PRIVATE LIMITED
Miss. Arti Sahoo
BHUBANESHWAR, ODISHA

TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
Mr. S.K. Parni
BHUBANESHWAR, ODISHA

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

Report No- GFAPL/25-26/SMA/099

Issued Date- 04.11.2025

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Sewage Treatment Plant		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Water
Date of Sampling	20.10.2025	Date of Receiving	21.10.2025
Date of Analysis	21.10.2025	Date of Complete	25.10.2025
Sampling Location	STP OUTLET: Lat- 21° 41' 13.48"N, Long- 85° 26' 15.79"E		
Sampling Method	As Per APHA 24th ED: 1060B:2023		

Sl.No.	Parameter	Testing Methods	Unit	Standard as per- MoEFCC 13 th October 2017	STP
01	pH Value @250C	APHA 24 th ED 4500 H+B:2023	--	6.5-9.0	7.18
02	Total Dissolved Solids(TDS)	APHA 24 th ED 2540-C: 2023	mg/l	--	124
03	Total Suspended Solids(TSS)	APHA 24 th ED 2540-D: 2023	mg/l	<50	12
04	Oil & Grease	IS 3025 PART 39-1991 RA-2003	mg/l	--	<2.0
05	Biological Oxygen Demand	IS 3025 (PART 44) : 1993 REA-2009	mg/l	20	<2.0
06	Chemical Oxygen Demand	APHA 24 th ED 5220 C:2023	mg/l	--	12

REMARKS: Laboratory Oil & Grease BDL Value is <2.0

Reviewed By

CHIEF ANALYST
GREENFORCE ASSOCIATES PRIVATE LIMITED
Chief Analyst
PHULBANI, ODISHA
Miss. Arti Sahoo

Authorized Signatory

TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
PHULBANI, ODISHA
Mr. S.K. Parhi

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

1 of 2

GREEN FORCE

ASSOCIATES PRIVATE LIMITED

An ISO 14001, 9001, 45001 certified Consulting Organization & NABL Accredited Laboratory

Report No- GFAPL/25-26/SMA/099

Issued Date-04.09.2025

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Anra, Upper Raigoda, Banspal; Dist- Keonjhar, Odisha.		
Nature of Sampling	Sewage Treatment Plant		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Water
Date of Sampling	20.10.2025	Date of Receiving	21.10.2025
Date of Analysis	21.10.2025	Date of Complete	25.10.2025
Sampling Location	STP OUTLET: Lat- 21° 41' 13.48"N, Long- 85° 26' 15.79"E		
Sampling Method	As Per APHA 24th ED: 1060B:2023		

Sl. No.	Parameter	Testing Methods	Unit	Standard as per- MoEFCC 13 th October 2017	STP
01	Total Kjheldhal Nitrogen	APHA 24th ED 4500- Norg B; NH3-B, C:2023	mg/l	--	<0.7

Reviewed By

Authorized Signatory

CHIEF ANALYST
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESWAR, ODISHA
Miss. Arti Sahoo

TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESWAR, ODISHA
Mr. S.K. Parhi

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

2 of 2