

**ENVIRONMENT MONITORING
REPORT FOR THE MONTH OF
MAY-2026**



Client- M/s SREE METALIKS LTD.

Address- Mukundapur, Parang

Dist- Anugul, Odisha



Monitored By - Green Force Associates Pvt. Ltd.

Address- Plot No-1363/3850, At-Baibhab Nagar,

Lane-2, Nakhara, Dist-Khorda, Odisha- 754001

NABL Certificate No:- TC-12258

Report No- GFAPL/26-27/SMAG/011

Issued Date-06.06.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Mukundapur, Parang, Dist-Anugul, Odisha.		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling Location & Coordinates	Near Admin Office: 20°52'6.54"N Latitude & 85°01'0.63"E Longitude		
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
Sampling Method	As Per IS: 5182		

Date of Sampling	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)	CO (mg/m ³)
04.05.2026	75.8	38.2	11.8	23.4	0.60
07.05.2026	76.8	38.9	11.8	23.4	0.60
11.05.2026	72.4	36.8	10.4	20.8	0.52
14.05.2026	68.9	35.1	9.8	20.0	0.50
18.05.2026	74.5	38.1	11.2	22.8	0.56
21.05.2026	77.9	39.8	13.0	25.8	0.61
25.05.2026	82.4	42.1	14.2	27.2	0.65
28.05.2026	80.6	41.5	14.8	28.4	0.69
Max	82.40	42.10	14.80	28.40	0.69
Min	68.90	35.10	9.80	20.00	0.50
Avg	76.16	38.81	12.13	23.98	0.59
NAAQ* Standard	100	60	80	80	4
Methods of Analysis	IS:5182 (Part-23)	IS:5182 (Part-24)	IS:5182 (Part-2)	IS:5182 (Part-6)	IS: 5182 (Part- 10)

Reviewed By
TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
Bhubaneswar, Odisha
Technical Manager
Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
Bhubaneswar, Odisha
Deputy Quality Manager
Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1--

Report No- GFAPL/26-27/SMAG/012

Issued Date-06.06.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Mukundapur, Parang, Dist-Anugul, Odisha.		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling Location & Coordinates	Near Main Gate: 20°52'5.71"N Latitude & 85°01'2.74"E Longitude		
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
Sampling Method	As Per IS: 5182		

Date of Sampling	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)	CO (mg/m ³)
04.05.2026	73.8	36.5	9.8	20.0	0.50
07.05.2026	74.2	37.8	10.4	20.8	0.52
11.05.2026	70.6	35.9	9.6	19.4	0.49
14.05.2026	68.2	34.8	9.0	18.8	0.46
18.05.2026	72.7	36.8	9.8	19.8	0.49
21.05.2026	76.8	39.0	10.4	20.8	0.52
25.05.2026	80.4	40.9	11.4	22.4	0.55
28.05.2026	81.6	41.8	12.8	25.2	0.59
Max	81.60	41.80	12.80	25.20	0.59
Min	68.20	34.80	9.00	18.80	0.46
Avg	74.79	37.95	10.40	20.90	0.52
NAAQ* Standard	100	60	80	80	4
Methods of Analysis	IS:5182 (Part-23)	IS:5182 (Part-24)	IS:5182 (Part-2)	IS:5182 (Part-6)	IS: 5182 (Part- 10)

Reviewed By
TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
GREENFO
Dy Quality Manager
MR. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

-1--

Report No- GFAPL/26-27/SMAG/013

Issued Date-06.06.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Mukundapur, Parang, Dist-Anugul, Odisha.		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling Location & Coordinates	Village Parang- 20°52'27.19"N Latitude, 85° 1'46.38"E Longitude		
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
Sampling Method	As Per IS: 5182		

Date of Sampling	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)	CO (mg/m ³)
04.05.2026	65.2	32.8	7.2	14.6	0.37
07.05.2026	62.8	31.5	6.8	14.0	0.34
11.05.2026	60.7	30.5	6.0	13.2	0.32
14.05.2026	63.4	32.1	6.4	13.6	0.33
18.05.2026	65.6	33.3	6.8	14.0	0.34
21.05.2026	67.8	34.6	7.4	14.8	0.36
25.05.2026	69.1	35.1	7.8	15.4	0.38
28.05.2026	67.5	34.4	7.6	15.0	0.37
Max	69.10	35.10	7.80	15.40	0.38
Min	60.70	30.50	6.00	13.20	0.32
Avg	65.26	33.04	7.00	14.33	0.35
NAAQ* Standard	100	60	80	80	4
Methods of Analysis	IS:5182 (Part-23)	IS:5182 (Part-24)	IS:5182 (Part-2)	IS:5182 (Part-6)	IS: 5182 (Part- 10)

Reviewed By
TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
Bhubaneswar, ODISHA
Mr. S.K. Panigrahi

Authorized Signatory
DEPUTY QUALITY MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
Bhubaneswar, ODISHA
Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--|-

Report No- GFAPL/26-27/SMAG/014

Issued Date-06.06.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Mukundapur, Parang, Dist-Anugul, Odisha.		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling Location & Coordinates	Village Mukundpur- 20°51'21.15"N Latitude, 85° 2'20.40"E Longitude		
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
Sampling Method	As Per IS: 5182		

Date of Sampling	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)	CO (mg/m ³)
04.05.2026	62.5	31.6	6.2	13.0	0.32
07.05.2026	60.4	30.4	6.0	12.4	0.30
11.05.2026	58.6	29.2	5.8	12.0	0.29
14.05.2026	60.4	30.3	6.0	12.4	0.29
18.05.2026	62.3	31.3	6.2	12.6	0.30
21.05.2026	64.8	32.7	6.6	13.2	0.32
25.05.2026	66.6	33.8	7.2	14.2	0.34
28.05.2026	65.7	33.3	7.0	14.0	0.33
Max	66.60	33.80	7.20	14.20	0.34
Min	58.60	29.20	5.80	12.00	0.29
Avg	62.66	31.58	6.38	12.98	0.31
NAAQ* Standard	100	60	80	80	4
Methods of Analysis	IS:5182 (Part-23)	IS:5182 (Part-24)	IS:5182 (Part-2)	IS:5182 (Part-6)	IS: 5182 (Part- 10)

Reviewed By
TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
Bhubaneswar, ODISHA

Authorized Signatory
DEPUTY QUALITY MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
Bhubaneswar, ODISHA

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1--

Report No- GFAPL/26-27/SMAG/015

Issued Date-06.06.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Mukundapur, Parang, Dist-Anugul, Odisha.		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
Sampling Method	As Per IS: 5182		

Location Code	Sampling Location	Date of Sampling	O3 ($\mu\text{g}/\text{m}^3$)	NH3 ($\mu\text{g}/\text{m}^3$)
AAQ-1	Near Admin Office	18.05.2026	10.8	24.2
AAQ-2	Near Main Gate	18.05.2026	9.8	22.8
AAQ-3	Parang	18.05.2026	<8.0	<20.0
AAQ-4	Mukundpur	18.05.2026	<8.0	<20.0
NAAQ* Standard			100	400
Methods of Analysis			IS:5182 (Part-9)	IS:5182 (Part-25)

Reviewed By
TECHNICAL MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 Technical Manager
 Mr. S.R. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 Dy. Quality Manager
 Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

GREEN FORCE

ASSOCIATES PRIVATE LIMITED

(An ISO 14001, 9001, 45001 certified Consulting Organization & NABL Accredited Laboratory)

Report No- GFAPL/26-27/SMAG/016

Issued Date-06.06.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Mukundapur, Parang, Dist-Anugul, Odisha.		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler		
Sampling Method	As Per IS: 5182		

Name of Location	Location	Date of Sampling	Pb ($\mu\text{g}/\text{m}^3$)	Ni (ng/m^3)	As (ng/m^3)	C6H6 ($\mu\text{g}/\text{m}^3$)	BaP (ng/m^3)
AAQ-1	Near Admin Office	18.05.2026	<0.1	<6.0	<0.5	<5	<1
AAQ-2	Near Main Gate	18.05.2026	<0.1	<6.0	<0.5	<5	<1
AAQ-3	Parang	18.05.2026	<0.1	<6.0	<0.5	<5	<1
AAQ-4	Mukundpur	18.05.2026	<0.1	<6.0	<0.5	<5	<1
NAAQ* Standard						5	1
Methods of Analysis			IS:5182 (Part-22)	IS:5182 (Part-26)	As per CPCB method followed by AAS	IS:5182 (Part-11)	IS:5182 (Part-12)

Reviewed By

TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
Bhubaneswar, Odisha
Technical Manager
Mr. S.R. Parhi

Authorized Signatory

DEPUTY QUALITY MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
Bhubaneswar, Odisha
Dy. Quality Manager
Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1--

Report No- GFAPL/26-27/SMAG/017

Issued Date-006.06.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Mukundapur, Parang, Dist-Anugul, Odisha.		
Nature of Sampling	Ambient Noise Monitoring		
Location of performance of Laboratory activities	Site Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling By	GFAPL's Representative	Date of Sampling	20.05.2026
Instrument Used	Sound Level Meter		
Sampling Method	As Per IS:9989		

S.No.	Locations	Day Time	Night Time
		Results in dB(A)	
1	Near Entry Gate Hanuman Temple; Latitude: 21°41'13.17"N & Longitude 85°26'17.90"E	71.4	63.8
2	Near Brick Plant; Latitude 20°52'2.76"N & Longitude: 85° 0'45.19"E	70.7	60.1
Industrial Zone permissible limits as per CPCB Norms		Day Time - 75 dB(A)	Night Time - 70 dB(A)

Reviewed By

TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
Bhubaneswar, Odisha
Technical Manager
Mr. S.K. Parui

Authorized Signatory

DEPUTY QUALITY MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
Bhubaneswar, Odisha
Dy. Quality Manager
Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

-1-

Report No- GFAPL/26-27/SMAG/018

Issued Date-06.06.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Mukundapur, Parang, Dist-Anugul, Odisha.		
Nature of Sampling	Workzone Noise Monitoring		
Location of performance of Laboratory activities	Site Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling By	GFAPL's Representative	Date of Sampling	20.05.2026
Instrument Used	Sound Level Meter		
Sampling Method	As Per IS:9989		

S.No.	Locations	Day Time	Night Time
		Results in dB(A)	
1	Near DRI; Latitude: 20°52'6.74"N & Longitude: 85°0'51.38"E	71.3	62.5
2	SMS Area; Latitude: 20° 52' 1.52"N & Longitude: 85° 0' 56.74"E	69.8	56.3
Industrial Zone permissible limits as per CPCB Norms		Day Time – 75 dB(A)	Night Time –70 dB(A)

Reviewed By

ASSOCIATES PRIVATE LIMITED

Authorized Signatory

TECHNICAL MANAGER

DEPUTY QUALITY MANAGER

GREENFORCE ASSOCIATES PRIVATE LIMITED

GREENFORCE ASSOCIATES PRIVATE LIMITED

Technical Manager
Mr. S.K. Parhi

Dy. Quality Manager
Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1--

Report No- GFAPL/26-27/SMAG/019

Issued Date-06.06.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Mukundapur, Parang, Dist-Anugul, Odisha.		
Nature of Sampling	Fugitive Dust Emission		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling By	GFAPL's Representative		
Instrument Used	Respirable dust Sampler (RDS)		
Sampling Method	As Per IS: 5182		

Sl. No.	Name of Location	Coordinates of Location	Date of Sampling	Result
1	Near DRI	Lat: 20°52'6.74"N Long: 85°0'51.38"E	19.05.2026	1005.2
2	Near W. Bridge	Lat: 20°52'7.13"N Long: 85°1'0.55"E	19.05.2026	972.5
3	SMS Area	Lat: 20°52'1.52"N Long: 85°0'56.74"E	19.05.2026	987.3
Fugitive Standard				1200
Methods of Analysis			IS:5182 (Part-4)	

Reviewed By

TECHNICAL MANAGER

GREENFORCE ASSOCIATES PRIVATE LIMITED
CHUBANESWAR, ODISHA

Technical Manager
Mr. S.K. Parin

Authorized Signatory

DEPUTY QUALITY MANAGER

GREENFORCE ASSOCIATES PRIVATE LIMITED
CHUBANESWAR, ODISHA

Dy Quality Manager
Mr. M.K. Odisha

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1--

Report No- GFAPL/26-27/SMAG/020

Issued Date-06.06.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Mukundapur, Parang, Dist-Anugul, Odisha.		
Nature of Sampling	Stack Monitoring		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling By	GFAPL's Representative		
Date of Sampling	20.05.2026	Date of Receiving	21.05.2026
Date of Analysis	22.05.2026	Date of Complete	23.05.2026
Sampling Location & Coordinates	Stack Attached to DRI Kil -I; Lat:20°52'2.92"N & Long: 85°0'47.85"E Stack Attached to DRI Kil -II; Lat: 20°52'2.92"N& Long: 85°0'47.85"E		
Instrument Used	Stack monitoring Kit; Vacuum Pump; Pyrometer		
Sampling Method	As Per IS: 11255		

Sl. No	Parameters	Testing Method	As per CPCB Standard	ST1	ST2
01	Temperature in K	IS-11255 (PART-3) 1985, (RA-2013)	---	425	373
02	Velocity in m/sec	IS-11255 (PART-3) 1985, (RA-2013)	---	9.09	7.76
04	PM (mg/Nm3)	IS-11255(PART-1) 1985, (RA-2014) Gravimetric Method	100	22.8	8.4
05	SO2 (mg/Nm3)	IS-11255(PART-2) 1985, (RA-2019)	600	32.8	23.6
06	CO in %	IS-13270:1992, (RA-2019)	1%	<0.2	<0.2
07	CO2 in %	IS-13270:1992, (RA-2019)	---	1.3	1.3
08	NOx (mg/Nm3)	IS-11255(PART-2) 1985	300	55.8	30.6

Reviewed By
TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
Bhubaneswar, Odisha
Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
Bhubaneswar, Odisha
Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

GREEN FORCE

ASSOCIATES PRIVATE LIMITED

(An ISO 14001, 9001, 45001 certified Consulting Organization & NABL Accredited Laboratory)

Report No- GFAPL/26-27/SMAG/020

Issued Date-06.06.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Mukundapur, Parang, Dist-Anugul, Odisha.		
Nature of Sampling	Stack Monitoring		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling By	GFAPL's Representative		
Date of Sampling	20.05.2026	Date of Receiving	21.05.2026
Date of Analysis	22.05.2026	Date of Complete	23.05.2026
Sampling Location & Coordinates	Stack Attached to DRI Kil -I; Lat:20°52'2.92"N & Long: 85°0'47.85"E Stack Attached to DRI Kil -II; Lat: 20°52'2.92"N& Long: 85°0'47.85"E		
Instrument Used	Stack monitoring Kit; Vacuum Pump; Pyrometer		
Sampling Method	As Per IS: 11255		

Sl. No	Parameters	Testing Method	As per CPCB Standard	ST1	ST2
01	P bar in mmHg	-	---	738	738

Reviewed By
TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
Technical Manager
Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
By Quality Manager
Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--2 of 2