

ENVIRONMENT MONITORING REPORT
FOR THE MONTH OF
MAY - 2026



Client- M/s SREE METALIKS LTD.

Address- Khandbandh, Joda,

Dist- Keonjhar, Odisha




Monitored By - Green Force Associates Pvt. Ltd.

Address- Plot No-1363/3850, Baibhab Nagar,
Lane-2,Nakhara, Dist-Khorda, Odisha- 754001

NABL Certificate No:- TC-12258

**PHOTOGRAPHS OF ENVIRONMENT
MONITORING**



Report No- GFAPL/26-27/SMK/019

Issued Date- 06.06.2026

TEST REPORT

Client Name & Address	M/s.Sree Metaliks Limited, At/Po-Khandbandh,Joda; Dist-Keonjhar,Odisha-758034		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling Location & Coordinates	AAQ1 - Near mines office Lat- 21°57'47.34"N; & Long- 85°22'30.79"E		
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
Sampling Method	As Per IS:5182		

Date of Sampling	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)	CO (mg/m ³)
04.05.2026	64.2	32.4	7.6	14.8	0.35
07.05.2026	66.8	33.8	8.4	16.6	0.39
11.05.2026	63.1	31.7	8	16.2	0.38
14.05.2026	61.4	30.8	7.6	14.6	0.34
18.05.2026	66.8	33.8	8.4	16.4	0.39
21.05.2026	69.8	35.5	9.0	17.8	0.42
25.05.2026	72.4	36.8	9.6	19.0	0.45
28.05.2026	71.6	36.4	10	20.2	0.48
Max	72.40	36.80	10.00	20.20	0.48
Min	61.40	30.80	7.60	14.60	0.34
Avg	67.01	33.90	8.58	16.95	0.40
NAAQ* Standard	100	60	80	80	4
Methods of Analysis	IS:5182 (Part-23)	IS:5182 (Part-24)	IS:5182 (Part-2)	IS:5182 (Part-6)	IS: 5182 (Part- 10)

Reviewed By
TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHURANESWAR, ODISHA

Technical Manager

Mr. S.K. Parhi

Note:

Authorized Signatory
DEPUTY QUALITY MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHURANESWAR, ODISHA

Deputy Quality Manager

Mr. M.K. Swain

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1--

Report No- GFAPL/26-27/SMK/020

Issued Date- 06.06.2026

TEST REPORT

Client Name & Address	M/s.Sree Metaliks Limited, At/Po-Khandbandh,Joda; Dist-Keonjhar,Odisha-758034		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling Location & Coordinates	AAQ2 - Near Pillar No. F-1 Lat- 21°57'33.77"N; & Long- 85°22'27.28"E;		
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
Sampling Method	As Per IS:5182		

Date of Sampling	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)	CO (mg/m ³)
04.05.2026	65.1	32.5	7.6	15.0	0.36
07.05.2026	68.7	34.8	8.4	16.6	0.38
11.05.2026	64.6	32.5	8.0	16.2	0.37
14.05.2026	62.4	31.6	7.6	14.8	0.34
18.05.2026	68.7	34.9	8.6	16.8	0.39
21.05.2026	74.9	37.9	9.8	19.4	0.45
25.05.2026	78.8	40.1	10.4	20.8	0.51
28.05.2026	82.4	41.9	12.4	24.4	0.56
Max	82.40	41.90	12.40	24.40	0.56
Min	62.40	31.60	7.60	14.80	0.34
Avg	70.70	35.78	9.10	18.00	0.42
NAAQ* Standard	100	60	80	80	4
Methods of Analysis	IS:5182 (Part-23)	IS:5182 (Part-24)	IS:5182 (Part-2)	IS:5182 (Part-6)	IS: 5182 (Part- 10)

Reviewed By
TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
Technical Manager
BHUBANESWAR, ODISHA
Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
Deputy Quality Manager
BHUBANESWAR, ODISHA
Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1--

Report No- GFAPL/26-27/SMK/021

Issued Date-06.06.2026

TEST REPORT

Client Name & Address	M/s.Sree Metaliks Limited, At/Po-Khandbandh,Joda; Dist-Keonjhar,Odisha-758034		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling Location & Coordinates	AAQ3 - Near Workshop-Pillar No. 8 Lat- 21°57'38.03"N; Long- 85°22'43.58"E;		
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
Sampling Method	As Per IS:5182		

Date of Sampling	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)	CO (mg/m ³)
04.05.2026	66.8	33.8	8	16.0	0.37
07.05.2026	70.2	35.6	8.8	17.4	0.4
11.05.2026	66.4	33.6	7.8	15.2	0.38
14.05.2026	64.8	32.4	7.6	15.0	0.37
18.05.2026	70.8	35.9	8.8	17.4	0.4
21.05.2026	73.4	37.5	9.6	19.0	0.45
25.05.2026	77.4	39.2	10.4	20.8	0.51
28.05.2026	80.2	40.8	12	23.8	0.54
Max	80.20	40.80	12.00	23.80	0.54
Min	64.10	32.40	7.60	15.00	0.37
Avg	71.16	36.10	9.13	18.08	0.43
NAAQ* Standard	100	60	80	80	4
Methods of Analysis	IS:5182 (Part-23)	IS:5182 (Part-24)	IS:5182 (Part-2)	IS:5182 (Part-6)	IS: 5182 (Part- 10)

Reviewed By
TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
Bhubaneswar, Odisha
Technical Manager
Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
Bhubaneswar, Odisha
By Quality Manager
Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1--

Report No- GFAPL/26-27/SMK/022

Issued Date- 06.06.2026

TEST REPORT

Client Name & Address	M/s.Sree Metaliks Limited, At/Po-Khandbandh,Joda; Dist-Keonjhar,Odisha-758034		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling Location & Coordinates	AAQ4 - Near Pillar No.C2 Lat- 21°57'47.69"N; & Long- 85°22'34.50"E;		
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
Sampling Method	As Per IS:5182		

Date of Sampling	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)	CO (mg/m ³)
04.05.2026	62.4	31.4	7.6	14.8	0.34
07.05.2026	65.7	33.2	8.4	16.4	0.38
11.05.2026	63.1	31.7	8.0	16.0	0.37
14.05.2026	60.2	29.8	7.4	14.4	0.33
18.05.2026	64.8	32.7	8.0	16.2	0.37
21.05.2026	68.8	34.8	8.6	17.0	0.39
25.05.2026	72.6	36.8	9.4	18.6	0.42
28.05.2026	74.5	37.9	10	20.2	0.45
Max	74.50	37.90	10.00	20.20	0.45
Min	60.20	29.80	7.40	14.40	0.33
Avg	66.51	33.54	8.43	16.70	0.38
NAAQ* Standard	100	60	80	80	4
Methods of Analysis	IS:5182 (Part-23)	IS:5182 (Part-24)	IS:5182 (Part-2)	IS:5182 (Part-6)	IS: 5182 (Part- 10)

Reviewed By
TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESWAR, ODISHA
Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESWAR, ODISHA
Mr. M.K. Swain

Note:

- > The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- > Total liability of our lab is limited to the invoiced amount.
- > Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- > This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- > Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1--

Report No- GFAPL/26-27/SMK/023

Issued Date- 06.06.2026

TEST REPORT

Client Name & Address	M/s.Sree Metaliks Limited, At/Po-Khandbandh,Joda; Dist-Keonjhar,Odisha-758034		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling Location & Coordinates	AAQ5 - Near Village Jalahari Lat- 21°57'4.98"N; & Long- 85°25'11.00"E		
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
Sampling Method	As Per IS:5182		

Date of Sampling	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)	CO (mg/m ³)
04.05.2026	58.2	28.8	5.8	11.8	0.27
07.05.2026	60.4	30.1	6.0	12.2	0.27
11.05.2026	59.4	29.7	5.8	11.8	0.26
14.05.2026	56.5	28.6	5.4	11.4	0.25
18.05.2026	59.6	30.4	6.0	12.4	0.28
21.05.2026	64.2	32.6	6.6	13.2	0.32
25.05.2026	67.9	34.5	7.2	14.4	0.34
28.05.2026	69.5	35.6	7.8	15.6	0.37
Max	69.50	35.60	7.80	15.60	0.37
Min	56.50	28.60	5.40	11.40	0.25
Avg	61.96	31.29	6.33	12.85	0.30
NAAQ* Standard	100	60	80	80	4
Methods of Analysis	IS:5182 (Part-23)	IS:5182 (Part-24)	IS:5182 (Part-2)	IS:5182 (Part-6)	IS: 5182 (Part- 10)

Reviewed By

TECHNICAL MANAGER

GREENFORCE ASSOCIATES PRIVATE LIMITED

BHUBANESWAR, ODISHA

Mr. S.K. Parhi

Authorized Signatory

DEPUTY QUALITY MANAGER

GREENFORCE ASSOCIATES PRIVATE LIMITED

BHUBANESWAR, ODISHA

Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1--

Report No- GFAPL/26-27/SMK/024

Issued Date- 06.06.2026

TEST REPORT

Client Name & Address	M/s.Sree Metaliks Limited, At/Po-Khandbandh,Joda; Dist-Keonjhar,Odisha-758034		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling Location & Coordinates	AAQ6 - Near Village Bicchakund Lat- 21°59'29.23"N; & Long- 85°24'08.85"E;		
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
Sampling Method	As Per IS:5182		

Date of Sampling	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)	CO (mg/m ³)
04.05.2026	62.4	31.6	6.4	13.0	0.30
07.05.2026	65.2	33.1	6.8	13.6	0.31
11.05.2026	63.7	31.7	6.4	13.2	0.30
14.05.2026	61.4	30.8	6.0	12.4	0.28
18.05.2026	64.6	32.8	6.8	13.8	0.33
21.05.2026	68.7	34.9	7.4	14.8	0.36
25.05.2026	71.5	36.6	8.0	15.8	0.38
28.05.2026	73.4	37.5	8.4	16.6	0.40
Max	73.40	37.50	8.40	16.60	0.40
Min	61.40	30.80	6.00	12.40	0.28
Avg	66.29	33.63	7.03	14.15	0.33
NAAQ* Standard	100	60	80	80	4
Methods of Analysis	IS:5182 (Part-23)	IS:5182 (Part-24)	IS:5182 (Part-2)	IS:5182 (Part-6)	IS: 5182 (Part- 10)

Reviewed By

TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
Bhubaneswar, Odisha
Mr. S.K. Parhi

Note:

Authorized Signatory

DEPUTY QUALITY MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
Bhubaneswar, Odisha
Mr. M.K. Swain

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1--

Report No- GFAPL/26-27/SMK/025

Issued Date- 06.06.2026

TEST REPORT

Client Name & Address	M/s.Sree Metaliks Limited, At/Po-Khandbandh,Joda; Dist-Keonjhar,Odisha-758034		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling Location & Coordinates	AAQ7 - Near Village Ganua Lat- 21°55'27.37"N; & Long- 85°20'58.26"E;		
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
Sampling Method	As Per IS:5182		

Date of Sampling	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)	CO (mg/m ³)
04.05.2026	56.7	28.4	5.4	11.4	0.26
07.05.2026	58.5	29.4	5.8	12.0	0.27
11.05.2026	57.1	28.7	5.6	11.8	0.26
14.05.2026	55.4	27.8	5.4	11.2	0.25
18.05.2026	58.6	29.4	6.0	12.0	0.27
21.05.2026	61.4	30.9	6.4	12.8	0.29
25.05.2026	64.8	32.8	7.0	13.8	0.32
28.05.2026	66.2	33.6	7.2	14.6	0.34
Max	66.20	33.60	7.20	14.60	0.34
Min	55.40	27.80	5.40	11.20	0.25
Avg	59.84	30.13	6.10	12.45	0.28
NAAQ* Standard	100	60	80	80	4
Methods of Analysis	IS:5182 (Part-23)	IS:5182 (Part-24)	IS:5182 (Part-2)	IS:5182 (Part-6)	IS: 5182 (Part- 10)

Reviewed By
TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
Bhubaneswar, Odisha
Mr. S.K. Parhi

Authorized Manager
DEPUTY QUALITY MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
Bhubaneswar, Odisha
Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1--

Report No- GFAPL/26-27/SMK/026

Issued Date- 06.06.2026

TEST REPORT

Client Name & Address	M/s.Sree Metaliks Limited, At/Po-Khandbandh,Joda; Dist-Keonjhar,Odisha-758034		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling Location & Coordinates	AAQ8 - Near Village Khandbandh Lat- 21°57'22.56"N; & Long- 85°23'58.44"E;		
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
Sampling Method	As Per IS:5182		

Date of Sampling	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)	CO (mg/m ³)
04.05.2026	59.1	29.7	6.0	12.0	0.27
07.05.2026	61.5	30.8	6.4	12.6	0.28
11.05.2026	58.4	29.2	6.0	12.0	0.26
14.05.2026	56.5	28.3	5.8	11.8	0.25
18.05.2026	59.2	29.7	6.2	12.4	0.27
21.05.2026	65.1	32.9	6.8	13.8	0.32
25.05.2026	68.6	34.7	7.4	14.8	0.36
28.05.2026	70.2	35.8	7.8	15.4	0.38
Max	70.20	35.80	7.80	15.40	0.38
Min	56.50	28.30	5.80	11.80	0.25
Avg	62.33	31.39	6.55	13.10	0.30
NAAQ* Standard	100	60	80	80	4
Methods of Analysis	IS:5182 (Part-23)	IS:5182 (Part-24)	IS:5182 (Part-2)	IS:5182 (Part-6)	IS: 5182 (Part- 10)

Reviewed by

GREENFORCE ASSOCIATES PRIVATE LIMITED

BHUBANESWAR, ODISHA

Technical Manager

Mr. S.K. Parhi

Note:

DEPUTY QUALITY MANAGER

GREENFORCE ASSOCIATES PRIVATE LIMITED

BHUBANESWAR, ODISHA

Dy Quality Manager

Mr. M.K. Swain

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1--

Report No- GFAPL/26-27/SMK/027

Issued Date- 06.06.2026

TEST REPORT

Client Name & Address	M/s.Sree Metaliks Limited, At/Po-Khandbandh,Joda: Dist-Keonjhar,Odisha-758034		
Nature of Sampling	Fugitive Dust Emission		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling By	GFAPL's Representative		
Instrument Used	Respirable Dust Sampler (RDS)		
Sampling Method	As Per IS:5182		

Sl. No.	Sampling Locations	Date of Sampling	Result (µg/m³)
1	Near Mines bench: Lat- 21° 57' 39.95"N, Long-85° 22' 37.35"E	08.05.2026	598.4
		22.05.2026	972.6
2	Near Haul roads: Lat- 21° 57' 38.32"N, Long-85° 22' 33.52"E	08.05.2026	642.5
		22.05.2026	1001.6
3	Near crushing point: Lat-21° 57' 38.37"N, Long-85° 22' 30.38"E	08.05.2026	589.2
		22.05.2026	949.8
4	Near screening plant: Lat-21° 57' 36.11"N, Long-85° 22' 30.43"E	08.05.2026	634.2
		22.05.2026	976.5
5	Near Ore storage and loading: Lat-21° 57' 41.49"N, Long- 85° 22' 31.43"E	08.05.2026	608.4
		22.05.2026	984.2
6	Near Waste dump: Lat-21° 57' 45.82"N, Long- 85° 22' 29.58"E	08.05.2026	627.5
		22.05.2026	998.6
Fugitive Standard			1200 - 2000
Methods of Analysis			IS:5182 (Part-4)

Reviewed By
TECHNICAL MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 BHUBANESWAR, ODISHA
 Technical Manager
 Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 BHUBANESWAR, ODISHA
 Dy. Quality Manager
 Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1--

Report No- GFAPL/26-27/SMK/028

Issued Date- 06.06.2026

TEST REPORT

Client Name & Address	M/s.Sree Metaliks Limited, At/Po-Khandbandh,Joda; Dist-Keonjhar,Odisha-758034		
Nature of Sampling	Workzone Noise Monitoring		
Location of performance of Laboratory activities	Site Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling By	GFAPL's Representative	Date of Sampling	20.05.2026
Instrument Used	Sound Level meter		
Sampling Method	As Per IS:9989		

S. No.	Locations	Day Time	Night Time
		Results in dB(A)	
1	Near mines office; Lat- 21°57'31.42"N; & Long- 85°22'38.83"E;	62.5	49.8
2	Near Pillar No. F-1 Lat- 21°57'30.72"N; & Long- 85°22'33.11"E;	65.5	50.2
3	Near Workshop-, Pillar No. 8 Lat- 21°57'37.93"N; Long- 85°22'43.95"E;	68.7	49.3
4	Near Pillar No. C2 Lat- 21°57'37.93"N; Long- 85°22'43.95"E;	63.4	48.6
Industrial Zone permissible limits as per CPCB Norms		Day Time – 75dB(A)	Night Time –70dB(A)

Reviewed By
TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESWAR, ODISHA
Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESWAR, ODISHA
Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--|--

Report No- GFAPL/26-27/SMK/029

Issued Date- 06.06.2026

TEST REPORT

Client Name & Address	M/s.Sree Metaliks Limited, At/Po-Khandbandh,Joda; Dist-Keonjhar,Odisha-758034		
Nature of Sampling	Ambient Noise Monitoring		
Location of performance of Laboratory activities	Site Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling By	GFAPL's Representative	Date of Sampling	20.05.2026
Instrument Used	Sound level meter		
Sampling Method	As Per IS:9989		

Sl. No.	Locations	Day Time	Night Time
		Results in Db(A)	
1	Near Village Jalahuri Lat- 21°57'4.98"N; & Long- 85°25'11.00"E	50.8	42.3
2	Near Village Bicchakund Lat- 21°58'50.16"N; & Long- 85°23'51.37"E	51.7	43.1
3	Near Village Ganua Lat- 21°55'27.37"N; & Long- 85°20'58.26"E	50.9	40.8
4	Near Village Khandbandh Lat- 21°55'46.60"N; & Long- 85°23'9.11"E;	52.4	41.7
Industrial Zone permissible limits as per CPCB Norms		Day Time – 75Db(A)	Night Time –70Db(A)

Reviewed By
TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
Technical Manager
BHUBANESWAR, ODISHA
Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
By Quality Manager
BHUBANESWAR, ODISHA
Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1--

Report No- GFAPL/26-27/SMK/030

Issued Date- 06.06.2026

TEST REPORT

Client Name & Address	M/s.Sree Metaliks Limited, At/Po-Khandbandh,Joda; Dist-Keonjhar,Odisha-758034		
Nature of Sampling	Drinking Water		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Water
Date of Sampling	20.05.2026	Date of Receiving	21.05.2026
Date of Analysis	22.05.2026	Date of Complete	25.05.2026
Sampling Location & Coordinates	DW1- KMC Old Camp : Lat:- 21°96'10.40"N, Long-85°42'33.90"E DW2- KMC New Camp: Lat- 21°96'9.21"N, Long-85°42'33.35"E DW3- Near Khandbandh mines Office: Lat- 21°96'32.71"N,Long- 85°37'51.46"E		
Sampling Method	As Per APHA 24th ED: 1060B:2023		

Sl. No.	Parameter	Testing Methods	Unit	Standard as per		DW1	DW2	DW3
				IS: 10500, 2012				
				Acceptable Limit	Permissible Limit			
01	Taste	APHA 24th ED: 2160-B-2023	ES	Agreeable	Agreeable	AL	AL	AL
02	Colour	IS 3025: (Part 4)- 2021	Hazen	5	15	<5.0	<5.0	<5.0
03	Turbidity	APHA 24th ED: 2130-B-2023	NTU	1	5	<1	<1	<1
04	pH Value @250C	APHA 24th ED 4500-H+B:2023	--	6.5-8.5	NR	7.02	6.95	7.03
05	Total Dissolved Solids(TDS)	APHA 24th ED: 2540-C: 2023	mg/l	500	2000	216.0	239.0	254.0
06	Chloride (as Cl)	APHA 24th Ed 4500-Cl-B:2023	mg/l	250	1000	34.0	36.0	39.0
07	Total Hardness	APHA 24th ED 2340-C: 2023	mg/l	200	600	124.0	138.0	147.0
08	Calcium	APHA 24th Ed 3500-Ca-B:2023	mg/l	75	200	30.50	32.90	34.50
09	Magnesium	APHA 24th ED 3500-Mg-B: 2023	mg/l	30	100	11.7	13.6	14.8
10	Total Alkalinity	APHA 24th ED 2320-B: 2023	mg/l	200	600	114	124	132
11	Residual Free Chlorine	APHA 24th ED 4500-CL-B:2023	mg/l	0.2	1.0	<0.2	<0.2	<0.2

--1 of 4--

Sl. No.	Parameter	Testing Methods	Unit	Standard as per IS: 10500, 2012		DW1	DW2	DW3
				Acceptable Limit	Permissible Limit			
12	Cyanide	APHA 24th ED 4500 CN-F:2023	mg/l	0.05	NR	<0.02	<0.02	<0.02
13	Total Chromium	APHA 24th ED 3500-Cr-B:2023	mg/l	0.05	NR	<0.05	<0.05	<0.05
14	Iron	APHA 24th ED 3500-Fe-B:2023	mg/l	0.3	NR	0.23	0.22	0.25
15	Sulfate	APHA 24th ED 4500-SO4 E:2023	mg/l	200	400	4.0	4.1	4.4
16	Nitrate	APHA 24th ED 4500-NO3-B:2023	mg/l	45	NR	1.68	1.75	1.38
17	Fluoride	APHA 24th ED 4500-F-C:2023	mg/l	1.0	1.5	<0.05	<0.05	<0.05
18	Boron	APHA 24th ED 4500 B-B:2023	mg/l	0.5	1.0	<0.01	<0.01	<0.01
19	Manganese	IS 3025 PART-59 :2006 RA 2012	mg/l	0.1	0.3	<0.05	<0.05	<0.05
20	Sodium as Na(max)	APHA 24th ED 3500-Na-B	mg/l	--	--	20.2	21.4	22.8
21	Potassium as K(max)	APHA 24th ED 3500-K-B	mg/l	--	--	2.3	2.4	2.6
22	Phenolic Compound (as C6H5OH)	APHA 5530 B,D	mg/l	--	--	<0.1	<0.1	<0.1
23	Copper (as Cu)	IS: 3025(Part 42)	mg/l	0.05	1.5	<0.02	<0.02	<0.02
24	Mercury (as Hg)	APHA 3500Hg	mg/l	0.001	NR	<0.001	<0.001	<0.001
25	Aluminum (as Al)	--	mg/l	0.03	0.2	<0.02	<0.02	<0.02
26	Total Coliforms	APHA 24th ED 9222-H:2023	MPN/100 ml	--	--	<2.0	<2.0	<2.0

REMARKS: NR- Not Relaxable;

Reviewed By
TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
Technical Manager
Mr. S.K. Parida

Authorized Signatory
DEPUTY QUALITY MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
By Quality Manager
Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

GREEN FORCE

ASSOCIATES PRIVATE LIMITED

(An ISO 14001, 9001, 45001 certified Consulting Organization & NABL Accredited Laboratory)

Report No- GFAPL/26-27/SMK/030

Issued Date- 06.06.2026

TEST REPORT

Client Name & Address	M/s.Sree Metaliks Limited, At/Po-Khandbandh,Joda; Dist-Keonjhar,Odisha-758034		
Nature of Sampling	Drinking Water		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Water
Date of Sampling	20.05.2026	Date of Receiving	21.05.2026
Date of Analysis	22.05.2026	Date of Complete	25.05.2026
Sampling Location & Coordinates	DW1- KMC Old Camp : Lat:- 21°96'10.40"N, Long-85°42'33.90"E DW2- KMC New Camp: Lat- 21°96'9.21"N, Long-85°42'33.35"E DW3- Near Khandbandh mines Office: Lat- 21°96'32.71"N,Long- 85°37'51.46"E		
Sampling Method	As Per APHA 24th ED: 1060B:2023		

Sl. No.	Parameter	Testing Methods	Unit	Standard as per IS: 10500, 2012		DW1	DW2	DW3
				Acceptable Limit	Permissible Limit			
01	Odour	APHA 24th ED: 2150-B-2023	---	Agreeable	Agreeable	U/O	U/O	U/O
02	Cadmium (as Cd)	IS: 3025(Part 41)	mg/l	0.003	NR	<0.001	<0.001	<0.001
03	Zinc (as Zn)	APHA 3111 B,C	mg/l	5	15	<0.02	<0.02	<0.02
04	Lead (as Pb)	APHA 3111 B,C	mg/l	0.01	NR	<0.01	<0.01	<0.01
05	Selenium (as Se)	APHA 3114 B	mg/l	0.01	NR	<0.001	<0.001	<0.001

--3 of 4--

GREEN FORCE

ASSOCIATES PRIVATE LIMITED

(An ISO 14001, 9001, 45001 certified Consulting Organization & NABL Accredited Laboratory)

Sl. No.	Parameter	Testing Methods	Unit	Standard as per IS: 10500, 2012		DW1	DW2	DW3
				Acceptable Limit	Permissible Limit			
06	Arsenic (as As)	IS: 3025 (Part 37)	mg/l	0.01	0.05	<0.001	<0.001	<0.001
07	Mineral Oil	APHA 5220 B	mg/l	0.5	NR	ND	ND	ND
08	Anionic Detergents (as MBAS)	Annex K of IS 13428	mg/l	0.2	1.0	ND	ND	ND

REMARKS: NR- Not Relaxable, ND-Not Detectable

Reviewed By **TECHNICAL MANAGER**

GREENFORCE ASSOCIATES PRIVATE LIMITED

BHUBANESWAR, ODISHA

Mr. S.K. Parhi

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

-4 of 4-

Authorized Signatory **DEPUTY QUALITY MANAGER**

GREENFORCE ASSOCIATES PRIVATE LIMITED

BHUBANESWAR, ODISHA

Mr. M.K. Swain