

ENVIRONMENT MONITORING REPORT
FOR THE MONTH OF
MARCH - 2026



Client- M/s SREE METALIKS LTD.

Address- Loidapada, Barbil,

Dist- Keonjhar, Odisha



Monitored By - Green Force Associates Pvt. Ltd.

Address- Plot No-1363/3850,At- Baibhab Nagar,

Lane-2,Nakhara, Dist-Khorda, Odisha-754001

NABL Certificate No:- TC-12258

PHOTOGRAPHS OF ENVIRONMENT MONITORING



Report No- GFAPL/25-26/SMR/174

Issued Date- 04.04.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Loidapada, Barbil, Dist-Keonjhar, Odisha..		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling Location & Coordinates	AAQ1 - Near Admin Office:21°59'26.41"N Latitude & 85°19'39.29"E Longitude		
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
Sampling Method	As Per IS: 5182		

Date of Sampling	Lab Id Code	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)	CO (mg/m ³)
02.03.2026	GF/25-26/A3040	77.4	39.2	11.8	23.8	0.61
05.03.2026	GF/25-26/A3068	82.4	43.1	12.4	24.4	0.63
09.03.2026	GF/25-26/A3112	80.8	41.2	12.8	24.8	0.65
12.03.2026	GF/25-26/A3139	83.4	45.2	13.4	25.8	0.66
16.03.2026	GF/25-26/A3168	85.4	44.2	13.8	26.4	0.68
19.03.2026	GF/25-26/A3207	81.9	42.7	13.0	25.4	0.65
23.03.2026	GF/25-26/A3248	80.1	41.1	12.8	24.8	0.64
26.03.2026	GF/25-26/A3288	82.8	42.2	13.0	25.4	0.66
30.03.2026	GF/25-26/A3315	84.2	42.8	13.4	25.8	0.67
Max		85.4	44.2	13.8	26.4	0.67
Min		77.4	39.2	11.8	23.8	0.61
Avg		82.0	42.1	12.9	25.1	0.65
NAAQ* Standard		100	60	80	80	4
Methods of Analysis		IS:5182 (Part-23)	IS:5182 (Part-24)	IS:5182 (Part-2)	IS:5182 (Part-6)	IS: 5182 (Part- 10)

Reviewed By
TECHNICAL MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 BHUBANESWAR, ODISHA
 Technical Manager
 Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 Bhubaneswar, Odisha
 Dy Quality Manager
 Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1--

Report No- GFAPL/25-26/SMR/175

Issued Date- 04.04.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Loidapada, Barbil, Dist-Keonjhar, Odisha.		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling Location & Coordinates	AAQ2 - Near Dispensary: 21°59'33.80"N Latitude & 85°19'24.18"E Longitude		
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
Sampling Method	As Per IS: 5182		

Date of Sampling	Lab Id Code	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)	CO (mg/m ³)
02.03.2026	GF/25-26/A3041	65.4	33.5	9.4	20.4	0.54
05.03.2026	GF/25-26/A3069	69.7	35.4	9.8	20.8	0.55
09.03.2026	GF/25-26/A3113	70.7	36.1	10.2	21.2	0.57
12.03.2026	GF/25-26/A3140	72.6	36.9	10.6	21.8	0.58
16.03.2026	GF/25-26/A3169	74.2	37.1	11.0	22.8	0.60
19.03.2026	GF/25-26/A3208	70.8	36.2	10.4	21.8	0.59
23.03.2026	GF/25-26/A3249	69.7	35.6	10.0	21.4	0.57
26.03.2026	GF/25-26/A3289	71.6	36.8	10.2	21.8	0.58
30.03.2026	GF/25-26/A3316	72.4	36.7	10.6	22.4	0.60
Max		74.2	37.1	11.0	22.8	0.60
Min		65.4	33.5	9.4	20.4	0.54
Avg		70.7	36.0	10.2	21.6	0.57
NAAQ* Standard		100	60	80	80	4
Methods of Analysis		IS:5182 (Part-23)	IS:5182 (Part-24)	IS:5182 (Part-2)	IS:5182 (Part-6)	IS: 5182 (Part- 10)

Reviewed By
TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESHWAR, ODISHA
Technical Manager
Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
Bhubaneswar, Odisha
Dr. Quality Manager
Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1--

Report No- GFAPL/25-26/SMR/176

Issued Date- 04.04.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Loidapada, Barbil, Dist-Keonjhar, Odisha.		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling Location & Coordinates	AAQ3- Village Rugudihi:21°59'50.80"N Latitude & 85°19'20.16"E Longitude		
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
Sampling Method	As Per IS: 5182		

Date of Sampling	Lab Id Code	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)	CO (mg/m ³)
02.03.2026	GF/25-26/A3042	60.8	30.8	6.4	13.8	0.34
05.03.2026	GF/25-26/A3070	63.4	32.1	6.6	14.2	0.35
09.03.2026	GF/25-26/A3114	64.2	32.6	6.8	14.6	0.37
12.03.2026	GF/25-26/A3144	66.1	33.7	7.0	14.8	0.37
16.03.2026	GF/25-26/A3170	68.2	34.7	7.4	15.2	0.38
19.03.2026	GF/25-26/A3209	66.5	33.8	7.0	14.4	0.36
23.03.2026	GF/25-26/A3250	62.8	31.8	6.4	13.4	0.33
26.03.2026	GF/25-26/A3290	64.6	32.7	6.8	13.8	0.34
30.03.2026	GF/25-26/A3317	65.9	33.6	7.0	14.4	0.36
Max		68.2	34.7	7.0	15.2	0.38
Min		60.8	30.8	6.4	13.8	0.34
Avg		64.7	32.8	6.8	14.2	0.35
NAAQ* Standard		100	60	80	80	4
Methods of Analysis		IS:5182 (Part-23)	IS:5182 (Part-24)	IS:5182 (Part-2)	IS:5182 (Part-6)	IS: 5182 (Part- 10)

Reviewed By
TECHNICAL MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 BHUBANESWAR, ODISHA
 Technical Manager
 Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 BHUBANESWAR, ODISHA
 Dy. Quality Manager
 Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1--

Report No- GFAPL/25-26/SMR/177

Issued Date- 04.04.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Loidapada, Barbil, Dist-Keonjhar, Odisha.		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling Location & Coordinates	AAQ4 - Village Lohidapada:21°59'35.97"N Latitude & 85°19'08.86"E Longitude		
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
Sampling Method	As Per IS: 5182		

Date of Sampling	Lab Id Code	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)	CO (mg/m ³)
02.03.2026	GF/25-26/A3043	59.6	30.2	6.0	12.8	0.32
05.03.2026	GF/25-26/A3071	61.8	31.3	6.2	13.2	0.33
09.03.2026	GF/25-26/A3115	63.5	32.1	6.4	13.8	0.34
12.03.2026	GF/25-26/A3142	64.5	32.5	6.8	14.4	0.36
16.03.2026	GF/25-26/A3171	63.7	32.5	6.4	13.6	0.35
19.03.2026	GF/25-26/A3210	64.7	32.6	6.6	13.8	0.35
23.03.2026	GF/25-26/A3251	60.4	30.7	6.2	13.2	0.32
26.03.2026	GF/25-26/A3291	62.3	31.8	6.4	13.6	0.33
30.03.2026	GF/25-26/A3318	63.4	32.1	6.6	14.0	0.35
Max		64.7	32.6	6.8	14.4	0.36
Min		59.6	30.2	6.0	12.8	0.32
Avg		62.6	31.7	6.4	13.6	0.33
NAAQ* Standard		100	60	80	80	4
Methods of Analysis		IS:5182 (Part-23)	IS:5182 (Part-24)	IS:5182 (Part-2)	IS:5182 (Part-6)	IS: 5182 (Part- 10)

Reviewed By
TECHNICAL MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 BHUBANESHWAR, ODISHA
 Technical Manager
 Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 BHUBANESHWAR, ODISHA
 Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

-1-

Report No- GFAPL/25-26/SMR/178

Issued Date- 04.04.2026

TEST REPORT

Client Name & Address	<i>M/s Sree Metaliks Ltd, Loidapada, Barbil, Dist-Keonjhar, Odisha.</i>		
Nature of Sampling	Ambient Air Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Instrument Used	Respirable Dust Sampler, Gaseous Attachment		
Sampling Method	As Per IS: 5182		

Location Code	Lab Id Code	Sampling Location	Date of Sampling	O3 (µg/m ³)	NH3 (µg/m ³)
AAQ1	GF/25-26/A3207	Near Admin Office	19.03.2026	11.8	27.2
AAQ2	GF/25-26/A3208	Near Dispensary	19.03.2026	10.2	24
AAQ3	GF/25-26/A3209	Village Rugudi	19.03.2026	<8.0	<20.0
AAQ4	GF/25-26/A3210	Village Lohidapada	19.03.2026	<8.0	<20.0
NAAQ* Standard				100	400
Methods of Analysis				IS:5182 (Part-9)	IS:5182 (Part-25)

Reviewed By
TECHNICAL MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 BHUBANESWAR, ODISHA
 Technical Manager
Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 BHUBANESWAR, ODISHA
 Dy. Quality Manager
Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1--

GREEN FORCE

ASSOCIATES PRIVATE LIMITED

(An ISO 14001, 9001, 45001 certified Consulting Organization & NABL Accredited Laboratory)

Report No- GFAPL/25-26/SMR/179

Issued Date- 04.04.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Loidapada, Barbil, Dist-Keonjhar, Odisha..		
Nature of Sampling	Workzone Air Monitoring		
Sampling By	GFAPL's Representative	Date of Sampling	19.03.2026
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Instrument Used	Respirable Dust Sampler.		
Sampling Method	As Per IS: 5182		

Name of Location	Location	Pb (µg/m ³)	Ni (ng/m ³)	As (ng/m ³)	C6H6 (µg/m ³)	BaP (ng/m ³)
AAQ1	Near Admin Office	<0.1	<6.0	<0.5	<5	<1
AAQ2	Near Dispensary	<0.1	<6.0	<0.5	<5	<1
AAQ3	Village Rugudi	<0.1	<6.0	<0.5	<5	<1
AAQ4	Village Lohidapada	<0.1	<6.0	<0.5	<5	<1
NAAQ* Standard		1	20	6	5	1
Methods of Analysis		IS:5182 (Part-22)	IS:5182 (Part-26)	As per CPCB method followed by AAS	IS:5182 (Part-11)	IS:5182 (Part-12)

Reviewed By
TECHNICAL MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 Technical Manager, ODISHA
 Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 Dy. Quality Manager,
 Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

*END OF REPORT

-1-

Report No- GFAPL/25-26/SMR/180

Issued Date-04.04.2026

TEST REPORT

Client Name & Address	<i>M/s Sree Metaliks Ltd, Loidapada, Barbil, Dist-Keonjhar, Odisha.</i>		
Nature of Sampling	Ambient Noise Monitoring		
Location of performance of Laboratory activities	Site Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling By	GFAPL's Representative		
Instrument Used	Sound Level Meter		
Sampling Method	As Per IS:9989		

Sl.No.	Locations	Date of Sampling	Day Time	Night Time
			Results in dB(A)	
1	Near Admin Office; Latitude: 21°59'26.41"N& Longitude: 85°19'39.29"E	16.03.2026	63.1	48.2
2	Near Dispensary; Latitude: 21°59'33.80"N& Longitude: 85°19'24.18"E	16.03.2026	52.3	41.9
Industrial Zone permissible limits as per CPCB Norms			75 dB(A)	70 dB(A)
3	Village Rugudi; Latitude: 21°59'50.80"N& Longitude: 85°19'20.16"E	19.03.2026	54.1	42.8
4	Village Lohidapada; Latitude: 21°59'35.97"N& Longitude: 85°19'08.86"E	19.03.2026	52.4	41.5
Residential Zone permissible limits as per CPCB Norms			55 dB(A)	45 dB(A)

Reviewed By
TECHNICAL MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 Technical Manager
 BHUBANESWAR, ODISHA
 Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 BHUBANESWAR, ODISHA
 Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1--

Report No- GFAPL/25-26/SMR/181

Issued Date- 04.04.2026

TEST REPORT

Client Name & Address	<i>M/s Sree Metaliks Ltd, Loidapada, Barbil, Dist-Keonjhar, Odisha.</i>		
Nature of Sampling	Workzone Noise Monitoring		
Location of performance of Laboratory activities	Site Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling By	GFAPL's Representative		
Instrument Used	Sound Level Meter		
Sampling Method	As Per IS:9989		

Sl.No	Locations	Date Of Sampling	Day Time	Night Time
			Results in dB(A)	
1	Near Main Gate; Latitude: 21°59'36.61"N & Longitude: 85°19'27.95"E	21.03.2026	70.8	58.9
2	Near Crushing Plant; Latitude: 21°59'27.80"N & Longitude: 85°19'38.89"E	21.03.2026	71.2	59.8
3	Near Power Plant; Latitude: 21°59'27.87"N & Longitude: 85°19'30.78"E	23.03.2026	69.3	61.1
4	Near SMS - 1; Latitude: 21°59'23.62"N & Longitude: 85°19'37.62"E	23.03.2026	73.8	60.5
5	Near SMS -2; Latitude: 21°59'36.28"N & Longitude: 85°19'34.16"E	24.03.2026	72.7	57.4
6	Near Blast Furnace; Latitude: 21°59'23.15"N & Longitude: 85°19'32.77"E	24.03.2026	70.2	60.9
7	Near Rolling Mill-1; Latitude: 21°59'23.96"N & Longitude: 85°19'39.63"E	26.03.2026	72.9	61.6
8	Near Rolling Mill-2; Latitude: 21°59'39.20"N & Longitude: 85°19'36.15"E	26.03.2026	71.2	61.8
Industrial Zone permissible limits as per CPCB Norms			Day Time- 75 dB(A)	Night Time- 70 dB(A)

Reviewed By
TECHNICAL MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 BARBIL, ODISHA
 Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 BARBIL, ODISHA
 Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

-1-

Report No- GFAPL/25-26/SMR/182

Issued Date- 04.04.2026

TEST REPORT

Client Name & Address	<i>M/s Sree Metaliks Ltd, Loidapada, Barbil, Dist-Keonjhar, Odisha.</i>		
Nature of Sampling	Fugitive Dust Emission		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling By	GFAPL's Representative		
Instrument Used	Respirable Dust Sampler		
Sampling Method	As Per IS:5182		

Sl. No.	Name of Location	Lab Id Code	Latitude	Longitude	Date of Sampling	Result
1	Near Main Gate	GF/25-26/A3224	21°59'36.61"N	85°19'27.95"E	23.03.2026	1024.5
2	Near Crushing Plant	GF/25-26/A3225	21°59'27.80"N	85°19'38.89"E	23.03.2026	987.2
3	Near Power Plant	GF/25-26/A3226	21°59'27.87"N	85°19'30.78"E	23.03.2026	942.5
4	Near SMS-1	GF/25-26/A3227	21°59'23.62"N	85°19'37.62"E	23.03.2026	1068.3
5	Near SMS-2	GF/25-26/A3259	21°59'36.28"N	85°19'34.16"E	26.03.2026	998.6
6	Near Blast Furnace	GF/25-26/A3260	21°59'23.15"N	85°19'32.77"E	26.03.2026	988.3
7	Near Rolling Mill-1	GF/25-26/A3261	21°59'23.96"N	85°19'39.63"E	26.03.2026	942.4
8	Near Rolling Mill-2	GF/25-26/A3262	21°59'39.20"N	85°19'36.15"E	26.03.2026	1006.4
Fugitive Standard						1200
Methods of Analysis					IS:5182(Part-24)	

Reviewed By
TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED

Technical Manager
Mr. S.K. Parhi

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1--

Authorized Signatory
DEPUTY QUALITY MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
KEONJHAR, ODISHA
Dy Quality Manager
Mr. M.K. Swain

Report No- GFAPL/25-26/SMR/183

Issued Date- 04.04.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Loidapada, Barbil, Dist-Keonjhar, Odisha.		
Nature of Sampling	Stack Monitoring		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling By	GFAPL's Representative		
Date of Sampling	20.03.2026	Date of Receiving	21.03.2026
Date of Analysis	23.03.2026	Date of Complete	25.03.2026
Sampling Location & Coordinates	ST-1: Stack Attached to DRI 1&2; Lat: 20°59'28.66"N & Long: 85°19'35.76"E ST-2: Stack Attached to DRI 3&4; Lat: 20°59'26.74"N & Long: 85°19'38.33"E		
Instrument Used	Stack monitoring Kit; Vacuum Pump; Pyrometer	Lab Id Code	ST1-GF/25-26/St092 ST2- GF/25-26/St093
Sampling Method	As Per IS:11255		

Sl. No	Parameter	Testing Method	As per CPCB Standard	ST1	ST2
01	Temperature in K	IS-11255 (PART-3) 1985	---	397	393
02	Velocity in m/sec	IS-11255 (PART-3) 1985	---	11.94	15.13
03	Flow Rate in (mg/Nm ³)	IS-11255 (PART-3) 1985	---	45540.9	58888.8
04	Particulate Matter (PM) in mg/Nm ³	IS-11255(PART-1) 1985 Gravimetric Method	100	33.1	34.6
05	SO ₂ (mg/Nm ³)	IS-11255(PART-2) 1985	600	32.4	86.4
06	CO in %	IS-13270:1992	1%	<0.2	<0.2
07	CO ₂ in %	IS-13270:1992	---	1.3	1.4
08	NO _x (mg/Nm ³)	IS-11255(PART-2) 1985	300	59.6	67.2

Reviewed By
TECHNICAL MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 BHUBANESWAR, ODISHA
 Technical Manager
 Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 BHUBANESWAR, ODISHA
 By Quality Manager
 Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise

END OF REPORT

-1-

Report No- GFAPL/25-26/SMR/184

Issued Date- 04.04.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Loidapada, Barbil, Dist-Keonjhar, Odisha.		
Nature of Sampling	Stack Monitoring		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling By	GFAPL's Representative		
Date of Sampling	20.03.2026	Date of Receiving	21.03.2026
Date of Analysis	23.03.2026	Date of Complete	25.03.2026
Sampling Location & Coordinates	ST-3: Stack Attached to DRI 5&6; Lat: 20°59'26.95"N & Long: 85°19'38.80"E ST-4: Stack Attached to ABC Boiler; Lat: 20°59'27.67"N & Long: 85°19'31.06"E		
Instrument Used	Stack monitoring Kit; Vacuum Pump; Pyrometer	Lab Id Code	ST3-GF/25-26/St094 ST4- GF/25-26-/St095

Sl. No	Parameter	Testing Method	As per CPCB Standard	ST3	ST4
01	Temperature in K	IS-11255 (PART-3) 1985	---	395.0	394.0
02	Velocity in m/sec	IS-11255 (PART-3) 1985	---	14.01	15.30
03	Flow Rate in (mg/Nm ³)	IS-11255 (PART-3) 1985	---	21694.5	93744.0
04	PM (mg/Nm ³)	IS-11255(PART-1) 1985 Gravimetric Method	100	26.4	22.8
05	SO ₂ (mg/Nm ³)	IS-11255(PART-2) 1985	600	77.8	23.8
06	CO in %	IS-13270:1992	1%	<0.2	<0.2
07	CO ₂ in %	IS-13270:1992	---	1.5	1.4
08	NO _x (mg/Nm ³)	IS-11255(PART-2) 1985	300	62.4	66.4

Reviewed By
GREENFORCE ASSOCIATES PRIVATE LIMITED
 BHUBANESWAR, ODISHA
 Technical Manager
 Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 BHUBANESWAR, ODISHA
 Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1--

GREEN FORCE

ASSOCIATES PRIVATE LIMITED

(An ISO 14001, 9001, 45001 certified Consulting Organization & NABL Accredited Laboratory)

Report No- GFAPL/25-26/SMR/185

Issued Date- 04.04.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Loidapada, Barbil, Dist-Keonjhar, Odisha.		
Nature of Sampling	Stack Monitoring		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling By	GFAPL's Representative		
Date of Sampling	20.03.2026	Date of Receiving	21.03.2026
Date of Analysis	23.03.2026	Date of Complete	25.03.2026
Sampling Location & Coordinates	ST-1: Stack Attached to DRI 1&2; Lat: 20°59'28.66"N & Long: 85°19'35.76"E ST-2: Stack Attached to DRI 3&4; Lat: 20°59'26.74"N & Long: 85°19'38.33"E		
Instrument Used	Stack monitoring Kit; Vacuum Pump; Pyrometer		

Sl. No	Parameter	Testing Method	As per CPCB Standard	ST1	ST2
01	Pbar in mm Hg	--	---	690	690

Reviewed By

TECHNICAL MANAGER

GREENFORCE ASSOCIATES PRIVATE LIMITED

BHUBANESWAR, ODISHA

Technical Manager

Mr. S.K. Parhi

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

-1-

Authorized Signatory

DEPUTY QUALITY MANAGER

GREENFORCE ASSOCIATES PRIVATE LIMITED

BHUBANESWAR, ODISHA

Quality Manager

Mr. M.K. Swain

GREEN FORCE

ASSOCIATES PRIVATE LIMITED

(An ISO 14001, 9001, 45001 certified Consulting Organization & NABL Accredited Laboratory)

Report No- GFAPL/25-26/SMR/186

Issued Date- 04.04.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Loidapada, Barbil, Dist-Keonjhar, Odisha.		
Nature of Sampling	Stack Monitoring		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling By	GFAPL's Representative		
Date of Sampling	20.03.2026	Date of Receiving	21.03.2026
Date of Analysis	23.03.2026	Date of Complete	25.03.2026
Sampling Location & Coordinates	ST-3: Stack Attached to DRI 5&6; Lat: 20°59'26.95"N & Long: 85°19'38.80"E ST-4: Stack Attached to ABC Boiler; Lat: 20°59'27.67"N & Long:85°19'31.06"E		
Instrument Used	Stack monitoring Kit; Vacuum Pump; Pyrometer		

Sl. No	Parameter	Testing Method	As per CPCB Standard	ST3	ST4
01	Pbar in mmHg			690	690

Reviewed By
TECHNICAL MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 BHUBANESWAR, ODISHA
 Technical Manager
 Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 BHUBANESWAR, ODISHA
 Deputy Quality Manager
 Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

-1-