

ENVIRONMENT MONITORING REPORT
FOR THE MONTH OF
APRIL- 2026



Client- M/s SREE METALIKS LTD.

Address- Loidapada, Barbil,

Dist- Keonjhar, Odisha



Monitored By - Green Force Associates Pvt. Ltd.

Address- Plot No-1363/3850,At- Baibhab Nagar,

Lane-2,Nakhara, Dist-Khorda, Odisha-754001

NABL Certificate No:- TC-12258

PHOTOGRAPHS OF ENVIRONMENT MONITORING



ULR No- TC1616726000000013F

Report No- GFAPL/26-27/SMR/001

Issued Date- 04.05.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Loidapada, Barbil, Dist-Keonjhar, Odisha..		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling Location & Coordinates	AAQ1 - Near Admin Office: 21°59'26.41"N Latitude & 85°19'39.29"E Longitude		
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
Sampling Method	As Per IS: 5182		

Date of Sampling	Lab Id Code	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)	CO (mg/m ³)
02.04.2026	GF/26-27/A012	79.4	40.5	12.4	23.8	0.63
06.04.2026	GF/26-27/A036	72.6	36.7	10.0	20.4	0.50
09.04.2026	GF/26-27/A077	73.8	37.5	10.4	20.8	0.50
13.04.2026	GF/26-27/A108	79.2	40.8	12.8	24.4	0.59
16.04.2026	GF/26-27/A135	81.9	41.7	13.4	25.8	0.62
20.04.2026	GF/26-27/A165	85.8	43.8	14.4	27.2	0.66
23.04.2026	GF/26-27/A203	87.9	45.0	15.0	28.0	0.69
27.04.2026	GF/26-27/A251	80.4	41.3	13.2	26.4	0.65
30.04.2026	GF/26-27/A282	70.8	35.6	10.4	20.8	0.54
Max		87.9	45.0	15.0	28.0	0.69
Min		72.6	36.7	10.0	20.4	0.50
Avg		79.0	40.3	12.4	24.1	0.59
NAAQ* Standard		100	60	80	80	4
Methods of Analysis		IS:5182 (Part-23)	IS:5182 (Part-24)	IS:5182 (Part-2)	IS:5182 (Part-6)	IS: 5182 (Part- 10)

RECEIVED BY
TECHNICAL MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 BHUBANESHWAR, ODISHA
 Mr. S.K. Parhi

AUTHORIZED SIGNATORY
DEPUTY QUALITY MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 BHUBANESHWAR, ODISHA
 Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1--

ULR No- TC1616726000000013F

Report No- GFAPL/26-27/SMR/002

Issued Date- 04.05.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Loidapada, Barbil, Dist-Keonjhar, Odisha.		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling Location & Coordinates	AAQ2 - Near Dispensary: 21°59'33.80"N Latitude & 85°19'24.18"E Longitude		
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
Sampling Method	As Per IS: 5182		

Date of Sampling	Lab Id Code	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)	CO (mg/m ³)
02.04.2026	GF/26-27/A013	68.5	35.0	9.8	19.8	0.57
06.04.2026	GF/26-27/A037	62.4	32.5	7.8	15.8	0.41
09.04.2026	GF/26-27/A078	64.2	32.5	8.4	16.4	0.40
13.04.2026	GF/26-27/A109	68.7	34.6	9.4	18.8	0.50
16.04.2026	GF/26-27/A136	70.1	35.4	10.0	20.2	0.53
20.04.2026	GF/26-27/A166	73.6	37.5	11.4	22.8	0.57
23.04.2026	GF/26-27/A204	75.6	38.3	12.0	24.2	0.61
27.04.2026	GF/26-27/A252	70.2	36.3	10.8	21.2	0.58
30.04.2026	GF/26-27/A283	62.4	30.6	7.8	15.6	0.38
Max		75.6	38.3	12.0	24.2	0.61
Min		62.4	32.5	7.8	15.8	0.41
Avg		68.4	34.7	9.7	19.4	0.50
NAAQ* Standard		100	60	80	80	4
Methods of Analysis		IS:5182 (Part-23)	IS:5182 (Part-24)	IS:5182 (Part-2)	IS:5182 (Part-6)	IS: 5182 (Part- 10)

Reviewed By
TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESWAR, ODISHA
Technical Manager
Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESWAR, ODISHA
Deputy Quality Manager
Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1--

ULR No- TC1616726000000014F

Report No- GFAPL/26-27/SMR/003

Issued Date- 04.05.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Loidapada, Barbil, Dist-Keonjhar, Odisha.		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling Location & Coordinates	AAQ3- Village Rugudihi:21°59'50.80"N Latitude & 85°19'20.16"E Longitude		
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
Sampling Method	As Per IS: 5182		

Date of Sampling	Lab Id Code	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)	CO (mg/m ³)
02.04.2026	GF/26-27/A014	62.4	31.4	6.4	12.8	0.31
06.04.2026	GF/26-27/A038	56.2	28.3	5.8	12.8	0.30
09.04.2026	GF/26-27/A079	58.4	29.6	6.3	13.2	0.32
13.04.2026	GF/26-27/A110	60.4	30.4	6.4	13.6	0.33
16.04.2026	GF/26-27/A137	62.6	31.7	6.8	14.4	0.35
20.04.2026	GF/26-27/A167	66.4	33.8	7.4	15.0	0.38
23.04.2026	GF/26-27/A205	68.4	34.6	7.8	15.6	0.39
27.04.2026	GF/26-27/A253	65.1	32.9	7.0	14.2	0.35
30.04.2026	GF/26-27/A284	55.2	27.8	6.0	12.4	0.28
Max		68.4	34.6	7.8	15.6	0.39
Min		56.2	28.3	5.8	12.8	0.30
Avg		61.6	31.1	6.6	13.7	0.33
NAAQ* Standard		100	60	80	80	4
Methods of Analysis		IS:5182 (Part-23)	IS:5182 (Part-24)	IS:5182 (Part-2)	IS:5182 (Part-6)	IS: 5182 (Part- 10)

TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESWAR, ODISHA
Technical Manager
Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESWAR, ODISHA
Deputy Quality Manager
Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1--

ULR No- TC1616726000000015F

Report No- GFAPL/26-27/SMR/004

Issued Date- 04.05.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Loidapada, Barbil, Dist-Keonjhar, Odisha.		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling Location & Coordinates	AAQ4 - Village Lohidapada:21°59'35.97"N Latitude & 85°19'08.86"E Longitude		
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
Sampling Method	As Per IS: 5182		

Date of Sampling	Lab Id Code	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)	CO (mg/m ³)
02.04.2026	GF/26-27/A015	60.1	30.5	6.0	12.4	0.30
06.04.2026	GF/26-27/A039	54.4	27.5	5.4	12.4	0.29
09.04.2026	GF/26-27/A080	56.8	28.8	5.8	12.8	0.30
13.04.2026	GF/26-27/A111	59.8	30.4	6.0	13.2	0.32
16.04.2026	GF/26-27/A138	61.2	30.8	6.3	13.4	0.33
20.04.2026	GF/26-27/A168	65.7	33.3	7.0	14.4	0.35
23.04.2026	GF/26-27/A206	67.3	33.8	7.4	14.8	0.36
27.04.2026	GF/26-27/A254	63.7	32.5	6.8	13.8	0.34
30.04.2026	GF/26-27/A285	52.8	26.1	5.8	11.6	0.26
Max		67.3	33.8	7.4	13.8	0.36
Min		54.4	27.5	5.4	12.4	0.29
Avg		60.2	30.4	6.2	13.2	0.31
NAAQ* Standard		100	60	80	80	4
Methods of Analysis		IS:5182 (Part-23)	IS:5182 (Part-24)	IS:5182 (Part-2)	IS:5182 (Part-6)	IS: 5182 (Part- 10)

Reviewed By

TECHNICAL MANAGER

GREENFORCE ASSOCIATES PRIVATE LIMITED

Bhubaneswar, Odisha

Mr. S.K. Parhi

Authorized Signatory

DEPUTY QUALITY MANAGER

GREENFORCE ASSOCIATES PRIVATE LIMITED

Bhubaneswar, Odisha

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

-1-

ULR No- TC1616726000000016F

Report No- GFAPL/26-27/SMR/005

Issued Date- 04.05.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Loidapada, Barbil, Dist-Keonjhar, Odisha.		
Nature of Sampling	Ambient Air Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Instrument Used	Respirable Dust Sampler, Gaseous Attachment		
Sampling Method	As Per IS: 5182		

Location Code	Lab Id Code	Sampling Location	Date of Sampling	O ₃ (µg/m ³)	NH ₃ (µg/m ³)
AAQ1	GF/26-27/A165	Near Admin Office	20.04.2026	12.7	27.8
AAQ2	GF/26-27/A166	Near Dispensary	20.04.2026	11.2	24.8
AAQ3	GF/26-27/A167	Village Rugudi	20.04.2026	<8.0	<20.0
AAQ4	GF/26-27/A168	Village Lohidapada	20.04.2026	<8.0	<20.0
NAAQ* Standard				100	400
Methods of Analysis				IS:5182 (Part-9)	IS:5182 (Part-25)

Reviewed By

TECHNICAL MANAGER

GREENFORCE ASSOCIATES PRIVATE LIMITED

BHUBANESHWAR, ODISHA

Mr. S.K. Parhi

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1--

Authorized Signatory

DEPUTY QUANTITY MANAGER

GREENFORCE ASSOCIATES PRIVATE LIMITED

BHUBANESHWAR, ODISHA

By Quality Manager

Mr. M.K. Saha

GREEN FORCE

ASSOCIATES PRIVATE LIMITED

(An ISO 14001, 9001, 45001 certified Consulting Organization & NABL Accredited Laboratory)

Report No- GFAPL/26-27/SMR/006

Issued Date- 04.05.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Loidapada, Barbil, Dist-Keonjhar, Odisha..		
Nature of Sampling	Workzone Air Monitoring		
Sampling By	GFAPL's Representative	Date of Sampling	20.04.2026
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Instrument Used	Respirable Dust Sampler.		
Sampling Method	As Per IS: 5182		

Name of Location	Location	Pb ($\mu\text{g}/\text{m}^3$)	Ni (ng/m^3)	As (ng/m^3)	C6H6 ($\mu\text{g}/\text{m}^3$)	BaP (ng/m^3)
AAQ1	Near Admin Office	<0.1	<6.0	<0.5	<5	<1
AAQ2	Near Dispensary	<0.1	<6.0	<0.5	<5	<1
AAQ3	Village Rugudi	<0.1	<6.0	<0.5	<5	<1
AAQ4	Village Lohidapada	<0.1	<6.0	<0.5	<5	<1
NAAQ* Standard		1	20	6	5	1
Methods of Analysis		IS:5182 (Part-22)	IS:5182 (Part-26)	As per CPCB method followed by AAS	IS:5182 (Part-11)	IS:5182 (Part-12)

Reviewed By

Authorized Signatory

TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESHWAR, ODISHA
Mr. S.K. Parhi

DEPUTY QUALITY MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESHWAR, ODISHA
By Quality Manager
Mr. M.K. Swaha

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

*END OF REPORT

--1--

ULR No- TC1616726000000017F
Report No- GFAPL/26-27/SMR/007

Issued Date-04.05.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Loidapada, Barbil, Dist-Keonjhar, Odisha.		
Nature of Sampling	Ambient Noise Monitoring		
Location of performance of Laboratory activities	Site Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling By	GFAPL's Representative		
Instrument Used	Sound Level Meter		
Sampling Method	As Per IS:9989		

Sl.No.	Locations	Date of Sampling	Day Time	Night Time
			Results in dB(A)	
1	Near Admin Office; Latitude: 21°59'26.41"N & Longitude: 85°19'39.29"E	16.04.2026	64.1	49.5
2	Near Dispensary; Latitude: 21°59'33.80"N & Longitude: 85°19'24.18"E	16.04.2026	53.3	42.2
Industrial Zone permissible limits as per CPCB Norms			75 dB(A)	70 dB(A)
3	Village Rugudi; Latitude: 21°59'50.80"N & Longitude: 85°19'20.16"E	19.04.2026	54.9	43.1
4	Village Lohidapada; Latitude: 21°59'35.97"N & Longitude: 85°19'08.86"E	19.04.2026	53.3	41.8
Residential Zone permissible limits as per CPCB Norms			55 dB(A)	45 dB(A)

Reviewed By
TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESWAR, ODISHA
Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESWAR, ODISHA
Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1--

ULR No- TC1616726000000018F

Report No- GFAPL/26-27/SMR/008

Issued Date- 04.05.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Loidapada, Barbil, Dist-Keonjhar, Odisha.		
Nature of Sampling	Workzone Noise Monitoring		
Location of performance of Laboratory activities	Site Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling By	GFAPL's Representative		
Instrument Used	Sound Level Meter		
Sampling Method	As Per IS:9989		

Sl.No	Locations	Date Of Sampling	Day Time	Night Time
			Results in dB(A)	
1	Near Main Gate; Latitude: 21°59'36.61"N & Longitude: 85°19'27.95"E	20.04.2026	71.1	59.2
2	Near Crushing Plant; Latitude: 21°59'27.80"N & Longitude: 85°19'38.89"E	20.04.2026	71.9	60.5
3	Near Power Plant; Latitude: 21°59'27.87"N & Longitude: 85°19'30.78"E	23.04.2026	70.6	62.1
4	Near SMS - 1; Latitude: 21°59'23.62"N & Longitude: 85°19'37.62"E	23.04.2026	72.9	60.7
5	Near SMS -2; Latitude: 21°59'36.28"N & Longitude: 85°19'34.16"E	25.04.2026	71.4	56.9
6	Near Blast Furnace; Latitude: 21°59'23.15"N & Longitude: 85°19'32.77"E	25.04.2026	69.8	61.1
7	Near Rolling Mill-1; Latitude: 21°59'23.96"N & Longitude: 85°19'39.63"E	27.04.2026	71.4	60.9
8	Near Rolling Mill-2; Latitude: 21°59'39.20"N & Longitude: 85°19'36.15"E	27.04.2026	70.9	60.7
Industrial Zone permissible limits as per CPCB Norms			Day Time- 75 dB(A)	Night Time- 70 dB(A)

Reviewed By
TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESWAR, ODISHA
Technical Manager
Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESWAR, ODISHA
Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters. Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1--

ULR No- TC1616726000000019F
Report No- GFAPL/26-27/SMR/009

Issued Date- 04.05.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Loidapada, Barbil, Dist-Keonjhar, Odisha.		
Nature of Sampling	Fugitive Dust Emission		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling By	GFAPL's Representative		
Instrument Used	Respirable Dust Sampler		
Sampling Method	As Per IS:5182		

Sl. No.	Name of Location	Lab Id Code	Latitude	Longitude	Date of Sampling	Result
1	Near Main Gate	GF/26-27/A178	21°59'36.61"N	85°19'27.95"E	21.04.2026	997.6
2	Near Crushing Plant	GF/26-27/A179	21°59'27.80"N	85°19'38.89"E	21.04.2026	964.8
3	Near Power Plant	GF/26-27/A180	21°59'27.87"N	85°19'30.78"E	21.04.2026	928.5
4	Near SMS-1	GF/26-27/A181	21°59'23.62"N	85°19'37.62"E	21.04.2026	1024.7
5	Near SMS-2	GF/26-27/A226	21°59'36.28"N	85°19'34.16"E	24.04.2026	1009.6
6	Near Blast Furnace	GF/26-27/A227	21°59'23.15"N	85°19'32.77"E	24.04.2026	996.4
7	Near Rolling Mill-1	GF/26-27/A228	21°59'23.96"N	85°19'39.63"E	24.04.2026	967.8
8	Near Rolling Mill-2	GF/26-27/A229	21°59'39.20"N	85°19'36.15"E	24.04.2026	1042.6
Fugitive Standard						1200
Methods of Analysis					IS:5182(Part-24)	

Reviewed By

Authorized Signatory

TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
Bhubaneswar, ODISHA
Mr. S.K. Parhi

DEPUTY QUALITY MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
Bhubaneswar, ODISHA
Mr. M.K. Swain

Note:

- > The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- > Total liability of our lab is limited to the invoiced amount.
- > Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- > This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- > Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1--

ULR No- TC1616726000000020F

Report No- GFAPL/26-27/SMR/010

Issued Date- 04.05.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Loidapada, Barbil, Dist-Keonjhar, Odisha.		
Nature of Sampling	Stack Monitoring		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling By	GFAPL's Representative		
Date of Sampling	21.04.2026	Date of Receiving	22.04.2026
Date of Analysis	23.04.2026	Date of Complete	24.04.2026
Sampling Location & Coordinates	ST-1: Stack Attached to DRI 1&2; Lat: 20°59'28.66"N & Long: 85°19'35.76"E ST-2: Stack Attached to DRI 3&4; Lat: 20°59'26.74"N & Long: 85°19'38.33"E		
Instrument Used	Stack monitoring Kit; Vacuum Pump; Pyrometer	Lab Id Code	ST1- GF/26-267St002 ST2- GF/26-27/St003
Sampling Method	As Per IS:11255		

Sl. No	Parameter	Testing Method	As per CPCB Standard	ST1	ST2
01	Temperature in K	IS-11255(PART-3) 1985	---	401	398
02	Velocity in m/sec	IS-11255 (PART-3) 1985	---	11.77	14.35
03	Flow Rate in (mg/Nm ³)	IS-11255 (PART-3) 1985	---	44284.3	54808.5
04	Particulate Matter (PM) in mg/Nm ³	IS-11255(PART-1) 1985 Gravimetric Method	100	32.8	30.4
05	SO ₂ (mg/Nm ³)	IS-11255(PART-2) 1985	600	34.6	78.4
06	CO in %	IS-13270:1992	1%	<0.2	<0.2
07	CO ₂ in %	IS-13270:1992	---	1.3	1.4
08	NO _x (mg/Nm ³)	IS-11255(PART-2) 1985	300	58.4	66.2

Reviewed By
TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESWAR, ODISHA
 Technical Manager
Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESWAR, ODISHA
 Dy. Quality Manager
Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise

END OF REPORT

--1--

ULR No- TC1616726000000021F

Report No- GFAPL/26-27/SMR/011

Issued Date- 04.05.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Loidapada, Barbil, Dist-Keonjhar, Odisha.		
Nature of Sampling	Stack Monitoring		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling By	GFAPL's Representative		
Date of Sampling	21.04.2026	Date of Receiving	22.04.2026
Date of Analysis	23.04.2026	Date of Complete	24.04.2026
Sampling Location & Coordinates	ST-3: Stack Attached to DRI 5&6; Lat: 20°59'26.95"N & Long: 85°19'38.80"E ST-4: Stack Attached to ABC Boiler; Lat: 20°59'27.67"N & Long: 85°19'31.06"E		
Instrument Used	Stack monitoring Kit; Vacuum Pump; Pyrometer	Lab Id Code	ST3-GF/26-27/St004 ST4- GF/26-27-/St005

Sl. No	Parameter	Testing Method	As per CPCB Standard	ST3	ST4
01	Temperature in K	IS-11255 (PART-3) 1985		396.0	393.0
02	Velocity in m/sec	IS-11255 (PART-3) 1985		14.50	14.52
03	Flow Rate in (mg/Nm ³)	IS-11255 (PART-3) 1985	---	22483.7	89993.2
04	PM (mg/Nm ³)	IS-11255(PART-1) 1985 Gravimetric Method	100	33.7	26.2
05	SO ₂ (mg/Nm ³)	IS-11255(PART-2) 1985	600	76.8	23.4
06	CO in %	IS-13270:1992	1%	<0.2	<0.2
07	CO ₂ in %	IS-13270:1992	---	1.4	1.2
08	NO _x (mg/Nm ³)	IS-11255(PART-2) 1985	300	60.8	65.6

Reviewed By

TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESWAR, ODISHA
Technical Manager
Mr. S.K. Parhi

Authorized Signatory

DEPUTY QUALITY MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESWAR, ODISHA
By Quality Manager
Mr. M.R. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1--

GREEN FORCE

ASSOCIATES PRIVATE LIMITED

(An ISO 14001, 9001, 45001 certified Consulting Organization & NABL Accredited Laboratory)

Report No- GFAPL/26-27SMR/012

Issued Date- 04.05.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Loidapada, Barbil, Dist-Keonjhar, Odisha.		
Nature of Sampling	Stack Monitoring		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling By	GFAPL's Representative		
Date of Sampling	21.04.2026	Date of Receiving	22.04.2026
Date of Analysis	23.04.2026	Date of Complete	24.04.2026
Sampling Location & Coordinates	ST-1: Stack Attached to DRI 1&2; Lat: 20°59'28.66"N & Long: 85°19'35.76"E ST-2: Stack Attached to DRI 3&4; Lat: 20°59'26.74"N & Long: 85°19'38.33"E		
Instrument Used	Stack monitoring Kit; Vacuum Pump; Pyrometer		

Sl. No	Parameter	Testing Method	As per CPCB Standard	ST1	ST2
01	Pbar in mm Hg	--	---	690	690

Reviewed By

Authorized Signatory

TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESHWAR, ODISHA
Technical Manager
Mr. S.K. Parhi

DEPUTY QUALITY MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
BHUBANESHWAR, ODISHA
Deputy Quality Manager
Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

-1--

GREEN FORCE

ASSOCIATES PRIVATE LIMITED

(An ISO 14001, 9001, 45001 certified Consulting Organization & NABL Accredited Laboratory)

Report No- GFAPL/26-27/SMR/013

Issued Date- 04.05.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Loidapada, Barbil, Dist-Keonjhar, Odisha.		
Nature of Sampling	Stack Monitoring		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling By	GFAPL's Representative		
Date of Sampling	21.04.2026	Date of Receiving	22.04.2026
Date of Analysis	23.04.2026	Date of Complete	24.04.2026
Sampling Location & Coordinates	ST-3: Stack Attached to DRI 5&6; Lat: 20°59'26.95"N & Long: 85°19'38.80"E ST-4: Stack Attached to ABC Boiler; Lat: 20°59'27.67"N & Long: 85°19'31.06"E		
Instrument Used	Stack monitoring Kit; Vacuum Pump; Pyrometer		

Sl. No	Parameter	Testing Method	As per CPCB Standard	ST3	ST4
01	Pbar in mm Hg	--	--	690	690

Reviewed By

TECHNICAL MANAGER

GREENFORCE ASSOCIATES PRIVATE LIMITED

Technical Manager

Mr. S.K. Parhi

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

-1-

Authorized Signatory

DEPUTY QUALITY MANAGER

GREENFORCE ASSOCIATES PRIVATE LIMITED

By Quality Manager

Mr. M.K. Swaha