# FOR THE MONTH OF JUNE - 2025



# Client- M/s SREE METALIKS LTD. Address- Loidapada, Barbil, Dist- Keonjhar, Odisha



Monitored By - Green Force Associates Pvt. Ltd.

Address- Plot No-1363-3892, Baibhab Realcon,
Fulnakhara, Cuttack, Odisha-754001

NABL Certificate No:- TC-12258

#### PHOTOGRAPHS OF ENVIRONMENT MONITORING









Plot No.-1666, Phase-II, Delta Colony, Nilakantheswar Marg, Baramunda, Bhubaneswar, Dist - Khurdha

🔀 Mail Id: greenforceassociates@gmail.com

ULR No- TC1225825000000009F Report No- GFAPL/25-26/SMR/034

Issued Date- 04.07.2025

#### TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Loidapada, Barbil, Dist-Keonjhar, Odisha				
Nature of Sampling	Ambient Air Quality Monitoring				
Sampling By	GFAPL's Representative				
Location of performance of Laboratory activities	Laboratory Permanent Facility	Laboratory Permanent Facility Deviation from the method (if any)			
Discipline	Chemical	Group	Atmospheric Pollution		
Sampling Location & Coordinates	AAQ1 - Near Admin Office:21°59'26.41"N Latitude & 85°19'39.29"E Longitude				
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment				
Sampling Method	As Per IS: 5182	1 1 7			

Date of Sampling	Lab Id Code	PM <sub>10</sub> (μg/m <sup>3</sup> )	PM <sub>2.5</sub> (μg/m <sup>3</sup> )	SO <sub>2</sub> (µg/m <sup>3</sup> )	$\frac{NO_2}{(\mu g/m^3)}$
02.06.2025	GF/25-26/A370	63.6	31.9	7.8	13.8
05.06.2025	GF/25-26/A403	58.2	28.8	7.2	12.8
09.06.2025	GF/25-26/A442	54.2	26.3	6.4	11.4
12.06.2025	GF/25-26/A475	52.4	25.0	6.2	10.8
16.06.2025	GF/25-26/A502	54.6	26.9	6.6	11.4
19.06.2025	GF/25-26/A546	52.4	25.0	6.4	11.0
23.06.2025	GF/25-26/A584	55.2	27.5	6.6	11.4
26.06.2025	GF/25-26/A621	53.2	25.6	6.4	11.0
30.06.2025	GF/25-26/A644	56.4	27.5	6.8	11.8
N	Max	63.6	31.9	7.8	13.8
Min Avg NAAQ* Standard Methods of Analysis		Min 52.4 25.0	25.0	6.2 6.7 80	10.8 11.7
		55.6	27.2		
		100	60		80
		IS:5182 (Part-23)	IS:5182 (Part-24)	IS:5182 (Part-2)	IS:5182 (Part-6)

Reviewed By ALYST CHEE ASSOCIATES PRIVATE LIMITED BUTTER APSWAR, ODISHA

Authorized Signatory
TECHNICAL MANAGER

GREENFORCE ASSOCIATES PRIVATE LIMITED

BHUBANESWAR ROUSHA

Note:

- > The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- > Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- > This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.





Plot No.-1666, Phase-II, Delta Colony, Nilakantheswar Marg, Baramunda, Bhubaneswar, Dist - Khurdha

Mail Id: greenforceassociates@gmail.com

ULR No- TC1225825000000010F Report No- GFAPL/25-26/SMR/035

Issued Date- 04.07.2025

#### **TEST REPORT**

Client Name & Address	M/s Sree Metaliks Ltd,			
Cheft Name Certainess	Loidapada, Barbil, Dist-Keonjhar, Odisha.			
Nature of Sampling	Ambient Air Quality Monitoring			
Sampling By	GFAPL's Representative			
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO	
Discipline	Chemical	Group	Atmospheric Pollution	
Sampling Location &	A A O 2 N D:21050	222 002NT I -+14 J - 0, 050	010224 102E I	
Coordinates	AAQ2 - Near Dispensary:21°59	33.80 N Lantude & 83	19 24.18 E Longitude	
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment			
Sampling Method	As Per IS: 5182			

Date of Sampling	Lab Id Code	PM <sub>10</sub> (μg/m3)	PM <sub>2.5</sub> (μg/m <sup>3</sup> )	SO <sub>2</sub> (μg/m³)	NO <sub>2</sub> (μg/m <sup>3</sup> )
02.06.2025	GF/25-26/A371	60.7	30.0	7.2	12.8
05.06.2025	GF/25-26/A404	57.1	28.1	6.8	12.4
09.06.2025	GF/25-26/A443	53.4	25.6	6.2	11.2
12.06.2025	GF/25-26/A476	51.2	24.4	5.8	10.6
16.06.2025	GF/25-26/A503	50.2	24.4	5.6	10.6
19.06.2025	GF/25-26/A547	49.2	23.8	5.0	10.2
23.06.2025	GF/25-26/A585	52.5	24.4	5.2	10.4
26.06.2025	GF/25-26/A622	50.4	23.8	4.8	9.8
30.06.2025	GF/25-26/A645	52.4	24.4	5.2	10.6
	Max	60.7	30.0	7.2	12.8
	Min	49.2	23.8	4.8	9.8
Avg NAAQ* Standard			25.4	5.8	11.0
			60	80	80
Methods of Analysis		IS:5182 (Part-23)	IS:5182 (Part-24)	IS:5182 (Part-2)	IS:5182 (Part-6)

CHIEF ANALYST

CHIEF ANALYST

RCEASSOCIATES PRIVATE LIMITED

Arti Sahoo

Authorized Signatory
TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED

BHUBANESWARI ON SHAPER

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- > Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- > This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.





🦞 Plot No.-1666, Phase-II, Delta Colony, Nilakantheswar Marg,

Baramunda, Bhubaneswar, Dist - Khurdha

Mail Id: greenforceassociates@gmail.com

ULR No- TC1225825000000011F Report No- GFAPL/25-26/SMR/036

Issued Date- 04.07.2025

#### **TEST REPORT**

Client Name & Address	M/s Sree Metaliks Ltd, Loidapada, Barbil, Dist-Keonjhar, Odisha.				
Nature of Sampling	Ambient Air Quality Monitorin	mbient Air Quality Monitoring			
Sampling By	GFAPL's Representative				
Location of performance of Laboratory activities	Laboratory Permanent Facility	Laboratory Permanent Facility Deviation from the method (if any)			
Discipline	Chemical	Group	Atmospheric Pollution		
Sampling Location & Coordinates	AAQ3- Village Rugudihi:21°59'50.80"N Latitude &85°19'20.16"E Longitude				
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment				
Sampling Method	As Per IS: 5182				

Date of Sampling	Lab Id Code	PM <sub>10</sub> (μg/m3)	PM <sub>2.5</sub> (μg/m <sup>3</sup> )	SO <sub>2</sub> (μg/m <sup>3</sup> )	NO <sub>2</sub> (μg/m <sup>3</sup> )
02.06.2025	GF/25-26/A372	57.1	28.1	6.2	11.6
05.06.2025	GF/25-26/A405	55.8	27.5	5.8	11.0
09.06.2025	GF/25-26/A444	50.4	24.4	<4.0	<9.0
12.06.2025	GF/25-26/A477	49.2	23.8	<4.0	< 9.0
16.06.2025	GF/25-26/A504	40.4	19.4	<4.0	<9.0
19.06.2025	GF/25-26/A548	37.2	17.5	<4.0	<9.0
23.06.2025	GF/25-26/A586	35.8	15.6	<4.0	<9.0
26.06.2025	GF/25-26/A623	33.5	15.0	<4.0	<9.0
30.06.2025	GF/25-26/A646	35.9	16.3	<4.0	<9.0
	Max	57.1	28.1	6.2	11.6
Min		33.5	15.0	<4.0	<9.0
Avg NAAQ* Standard Methods of Analysis		43.9	20.8	3.7	7.6
		100	60	80	80
		IS:5182 (Part-23)	IS:5182 (Part-24)	IS:5182 (Part-2)	IS:5182 (Part-6)

Reviewed By

GREENFORCE ASSOCIALES PRIVATE LIMITED

Authorized Signatory

TECHNICAL MANAGER

GREENFORCE ASSOCIATES PRIVATE LIMITEI

BHEBANE SAME ODISHA

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.







💡 Plot No.-1666, Phase-II, Delta Colony, Nilakantheswar Marg, Baramunda, Bhubaneswar, Dist - Khurdha

Mail Id: greenforceassociates@gmail.com

ULR No- TC1225825000000012F Report No- GFAPL/25-26/SMR/037

Issued Date- 04.07.2025

#### **TEST REPORT**

Client Name & Address	M/s Sree Metaliks Ltd, Loidapada, Barbil, Dist-Keonjhar, Odisha.		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling Location & Coordinates	AAQ4 - Village Lohidapada:21°59'35.97"N Latitude & 85°19'08.86"E Longitude		
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
Sampling Method	As Per IS: 5182		

Date of Sampling	Lab Id Code	PM <sub>10</sub> (μg/m3)	PM <sub>2.5</sub> (μg/m <sup>3</sup> )	SO <sub>2</sub> (μg/m <sup>3</sup> )	NO <sub>2</sub> (μg/m <sup>3</sup> )
02.06.2025	GF/25-26/A373	56.6	28.1	5.8	10.8
05.06.2025	GF/25-26/A406	54.5	27.5	5.4	10.6
09.06.2025	GF/25-26/A445	49.6	23.8	<4.0	< 9.0
12.06.2025	GF/25-26/A478	48.4	23.1	<4.0	<9.0
16.06.2025	GF/25-26/A505	39.6	18.8	<4.0	<9.0
19.06.2025	GF/25-26/A549	34.2	16.3	<4.0	<9.0
23.06.2025	GF/25-26/A587	33.4	15.0	<4.0	<9.0
26.06.2025	GF/25-26/A624	32.6	15.0	<4.0	<9.0
30.06.2025	GF/25-26/A647	34.2	15.0	<4.0	<9.0
IV.	lax	56.6	28.1	5.8	10.8
Min Avg NAAQ* Standard Methods of Analysis		Min 32.6	15.0	<4.0 3.6	<9.0 7.4
		42.5	20.3		
		100	60	80	80
		IS:5182 (Part-23)	IS:5182 (Part-24)	IS:5182 (Part-2)	IS:5182 (Part-6)

Reviewed By

Authorized Signatory TECHNICAL MANAGER

COMPEF ANALYST GREEN FOR LEASE OCIATES PRIVATE LIMITED MISBHUBANDSWAR, ODISHA

GREENFORCE ASSOCIATED PRIVATE LIMITED

BHUBANESWAR, 10016HA

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.



Plot No.-1666, Phase-II, Delta Colony, Nilakantheswar Marg, Baramunda, Bhubaneswar, Dist - Khurdha

Mail Id: greenforceassociates@gmail.com
(An ISO 14001, 9001, 45001 certified Consulting Organization & NABL Accredited Laboratory)

Report No- GFAPL/25-26/SMR/038

Issued Date- 04.07.2025

#### **TEST REPORT**

Client Name & Address	M/s Sree Metaliks Ltd, Loidapada, Barbil, Dist-Keonjhar, Odisha.				
Nature of Sampling	Ambient Air Quality Monitoring				
Sampling By	GFAPL's Representative				
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO		
Discipline	Chemical	Group	Atmospheric Pollution		
Sampling Location & Coordinates	AAQ1 - Near Admin Office:21°59 AAQ2 - NearDispensary:21°59'33 AAQ3 - VillageRugudihi:21°59'50 AAQ4 - VillageLohidapada:21°59'	.80"N Latitude & 85°1 .80"N Latitude &85°1	9'24.18"E Longitude 9'20.16"E Longitude		
Instrument Used	CO Analyser		<u></u>		
Sampling Method	As Per IS: 5182				

D		CO (r	ng/m3)		
Date of Sampling	AAQ1	AAQ2	AAQ3	AAQ4	
02.06.2025	0.36	0.34	0.32	0.31	
05.06.2025	0.34	0.33	0.31	0.30	
09.06.2025	0.32	0.31	0.29	0.28	
12.06.2025	0.31	0.30	0.26	0.25	
16.06.2025	0.33	0.30	0.22	0.20	
19.06.2025	0.31	0.29	0.19	0.17	
23.06.2025	0.32	0.30	0.17	0.15	
26.06.2025	0.31	0.28	0.16	0.14	
30.06.2025	0.33	0.30	0.17	0.15	
Max	0.36	0.34	0.32	0.31	
Min	0.31	0.29	0.16	0.14	
Avg	0.32 0.30 0.23				
NAAQ* Standard					
<b>Tethods</b> of Analysis	IS: 5182 (Part- 10)				

Reviewed By

CHIEFANALYST

GREENFORCE AGS & GIATES PRIVATE LIMITED

**Authorized Signatory** 

TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIMATE LIMITED

BHUBANESWAR PODISHA

BHUBANEGWAROODISHA Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.





Plot No.-1666, Phase-II, Delta Colony, Nilakantheswar Marg, Baramunda, Bhubaneswar, Dist - Khurdha

Mail Id: greenforceassociates@gmail.com

ULR No- TC1225825000000013F Report No- GFAPL/25-26/SMR/039

Issued Date- 04.07.2025

#### **TEST REPORT**

Client Name &Address	M/s Sree Metaliks Ltd, Loidapada, Barbil, Dist-Keonjhar, Odisha.			
Nature of Sampling	Ambient Air Monitoring			
Sampling By	GFAPL's Representative			
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO	
Discipline	Chemical	Group	Atmospheric Pollution	
Instrument Used	Respirable Dust Sampler, Gaseous	Attachment		
Sampling Method	As Per IS: 5182			

Location Code	Lab Id Code	Sampling Location	Date of Sampling	Ο3 (μg/m³)	NH3 (μg/m³)
AAQ1	GF/25-26/A546	Near Admin Office	19.06.2025	<8.0	<20.0
AAQ2	GF/25-26/A547	Near Dispensary	19.06.2025	<8.0	<20.0
AAQ3	GF/25-26/A548	Village Rugudi	19.06.2025	<8.0	<20.0
AAQ4	GF/25-26/A549	Village Lohidapada	19.06.2025	<8.0	<20.0
NAAQ* Standard				100	400
Methods of Analysis			IS:5182 (Part-9)	IS:5182 (Part-25)	

Reviewed By

BHUBANESYABO

**Authorized Signatory** 

TECHNICAL MANAGER

GREENFORCE ASSOCIATES PRIVATE LIMITED

BHUBANESWAR, 2015H.

#### Note:

- > The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- > Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

\*END OF REPORT\*

--1--



Plot No.-1666, Phase-II, Delta Colony, Nilakantheswar Marg, Baramunda, Bhubaneswar, Dist - Khurdha

Mail Id: greenforceassociates@gmail.com

(An ISO 14001, 9001, 45001 certified Consulting Organization & NABL Accredited Laboratory)

Report No- GFAPL/25-26/SMR/040

Issued Date- 04.07.2025

#### **TEST REPORT**

Client Name &Address	M/s Sree Metaliks Ltd, Loidapada, Barbil, Dist-Keonjhar, Odisha			
Nature of Sampling	Workzone Air Monitoring			
Sampling By	GFAPL's Representative	Date of Sampling	19.06.2025	
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO	
Discipline	Chemical	Group	Atmospheric Pollution	
Instrument Used	Respirable Dust Sampler.	**	· · · · · · · · · · · · · · · · · · ·	
Sampling Method	As Per IS: 5182			

Name of Location	Location	Pb (μg/m³)	Ni (ng/m³)	As (ng/m³)	C6H6 (μg/m³)	BaP (ng/m³)
AAQ1	Near Admin Office	<0.1	<6.0	<0.5	<5	<1
AAQ2	Near Dispensary	<0.1	<6.0	<0.5	<5	<1
AAQ3	Village Rugudi	<0.1	<6.0	<0.5	<5	<1
AAQ4	Village Lohidapada	<0.1	<6.0	<0.5	<5	<1
NA	AQ* Standard	1	20	6	5	1
Methods of Analysis		IS:5182 (Part-22)	IS:5182 (Part-26)	As per CPCB method followed by AAS	IS:5182 (Part-11)	IS:5182 (Part-12)

Reviewed By

ASSOCIATES PRIVATE LIMITED

ENFORTE ANALYSEWAR, ODISHA

**Authorized Signatory** 

TECHNICAL MANAGER

BHUBANESWAR DUSHA

#### Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- > Total liability of our lab is limited to the invoiced amount.
- > Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- > This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.





Plot No.-1666, Phase-II, Delta Colony, Nilakantheswar Marg, Baramunda, Bhubaneswar, Dist - Khurdha

Mail Id: greenforceassociates@gmail.com

ULR No- TC1225825000000014F Report No- GFAPL/25-26/SMR/041

Issued Date- 04.07.2025

#### TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Loidapada, Barbil, Dist-Keonjhar, Odisha.			
Nature of Sampling	Ambient Noise Monitoring			
Location of performance of Laboratory activities	Site Facility	Deviation from the method (if any)	NO	
Discipline	Chemical	Group	Atmospheric Pollution	
Sampling By	GFAPL's Representative			
Instrument Used	Sound Level Meter			
Sampling Method	As Per IS:9989			

		Date of	Day Time	Night Time
Sl.No.	Locations	Sampling	Results	in dB(A)
1	Near Admin Office; Latitude: 21°59'26.41"N& Longitude: 85°19'39.29"E	17.06.2025	59.2	48.6
2	Near Dispensary; Latitude: 21°59'33.80"N& Longitude: 85°19'24.18"E	17.06.2025	49.1	38.9
	Industrial <mark>Z</mark> one <i>permissible limits as pe<mark>r CPCB</mark></i>	75 dB(A)	70 dB(A)	
3	Village Rugudi; Latitude: 21°59'50.80"N& Longitude: 85°19'20.16"E	19.06.2025	49.8	39.8
4	Village Lohidapada; Latitude: 21°59'35.97"N& Longitude: 85°19'08.86"E	19.06.2025	49.7	39.6
	Residential Zone permissible limits as per CPCE	55 dB(A)	45 dB(A)	

Reviewed By
OHIEP ANALYST
ORCEASSOCIATES PRIVATE LIMITED
MISHURAN SSWAR, ODISHA

Authorized Signatory
TECHNICAD MANAGER
GREENFORCE ASSOCIATES REPLYATE LIMITED
BHUBANDSWAR, BOJEHA

#### Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- > Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.





Plot No.-1666, Phase-II, Delta Colony, Nilakantheswar Marg,

Baramunda, Bhubaneswar, Dist - Khurdha

🔀 Mail Id: greenforceassociates@gmail.com

ULR No- TC1225825000000015F Report No- GFAPL/25-26/SMR/042

Issued Date- 04.07.2025

#### **TEST REPORT**

Client Name & Address	M/s Sree Metaliks Ltd, Loidapada, Barbil, D	ist-Keonjhar, Odisha.	
Nature of Sampling	Workzone Noise Monit	toring	
Location of performance of Laboratory activities	Site Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling By	GFAPL's Representativ	ve	
Instrument Used	Sound Level Meter	-	
Sampling Method	As Per IS:9989		( <b>*</b> )

Sl.No	Locations	Date Of	Day Time	Night Time
		Sampling	Res	sults in dB(A)
1	Near Main Gate; Latitude: 21°59'36.61"N & Longitude: 85°19'27.95"E	21.06.2025	67.2	59.3
2	Near Crushing Plant; Latitude: 21°59'27.80"N & Longitude: 85°19'38.89"E	21.06.2025	68.0	61.8
3	Near Power Plant; Latitude: 21°59'27.87"N & Longitude: 85°19'30.78"E	23.06.2025	67.6	61.0
4	Near SMS - 1; Latitude: 21°59'23.62"N& Longitude: 85°19'37.62"E	23.06.2025	68.1	59.1
5	Near SMS -2; Latitude: 21°59'36.28"N& Longitude: 85°19'34.16"E	24.06.2025	67.1	59.5
6	Near Blast Furnace; Latitude: 21°59'23.15"N& Longitude: 85°19'32.77"E	24.06.2025	67.3	60.1
7	Near Rolling Mill-1; Latitude: 21°59'23.96"N& Longitude 85°19'39.63"E	26.06.2025	67.5	62.3
8	Near Rolling Mill-2; Latitude 21°59'39.20"N& Longitude 85°19'36.15"E	26.06.2025	69.8	64.5
Industrial Zone permissible limits as per CPCB Norms			Day Time- 75 dB(A)	Night Time- 70 dB(A)

Reviewed By

F ANALYST OCIATES PRIVATE LIMITED

ALESWAR ODISHA

liss. Arti Sahoo

**Authorized Signatory** 

TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED

BHUBANESWANICODY SHAger

Note:

The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.

> Total liability of our lab is limited to the invoiced amount.

Samples will be destroyed after 30 days from the date of test report unless otherwise specified.

> This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.

Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

\*END OF REPORT\*

--1---







Plot No.-1666, Phase-II, Delta Colony, Nilakantheswar Marg, Baramunda, Bhubaneswar, Dist - Khurdha

Mail Id: greenforceassociates@gmail.com

ULR No-TC1225825000000016F Report No- GFAPL/25-26/SMR/043

Issued Date- 04.07.2025

#### TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd,			
Cheff (vame & Address	Loidapada, Barbil, Dist-Keonjhar, Odisha.			
Nature of Sampling	Fugitive Dust Emission	-		
Location of performance of	Laboratory Permanent Facility	Deviation from the	NO	
Laboratory activities	Laboratory Permanent Facility	method (if any)	NO	
Discipline	Chemical	Group	Atmospheric Pollution	
Sampling By	GFAPL's Representative	_		
Instrument Used	Respirable Dust Sampler			
Sampling Method	As Per IS:5182			

SI. No.	Name of Location	Lab Id Code	Latitude	Longitude	Date of Sampling	Result
1.	Near Main Gate	GF/25-26/A519	21°59'36.61"N	85°19'27.95"E	17.06.2025	316.2
2	Near Crushing Plant	GF/25-26/A520	21°59'27.80"N	85°19'38.89"E	17.06.2025	308.4
3	Near Power Plant	GF/25-26/A521	21°59'27.87"N	85°19'30.78"E	17.06.2025	346.8
4	Near SMS-1	GF/25-26/A522	21°59'23.62"N	85°19'37.62"E	17.06.2025	314.5
5	Near SMS-2	GF/25-26/A595	21°59'36.28"N	85°19'34.16"E	24.06.2025	342.4
6	Near Blast Furnace	GF/25-26/A596	21°59'23.15"N	85°19'32.77"E	24.06.2025	314.2
7	Near Rolling Mill-1	GF/25-26/A597	21°59'23.96"N	85°19'39.63"E	24.06.2025	331.4
8	Near Rolling Mill-2	GF/25-26/A598	21°59'39.20"N	85°19'36.15"E	24.06.2025	307.2
		Fug	itive Standard	ro ro		1200
		Meth	ods of Analysis		IS:5182(Part	:-24)

Reviewed By

**Authorized Signatory** 

OCIATES PRIVATE LIMITED BHILBAXES Sahoo

TECHNICAL MANAGER

#### Note:

The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor

Total liability of our lab is limited to the invoiced amount.

- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- > Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

\*END OF REPORT\*

--1--





Plot No.-1666, Phase-II, Delta Colony, Nilakantheswar Marg, Baramunda, Bhubaneswar, Dist - Khurdha

Mail Id: greenforceassociates@gmail.com

ULR No- TC1225825000000017F Report No- GFAPL/25-26/SMR/044

Issued Date- 04.07.2025

#### **TEST REPORT**

Client Name &Address	M/s Sree Metaliks Ltd, Loidapada, Barbil, Dist-Keonjhar, Odisha.					
Nature of Sampling	Stack Monitoring	Stack Monitoring				
Location of performance	Laboratory Permanent	Laboratory Permanent Deviation from the NO				
of Laboratory activities	Facility	method (if any)	NO			
Discipline	Chemical	Chemical Group Atmospheric Pollution				
Sampling By	GFAPL's Representative					
Date of Sampling	19.06.2025	Date of Receiving	20.06.2025			
Date of Analysis	21.06.2025	Date of Complete	23.06.2025			
Sampling Location & Coordinates	ST-1: Stack Attached to DRI ST-2: Stack Attached to DRI	1 <mark>&amp;2; Lat: 20°59'28.66"</mark> 3 <b>&amp;4</b> ; Lat: 20°59'26.74"	N & Long: 85°19'35.76"E N & Long: 85°19'38.33"E			
Instrument Used	Stack monitoring Kit; Vacuum Pump; Pyrometer	Lab Id Code	ST1-GF/25-26/St018 ST2- GF/25-26/St019			
Sampling Method	As Per IS:11255					

Sl. No	Pa <mark>rameter</mark>	Testing Method	As per CPCB Standard	STI	ST2
01	Temperature in K	IS-11255 (PART-3) 1985		399	397
02	Velocity in m/sec	IS-11255 (PART-3) 1985		11.39	14.08
03	Flow Rate in (mg/Nm3)	IS-11255 (PART-3) 1985		44517.9	55327.2
05	Particulate Matter (PM) in mg/Nm³	IS-11255(PART-1) 1985 Gravimetric Method	100	37.2	34.6
06	SO2 (mg/Nm3)	IS-11255(PART-2) 1985	600	36.6	80.1
07	CO in %	IS-13270:1992	1%	< 0.2	< 0.2
08	CO2 in %	IS-13270:1992		1.4	1.4

Reviewed By

SOCIATES PRIVATE LIMITED

SWAR, ODISHA ti Sahoo

Authorized Signatory

TECHNICAL MANAGER GREENFORCE ASSOCIATES PRIVATE LIMITED

BHUBANESWAR ODISHA

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise







🐶 Plot No.-1666, Phase-II, Delta Colony, Nilakantheswar Marg, Baramunda, Bhubaneswar, Dist - Khurdha

Mail Id: greenforceassociates@gmail.com

ULR No- TC1225825000000018F Report No- GFAPL/25-26/SMR/045

Issued Date- 04.07.2025

#### **TEST REPORT**

Client Name &Address	M/s Sree Metaliks Ltd, Loidapada, Barbil, Dist-Keonjhar, Odisha.					
Nature of Sampling	Stack Monitoring	ck Monitoring				
<b>Location of performance of Laboratory activities</b>	Laboratory Permanent Facility	cility method (if any)				
Discipline	Chemical Group Atmospheric Pollution					
Sampling By	GFAPL's Representative					
Date of Sampling	19.06.2025	Date of Receiving	20.06.2025			
Date of Analysis	21.06.2025	Date of Complete	23.06.2025			
Sampling Location &	ST-3: Stack Attached to DRI					
Coordinates	ST-4: Stack Attached to ABC	Boiler; Lat: 20°59'27.67	"N & Long:85°19'31.06"E			
Instrument Used	Stack monitoring Kit; Vacuum Pump;	Lab Id Code	ST3-GF/25-26/St020 ST4- GF/25-26-/St021			
instrument oscu	Pyrometer Pyrometer	Dab to Code	51 +- 01/25-20-/51021			

SI. No	Parameter	Testing Method	As per CPCB Standard	ST3	ST4
01	Temperature in K	IS-11255 (PART-3) 1985	- 4	396.0	392.0
02	Velocity in m/sec	IS-11255 (PART-3) 1985		14.61	14.24
03	Flow Rate in (mg/Nm <sup>3</sup> )	IS-11255 (PART-3) 1985		22439.4	85874.5
04	PM (mg/Nm³)	IS-11255(PART-1) 1985 Gravimetric Method	100	38.4	24.6
05	SO2 (mg/Nm <sup>3</sup> )	IS-11255(PART-2) 1985	600	79.0	25.6
06	CO in %	IS-13270:1992	1%	<0.2	<0.2
07	CO2 in %	IS-13270:1992		1.3	1.2

Reviewed By

THEF ANALYST GREENFORCE ASSOCIATES PRIVATE LIMITED

MISHUBANGAWAR, ODISHA

**Authorized Signatory** TECHNICAD MANAGER

PRIVATE LIMITED GREENFORCE

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.



💡 Plot No.-1666, Phase-II, Delta Colony, Nilakantheswar Marg, Baramunda, Bhubaneswar, Dist - Khurdha

Mail Id: greenforceassociates@gmail.com

(An ISO 14001, 9001, 45001 certified Consulting Organization & NABL Accredited Laboratory)

Report No- GFAPL/25-26/SMR/046

Issued Date- 04.07.2025

#### **TEST REPORT**

Client Name &Address	M/s Sree Metaliks Ltd, Loidapada, Barbil, Dist-Keonjhar, Odisha.			
Nature of Sampling	Stack Monitoring			
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO	
Discipline	Chemical	Group	Atmospheric Pollution	
Sampling By	GFAPL's Representative			
Date of Sampling	19.06.2025	Date of Receiving	20.06.2025	
Date of Analysis	21.06.2025	Date of Complete	23.06.2025	
Sampling Location & Coordinates	ST-1: Stack Attached to DRI 1&2; Lat: 20°59'28.66"N & Long: 85°19'35.76"E ST-2: Stack Attached to DRI 3&4; Lat: 20°59'26.74"N & Long: 85°19'38.33"E			
Instrument Used	Stack monitoring Kit; Vacuum Pump; Pyrometer			

Sl. No	Parameter	Testing Method	As per CPCB Standard	ST1	ST2
01	Pbar in mm Hg			690	690
02	NOx (mg/Nm <sup>3</sup> )	IS-11255(PART-2) 1985	300	54.5	74.8

Reviewed By

GREENFORCEMEN SOCIATES PRIVATE LIMITED BHUBANER ODISHA

Authorized Signatory

GREENFORCE ASSOCIATES PRIVATE LIMITED

BHUBANESWAR CONSINA

#### Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.



Plot No.-1666, Phase-II, Delta Colony, Nilakantheswar Marg, Baramunda, Bhubaneswar, Dist - Khurdha

Mail Id: greenforceassociates@gmail.com
(An ISO 14001, 9001, 45001 certified Consulting Organization & NABL Accredited Laboratory)

Report No- GFAPL/25-26/SMR/047

Issued Date- 04.07.2025

#### TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Loidapada, Barbil, Dist-Keonjhar, Odisha.			
Nature of Sampling	Stack Monitoring			
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO	
Discipline	Chemical	Group	Atmospheric Pollution	
Sampling By	GFAPL's Representative			
Date of Sampling	19.06.2025	Date of Receiving	20.06.2025	
Date of Analysis	21.06.2025	Date of Complete	23.06.2025	
Sampling Location & Coordinates	ST-3: Stack Attached to DRI 5&6; Lat: 20°59'26.95"N & Long: 85°19'38.80"E ST-4: Stack Attached to ABC Boiler; Lat: 20°59'27.67"N & Long:85°19'31.06"E			
Instrument Used	Stack monitoring Kit; Vacuum Pump; Pyrometer			

Sl. No	Parameter	Testing Method	As per CPCB Standard	ST3	ST4
01	Pbar in mm Hg			690	690
02	NOx (mg/Nm <sup>3</sup> )	IS-11255(PART-2) 1985	300	61.6	72.3

Reviewed By

EENFORCE ASSOCIATES PRIVATE LIMITED

Authorized Signatory
TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIMATE LIMITED
BHUBANESWARK ODISHA

#### Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- > Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- > This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.