

**ENVIRONMENT MONITORING REPORT
FOR THE MONTH OF
MARCH -2026**



Client- M/s SREE METALIKS LTD.

Address- Mukundapur, Parang

Dist-Anugul, Odisha



Monitored By - Green Force Associates Pvt. Ltd.

Address- Plot No-1363/3850, Baibhab Nagar,

Lane-2,Nakhara, Dist-Khorda, Odisha- 754001

NABL Certificate No:- TC-12258

PHOTOGRAPHS OF ENVIRONMENT MONITORING



Report No- GFAPL/25-26/SMAG/140

Issued Date-04.04.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Mukundapur, Parang, Dist-Anugul, Odisha.		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling Location & Coordinates	Near Admin Office: 20°52'6.54"N Latitude & 85°01'0.63"E Longitude		
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
Sampling Method	As Per IS: 5182		

Date of Sampling	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)	CO (mg/m ³)
02.03.2026	83.4	42.8	13.4	25.6	0.63
05.03.2026	80.5	41.4	13	25.4	0.62
09.03.2026	85.2	43.6	13.4	25.8	0.64
12.03.2026	86.4	43.9	13.8	26.4	0.65
16.03.2026	81.9	42.7	13.4	25.8	0.64
19.03.2026	85.1	43.7	13.8	26.4	0.66
23.03.2026	78.2	39.6	12.4	23.8	0.6
26.03.2026	80.4	40.5	12.8	24.4	0.62
30.03.2026	82.2	41.8	13.2	24.8	0.63
Max	86.40	43.90	13.80	26.40	0.66
Min	78.20	39.60	12.40	23.80	0.60
Avg	82.59	42.22	13.24	25.38	0.63
NAAQ* Standard	100	60	80	80	4
Methods of Analysis	IS:5182 (Part-23)	IS:5182 (Part-24)	IS:5182 (Part-2)	IS:5182 (Part-6)	IS: 5182 (Part- 10)

Reviewed By
TECHNICAL MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 BHUBANESWAR, ODISHA
 Technical Manager
Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 BHUBANESWAR, ODISHA
 Dy. Quality Manager
Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1--

Report No- GFAPL/25-26/SMAG/141

Issued Date-04.04.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Mukundapur, Parang, Dist-Anugul, Odisha.		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling Location & Coordinates	Near Main Gate: 20°52'5.71"N Latitude & 85°01'2.74"E Longitude		
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
Sampling Method	As Per IS: 5182		

Date of Sampling	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)	CO (mg/m ³)
02.03.2026	76.5	39.2	11.4	23.4	0.61
05.03.2026	79.2	40.4	11.8	23.8	0.62
09.03.2026	80.4	41.1	12.0	24.2	0.64
12.03.2026	81.9	42.1	12.4	24.6	0.64
16.03.2026	79.8	40.8	11.8	23.8	0.62
19.03.2026	82.8	41.6	12.2	24.2	0.63
23.03.2026	80.4	40.9	10.4	20.4	0.58
26.03.2026	79.2	40.4	10	20	0.57
30.03.2026	81.6	41.6	10.8	21	0.59
Max	82.80	42.10	12.40	24.60	0.64
Min	76.50	39.20	10.00	20.00	0.57
Avg	80.20	40.90	11.42	22.82	0.61
NAAQ* Standard	100	60	80	80	4
Methods of Analysis	IS:5182 (Part-23)	IS:5182 (Part-24)	IS:5182 (Part-2)	IS:5182 (Part-6)	IS: 5182 (Part- 10)

Reviewed By
TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
Technical Manager
BHUBANESHWAR, ODISHA
Mr. S.K. Pattnaik

Authorized Signatory
DEPUTY QUALITY MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
Deputy Quality Manager
BHUBANESHWAR, ODISHA
Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

-1-

Report No- GFAPL/25-26/SMAG/142

Issued Date-04.04.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Mukundapur, Parang, Dist-Anugul, Odisha.		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling Location & Coordinates	Village Parang- 20°52'27.19"N Latitude, 85° 1'46.38"E Longitude		
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
Sampling Method	As Per IS: 5182		

Date of Sampling	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)	CO (mg/m ³)
02.03.2026	64.9	33.1	7.4	15	0.38
05.03.2026	63.5	32.5	7.4	14.8	0.37
09.03.2026	65.2	33.2	7.8	15.8	0.39
12.03.2026	66.4	33.8	8	16.4	0.4
16.03.2026	62.8	31.9	7.4	15.4	0.38
19.03.2026	65.2	33.2	7.8	15.8	0.39
23.03.2026	60.1	30.6	6.4	13.2	0.35
26.03.2026	62.4	31.5	6.6	13.8	0.36
30.03.2026	63.5	32.4	6.8	14.2	0.37
Max	66.40	33.80	8.00	16.40	0.40
Min	60.10	30.60	6.40	13.20	0.35
Avg	63.78	32.47	7.29	14.93	0.38
NAAQ* Standard	100	60	80	80	4
Methods of Analysis	IS:5182 (Part-23)	IS:5182 (Part-24)	IS:5182 (Part-2)	IS:5182 (Part-6)	IS: 5182 (Part- 10)

Reviewed By
TECHNICAL MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 Technical Manager
 BHUBANESWAR, ODISHA
 Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 Deputy Quality Manager
 BHUBANESWAR, ODISHA
 MR. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

Report No- GFAPL/25-26/SMAG/143


Issued Date-04.04.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Mukundapur, Parang, Dist-Anugul, Odisha.		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling Location & Coordinates	Village Mukundpur- 20°51'21.15"N Latitude, 85° 2'20.40"E Longitude		
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
Sampling Method	As Per IS: 5182		

Date of Sampling	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO ₂ (µg/m ³)	CO (mg/m ³)
02.03.2026	62.8	31.9	6.4	13.2	0.35
05.03.2026	60.6	30.8	6	12.8	0.34
09.03.2026	61.9	31.6	6.2	13	0.35
12.03.2026	64.5	32.6	6.4	13.4	0.35
16.03.2026	66.2	33.7	6.8	13.8	0.36
19.03.2026	63.8	32.5	6.4	13.4	0.35
23.03.2026	59.1	30.1	6	12.6	0.32
26.03.2026	60.4	30.7	6.2	12.8	0.33
30.03.2026	61.5	31.2	6.2	12.8	0.33
Max	66.20	33.70	6.80	13.80	0.36
Min	59.10	30.10	6.00	12.60	0.32
Avg	62.31	31.68	6.29	13.09	0.34
NAAQ* Standard	100	60	80	80	4
Methods of Analysis	IS:5182 (Part-23)	IS:5182 (Part-24)	IS:5182 (Part-2)	IS:5182 (Part-6)	IS: 5182 (Part- 10)


TECHNICAL MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 Technical Manager
 BHUBANESWAR, ODISHA
 Mr. S.K. Parhi


DEPUTY MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 Deputy Manager
 BHUBANESWAR, ODISHA
 Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

-1-

Report No- GFAPL/25-26/SMAG/144

Issued Date-04.04.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Mukundapur, Parang, Dist-Anugul, Odisha.		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler, Gaseous Attachment		
Sampling Method	As Per IS: 5182		

Location Code	Sampling Location	Date of Sampling	O3 (µg/m ³)	NH3 (µg/m ³)
AAQ-1	Near Admin Office	19.03.2026	10.8	25.6
AAQ-2	Near Main Gate	19.03.2026	9.8	23.4
AAQ-3	Parang	19.03.2026	<8.0	<20.0
AAQ-4	Mukundpur	19.03.2026	<8.0	<20.0
NAAQ* Standard			100	400
Methods of Analysis			IS:5182 (Part-9)	IS:5182 (Part-25)

Reviewed By
TECHNICAL MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 Technical Manager
 BHUVANESWAR, ODISHA
 Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 By Quality Manager
 BHUVANESWAR, ODISHA
 Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

GREEN FORCE

ASSOCIATES PRIVATE LIMITED

(An ISO 14001, 9001, 45001 certified Consulting Organization & NABL Accredited Laboratory)

Report No- GFAPL/25-26/SMAG/145

Issued Date-04.04.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Mukundapur, Parang, Dist-Anugul, Odisha.		
Nature of Sampling	Ambient Air Quality Monitoring		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Instrument Used	Respirable Dust Sampler, Fine Particulate Dust Sampler		
Sampling Method	As Per IS: 5182		

Name of Location	Location	Date of Sampling	Pb ($\mu\text{g}/\text{m}^3$)	Ni (ng/m^3)	As (ng/m^3)	C6H6 ($\mu\text{g}/\text{m}^3$)	BaP (ng/m^3)
AAQ-1	Near Admin Office	19.03.2026	<0.1	<6.0	<0.5	<5	<1
AAQ-2	Near Main Gate	19.03.2026	<0.1	<6.0	<0.5	<5	<1
AAQ-3	Parang	19.03.2026	<0.1	<6.0	<0.5	<5	<1
AAQ-4	Mukundapur	19.03.2026	<0.1	<6.0	<0.5	<5	<1
NAAQ* Standard			20	10	1	5	1
Methods of Analysis			IS:5182 (Part-22)	IS:5182 (Part-26)	As per CPCB method followed by AAS	IS:5182 (Part-11)	IS:5182 (Part-12)

Reviewed By:
TECHNICAL MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 BHUBANESWAR, ODISHA
 Technical Manager
 Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 BHUBANESWAR, ODISHA
 Dy. Quality Manager
 Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1--

Report No- GFAPL/25-26/SMAG/146

Issued Date-04.04.2026

TEST REPORT

Client Name & Address	<i>M/s Sree Metaliks Ltd,</i> Mukundapur, Parang, Dist-Anugul, Odisha.		
Nature of Sampling	Ambient Noise Monitoring		
Location of performance of Laboratory activities	Site Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling By	GFAPL's Representative	Date of Sampling	20.03.2026
Instrument Used	Sound Level Meter		
Sampling Method	As Per IS:9989		

S.No.	Locations	Day Time	Night Time
		Results in dB(A)	
1	Near Entry Gate Hanuman Temple; Latitude: 21°41'13.17"N & Longitude 85°26'17.90"E	69.1	61.2
2	Near Brick Plant; Latitude 20°52'2.76"N & Longitude: 85° 0'45.19"E	67.4	56.4
Industrial Zone permissible limits as per CPCB Norms		Day Time – 75 dB(A)	Night Time – 70 dB(A)

Reviewed By
TECHNICAL MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
 BHUBANESWAR, ODISHA
 Technical Manager
Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
GREENFORCE ASSOCIATES PRIVATE LIMITED
 BHUBANESWAR, ODISHA
 Deputy Quality Manager
Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

Report No- GFAPL/25-26/SMAG/147

Issued Date-04.04.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Mukundapur, Parang, Dist-Anugul, Odisha.		
Nature of Sampling	Workzone Noise Monitoring		
Location of performance of Laboratory activities	Site Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling By	GFAPL's Representative	Date of Sampling	20.03.2026
Instrument Used	Sound Level Meter		
Sampling Method	As Per IS:9989		

S.No.	Locations	Day Time	Night Time
		Results in dB(A)	
1	Near DRI; Latitude: 20°52'6.74"N & Longitude: 85°0'51.38"E	68.5	60.6
2	SMS Area; Latitude: 20° 52' 1.52"N & Longitude: 85° 0' 56.74"E	66.4	53.1
Industrial Zone permissible limits as per CPCB Norms-1		Day Time – 75 dB(A)	Night Time –70 dB(A)

Reviewed By
TECHNICAL MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 BHUBANESWAR, ODISHA
 Technical Manager
 Mr. S.K. Parfi

Authorized Signatory
DEPUTY QUALITY MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 BHUBANESWAR, ODISHA
 Deputy Quality Manager
 Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

-1-

Report No- GFAPL/25-26/SMAG/148

Issued Date-04.04.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Mukundapur, Parang, Dist-Anugul, Odisha.		
Nature of Sampling	Fugitive Dust Emission		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling By	GFAPL's Representative		
Instrument Used	Respirable dust Sampler (RDS)		
Sampling Method	As Per IS: 5182		

Sl. No.	Name of Location	Coordinates of Location	Date of Sampling	Result
1	Near DRI	Lat: 20°52'6.74"N Long: 85°0'51.38"E	20.03.2026	1004.2
2	Near W. Bridge	Lat: 20°52'7.13"N Long: 85°1'0.55"E	20.03.2026	984.6
3	SMS Area	Lat: 20°52'1.52"N Long: 85°0'56.74"E	20.03.2026	1008.6
Fugitive Standard				1200
Methods of Analysis			IS:5182 (Part-4)	

Reviewed By
TECHNICAL MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 Technical Manager, ODISHA
 Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 Dy. Quality Manager
 BHUBANESWAR, ODISHA
 Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1--


Report No- GFAPL/25-26/SMAG/149


Issued Date-04.04.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Mukundapur, Parang, Dist-Anugul, Odisha.		
Nature of Sampling	Stack Monitoring		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling By	GFAPL's Representative		
Date of Sampling	20.03.2026	Date of Receiving	21.03.2026
Date of Analysis	23.03.2026	Date of Complete	24.03.2026
Sampling Location & Coordinates	Stack Attached to DRI Kil -I; Lat:20°52'2.92"N & Long: 85°0'47.85"E Stack Attached to DRI Kil -II; Lat: 20°52'2.92"N& Long: 85°0'47.85"E		
Instrument Used	Stack monitoring Kit; Vacuum Pump; Pyrometer		
Sampling Method	As Per IS: 11255		

Sl. No	Parameters	Testing Method	As per CPCB Standard	ST1	ST2
01	Temperature in K	IS-11255 (PART-3) 1985, (RA-2013)	---	419	367
02	Velocity in m/sec	IS-11255 (PART-3) 1985, (RA-2013)	---	8.53	6.48
04	PM (mg/Nm3)	IS-11255(PART-1) 1985, (RA-2014) Gravimetric Method	100	22.8	10.4
05	SO2 (mg/Nm3)	IS-11255(PART-2) 1985, (RA-2019)	600	34.8	22.4
06	CO in %	IS-13270:1992, (RA-2019)	1%	<0.2	<0.2
07	CO2 in %	IS-13270:1992, (RA-2019)	---	1.1	1.3
08	NOx (mg/Nm3)	IS-11255(PART-2) 1985	300	55.6	34.2

Reviewed By

 TECHNICAL MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 BHUBANESWAR, ODISHA
 Mr. S.K. Parhi

Authorized Signatory

 DEPUTY QUALITY MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 BHUBANESWAR, ODISHA
 Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

GREEN FORCE ASSOCIATES PRIVATE LIMITED

(An ISO 14001, 9001, 45001 certified Consulting Organization & NABL Accredited Laboratory)

Report No- GFAPL/25-26/SMAG/149

Issued Date-04.04.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Mukundapur, Parang, Dist-Anugul, Odisha.		
Nature of Sampling	Stack Monitoring		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Atmospheric Pollution
Sampling By	GFAPL's Representative		
Date of Sampling	20.03.2026	Date of Receiving	21.03.2026
Date of Analysis	23.03.2026	Date of Complete	24.03.2026
Sampling Location & Coordinates	Stack Attached to DRI Kil -I; Lat:20°52'2.92"N & Long: 85°0'47.85"E Stack Attached to DRI Kil -II; Lat: 20°52'2.92"N& Long: 85°0'47.85"E		
Instrument Used	Stack monitoring Kit; Vacuum Pump; Pyrometer		
Sampling Method	As Per IS: 11255		

Sl. No	Parameters	Testing Method	As per CPCB Standard	ST1	ST2
01	P bar in mmHg	-	---	738	738

Reviewed By
TECHNICAL MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 Technical Manager
 BHUBANESWAR, ODISHA
 Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 Deputy Quality Manager
 BHUBANESWAR, ODISHA
 Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

-2 of 2-

Report No-GFAPL/25-26/SMAG/150

Issued Date-04.04.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Mukundapur, Parang, Dist-Anugul, Odisha.		
Nature of Sampling	Surface Water		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Water
Date of Sampling	20.03.2026	Date of Receiving	21.03.2026
Date of Analysis	23.03.2026	Date of Complete	27.03.2026
Sampling Location & Coordinates	SW: Nandira Nala; Latitude: 20°52'18.84"N& Longitude: 85° 01'09.02"E		
Sampling Method	As Per APHA 24th ED: 1060B:2023		

Sl.No.	Parameter	Testing Methods	Unit	Standard as per IS-2296 Class-C	SW
1.	Colour	IS 3025: (Part 4)-1983	Hazen	300	<5.0
2.	Turbidity	APHA 24th ED: 2150-B-2023	NTU	--	<1.0
3.	pH	APHA 24th ED 4500-H-B:2023	UNITLESS	6.5-8.5	7.39
4.	Conductivity	APHA 24th ED 2510-B: 2023	µS/cm	--	225.18
5.	Total Dissolved Solid	APHA 24th ED 2540-C: 2023	mg/l	1500	139
6.	Chloride(as Cl)	APHA 24th Ed 4500- Cl-B:2023	mg/l	600	22
7.	Cyanide (as CN)	APHA 24th ED 4500-CN-F	mg/l	0.05	<0.02
8.	Hexavalent Chromium(asCr+6)	APHA 24th ED 3500-Cr-B: 2023	mg/l	0.05	<0.05
9.	Iron(as Fe)	APHA 24th ED 3500-Fe-B: 2023	mg/l	50	0.34
10.	Sulfate(asSO4)	APHA 24th ED 4500-SO4 D: 2023	mg/l	400	6.9
11.	Nitrate (as NO3)	APHA 24th ED 4500-NO3-B: 2023	mg/l	50	1.97

-1 of 3-

Sl.No.	Parameter	Testing Methods	Unit	Standard as per IS-2296 Class-C	SW
12	Fluoride(as F)	APHA 24th ED 4500-F-C: 2023	mg/l	1.5	<0.05
13	Oil & Grease	IS 3025 PART 39-1991 RA-2003	mg/l	0.1	<2.0
14	Dissolved oxygen	APHA 24th ED 4500 O-C:2023	mg/l	4	5.8
15	BOD (3)days at 27 ^o C	IS 3025 (PART 44): 1993 REA-2009	mg/l	3.0	<2.0
16	Chemical Oxygen Demand as COD	APHA 24th ED 5220 C:2023	mg/l	--	20
17	Copper (as Cu)	IS: 3025(Part 42)	mg/l	1.5	0.09

REMARKS: Laboratory Oil & Grease BDL Value is <2.0

Reviewed By
TECHNICAL MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 Bhubaneswar, Odisha
 Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 Bhubaneswar, Odisha
 Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

GREEN FORCE

ASSOCIATES PRIVATE LIMITED

(An ISO 14001, 9001, 45001 certified Consulting Organization & NABL Accredited Laboratory)

Report No-GFAPL/25-26/SMAG/150

Issued Date-04.04.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Mukundapur, Parang, Dist-Anugul, Odisha.		
Nature of Sampling	Surface Water		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Water
Date of Sampling	20.03.2026	Date of Receiving	21.03.2026
Date of Analysis	23.03.2026	Date of Complete	27.03.2026
Sampling Location & Coordinates	SW: Nandira Nala; Latitude: 20°52'18.84"N& Longitude: 85° 01'09.02"E		
Sampling Method	As Per APHA 24th ED: 1060B:2023		

Sl.No.	Parameter	Testing Methods	Unit	Standard as per IS-2296 Class-C	SW
1.	Phenolic Compounds as C ₆ H ₅ OH	APHA 24th ED 5530 B,D:2023	mg/l	--	<0.001
2.	Lead (as Pb)	APHA 3111 B,C	mg/l	0.1	<0.01
3.	Zinc (as Zn)	APHA 3111 B,C	mg/l	15	0.18
4.	Arsenic as As	IS: 3025 (Part 37) A	mg/l	0.2	<0.001
5.	Selenium (as Se)	APHA 3114 B	mg/l	0.05	<0.001
6.	Cadmium (as Cd)	IS: 3025 (Part 41)	mg/l	0.01	<0.001
7.	Total Coliform	APHA 24th ED 9222-H: 2023	MPN/100ml	5000	14

Reviewed By

TECHNICAL MANAGER

GREENFORCE ASSOCIATES PRIVATE LIMITED

Technical Manager

BHUBANESWAR, ODISHA

Mr. S.K. Parhi

Authorized Signatory

DEPUTY QUALITY MANAGER

GREENFORCE ASSOCIATES PRIVATE LIMITED

BHUBANESWAR, ODISHA

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

-3 of 3-

Report No- GFAPL/25-26/SMAG/151

Issued Date-04.04.2026

TEST REPORT

Client Name & Address	<i>M/s Sree Metaliks Ltd,</i> Mukundapur, Parang, Dist-Anugul, Odisha.		
Nature of Sampling	Ground Water		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Water
Date of Sampling	20.03.2026	Date of Receiving	21.03.2026
Date of Analysis	23.03.2026	Date of Complete	27.03.2026
Sampling Location & Coordinates	GW - Near Hanuman Temple; Latitude: 20°52'7.20"N & Longitude: 85°1'1.24"E		
Sampling Method	As Per APHA 24th ED: 1060B:2023		

Sl.No.	Parameter	Testing Methods	Unit	Standard as per IS: 10500, 2012		GW
					PL	
1.	Colour	IS 3025 (Part 4)- 1988	Hazen	5	15	<5.0
2.	Turbidity	APHA 24th ED: 2130-B-2023	NTU	1	5	<1
3.	pH Value @250C	APHA 24th ED 4500- H+B:2023	--	6.5-8.5	NR	7.21
4.	Total Dissolved Solids(TDS)	APHA 24th ED 2540-C: 2023	mg/l	500	2000	273.0
5.	Chloride (as Cl)	APHA 24th Ed 4500- Cl-B:2023	mg/l	250	1000	35.0
6.	Total Hardness	APHA 24th ED 2340-C: 2023	mg/l	200	600	162.0
7.	Calcium	APHA 24th Ed 3500- Ca-B:2023	mg/l	75	200	41.7
8.	Magnesium	APHA 24th ED 3500-Mg-B: 2023	mg/l	30	100	14.1
9.	Total Alkalinity	APHA 24th ED 2320-B: 2023	mg/l	200	600	144.0
10.	Residual Free Chlorine	APHA 24 th ED 4500 CL-B:2023	mg/l	0.2	1.0	<0.2

Sl.No.	Parameter	Testing Methods	Unit	Standard as per IS: 10500, 2012		GW
				AL	PL	
11.	Cyanide	APHA 24th ED 4500 CN-F:2023	mg/l	0.05	NR	<0.02
12.	Total Chromium	APHA 24th ED 3500-Cr-B: 2023	mg/l	0.05	NR	<0.05
13.	Iron	APHA 24th ED 3500-Fe-B: 2023	mg/l	0.3	NR	0.24
14.	Sulfate	APHA 24th ED 4500-SO4 D: 2023	mg/l	200	400	7.40
15.	Fluoride	APHA 24th ED 4500-F-C: 2023	mg/l	1.0	1.5	<0.05
16.	Boron	APHA 24th ED 4500 B-B:2023	mg/l	0.5	1.0	<0.01
17.	Manganese	IS 3025 PART-59 :2006 RA 2012	mg/l	0.1	0.3	<0.05
18.	Sodium as Na	APHA 24th ED 3500- Na-B	mg/l	--	--	20.8
19.	Potassium as K	APHA 24th ED 3500- K-B	mg/l	--	--	2.6
20.	Taste	APHA 24th ED: 2160-B 24th ED	---	Agreeable	Agreeable	AL
21.	Nitrate	APHA 24th ED 4500-NO3-E: 2023	mg/l	45	NR	2.08
22.	Copper (as Cu)	IS: 3025(Part 42)	mg/l	0.05	1.5	<0.03
23.	Aluminum (as Al)	APHA24th ED 3500Al: 2023	mg/l	0.03	0.2	<0.01

REMARKS: NR- not relaxable; AL-Acceptable Limit; PL- Permissible Limit;

Reviewed By
TECHNICAL MANAGER

GREENFORCE ASSOCIATES PRIVATE LIMITED

Technical Manager
Mr. S.K. Parhi

Authorized Signatory

DEPUTY QUALITY MANAGER

GREENFORCE ASSOCIATES PRIVATE LIMITED

Dy. Quality Manager
Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--2 of 4--

GREEN FORCE

ASSOCIATES PRIVATE LIMITED

(An ISO 14001, 9001, 45001 certified Consulting Organization & NABL Accredited Laboratory)

Report No- GFAPL/25-26/SMAG/151

Issued Date-04.04.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Mukundapur, Parang, Dist-Anugul, Odisha.		
Nature of Sampling	Ground Water		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Water
Date of Sampling	20.03.2026	Date of Receiving	21.03.2026
Date of Analysis	23.03.2026	Date of Complete	27.03.2026
Sampling Location & Coordinates	GW - Near Hanuman Temple; Latitude: 20°52'7.20"N & Longitude: 85°1'1.24"E		
Sampling Method	As Per APHA 24th ED: 1060B:2023		

Sl.No.	Parameter	Testing Methods	Unit	Standard as per IS:10500, 2012		GW
				AL	PL	
1.	Odour	APHA 24th ED: 2150-B - 2023	---	Agreeable	Agreeable	U/O
2.	Cadmium (as Cd)	IS: 3025(Part 41)	mg/l	0.003	NR	<0.001
3.	Zinc (as Zn)	APHA 24th ED 3500 Zn: 2023	mg/l	5	15	<0.03
4.	Lead (as Pb)	APHA 24th ED 3500 Pb: 2023	mg/l	0.01	NR	<0.01
5.	Selenium (as Se)	APHA 24th ED 3500 B: 2023	mg/l	0.01	NR	<0.001
6.	Mercury (as Hg)	APHA 24th ED 3500 Hg: 2023	mg/l	0.001	NR	<0.001

GREEN FORCE

ASSOCIATES PRIVATE LIMITED

(An ISO 14001, 9001, 45001 certified Consulting Organization & NABL Accredited Laboratory)

Sl.No.	Parameter	Testing Methods	Unit	Standard as per IS: 10500, 2012		GW
				AL	PL	
7.	Arsenic (as As)	APHA24th ED 3500As: 2023	mg/l	0.01	0.05	<0.001
8.	Mineral Oil	APHA 24th ED5220B: 2023	mg/l	0.5	NR	ND
9.	Anionic Detergents (as MBAS)	APHA24th ED 5540 C: 2023	mg/l	0.2	1.0	ND
10.	Phenolic Compound (as C6H5OH)	APHA 24th ED 5530 B,D: 2023	mg/l	--	--	<0.001
11.	Total Coliforms	APHA 24th ED 9222-H: 2023	100/MPN	--	--	<1.8

REMARKS: NR- not relaxable; AL-Acceptable Limit; PL- Permissible Limit;

Reviewed By

TECHNICAL MANAGER

GREENFORCE ASSOCIATES PRIVATE LIMITED

Technical Manager

Mr. S.K. Parhi

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

—4 of 4—

Authorized Signatory

DEPUTY QUALITY MANAGER

GREENFORCE ASSOCIATES PRIVATE LIMITED

Deputy Manager

Mr. M.K. Swain

Report No- GFAPL/25-26/SMAG/152

Issued Date-04.04.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Mukundapur, Parang, Dist-Anugul, Odisha.		
Nature of Sampling	Soil		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Soil and Rock
Date of Sampling	20.03.2026	Date of Receiving	21.03.2026
Date of Analysis	23.03.2026	Date of Complete	27.03.2026
Sampling Location & Coordinates	S - Inside Plant; Latitude: 21°59'26.41"N & Longitude: 85°19'39.29"E		
Sampling Method	As Per TNAU Agri Portal		

Sl. No.	Parameters	Testing Methods	Unit	Analysis Results
				S
1	pH			6.37
2	Organic Carbon	IS: 2720(Part-26)-1987	%	1.12
3	Moisture content	IS: 2720(Part-22)-1972	%	6.2
4	Specific Gravity	IS: 2720(Part-3/Sec1)-1980	(G _s)	2.7
5	Sulfate	IS: 2720(Part-27)-1977	mg/Kg	104
6	Electrical conductivity	IS:14767: 2000	µs/cm	204.6
7	Bulk Density	GFAPL/SOP/Soil & Rock/03-23	gm/cc	1.35
8	Nitrogen as N	IS:14684: 1999	kg/hect	62

Reviewed By
TECHNICAL MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 BHUBANESWAR, ODISHA
 Technical Manager
Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 BHUBANESWAR, ODISHA
 Deputy Quality Manager
Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--1 of 2--

GREEN FORCE ASSOCIATES PRIVATE LIMITED

(An ISO 14001, 9001, 45001 certified Consulting Organization & NABL Accredited Laboratory)

Report No- GFAPL/25-26/SMAG/152

Issued Date-04.04.2026

TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Mukundapur, Parang, Dist-Anugul, Odisha.		
Nature of Sampling	Soil		
Sampling By	GFAPL's Representative		
Location of performance of Laboratory activities	Laboratory Permanent Facility	Deviation from the method (if any)	NO
Discipline	Chemical	Group	Soil and Rock
Date of Sampling	20.03.2026	Date of Receiving	21.03.2026
Date of Analysis	23.03.2026	Date of Complete	27.03.2026
Sampling Location & Coordinates	S - Inside Plant; Latitude: 21°59'26.41"N & Longitude: 85°19'39.29"E		
Sampling Method	As Per TNAU Agri Portal		

Sl. No.	Parameters	Testing Methods	Unit	Analysis Results
				S
1.	Colour	GFAPL/SOP/Soil & Rock/01-23		Brown
2.	Soil Texture	GFAPL/SOP/Soil & Rock/02-23		Sandy loamy
3.	Calcium as Ca	IS: 2720(Part-23)	mg/kg	456
4.	Magnesium as Mg	GFAPL/SOP/Soil & Rock/04-23	mg/kg	234
5.	Phosphorus	GFAPL/SOP/Soil & Rock/05-23	kg/hect	30
6.	Potassium	GFAPL/SOP/Soil & Rock/06-23	mg/kg	132
7.	Chloride	GFAPL/SOP/Soil & Rock/07-23	mg/kg	149
8.	Manganese as Mn	GFAPL/SOP/Soil & Rock/08-23	mg/kg	5.46
9.	Iron	GFAPL/SOP/Soil & Rock/09-23	%	0.91

Reviewed By
TECHNICAL MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 Technical Manager
 BHUBANESHWAR, ODISHA
 Mr. S.K. Parhi

Authorized Signatory
DEPUTY QUALITY MANAGER
 GREENFORCE ASSOCIATES PRIVATE LIMITED
 Deputy Quality Manager
 BHUBANESHWAR, ODISHA
 Mr. M.K. Swain

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.

END OF REPORT

--2 of 2--