ENVIRONMENT MONITORING REPORT OF MONTH NOVEMBER-2022



Client- M/s SREE METALIKS LTD. Address- Loidapada, Dist-Barbil,

Keonjhar, Odisha


Monitored By - BIOMES LABORATORY



Address- Plot-225, Chandrasekharpur,

Bhubaneswar, Odisha-751016

NABL Certificate No:- TC10049



PHOTOGRAPHS OF ENVIRONMENT MONITORING











PHOTOGRAPHS OF ENVIRONMENT MONITORING











CPS Map Came Rugudihi, Odisha, India X8VF+7W2, Rugudihi, Odisha 758035,

India Lat 21.99338° Long 85.325096° 29/11/22 09:04 AM GMT +05:30





ENVIRONMENTAL CONSULTANT & NABL (ISO/IEC 17025/2017) ACCREDITED LABORATORY

[ISO 14001:2015, ISO 9001:2015 & ISO 45001:2018 Certified Organization]



Report No-BMS/22/SML-Loidapada/403

Issued Date-08.12.2022

AMBIENT AIR QUALITY MONITORING TEST REPORT

an a second and a second an and the strength and a second second second second second second second second seco	M/s Sree Metaliks Ltd, Loidapada, Dist-Barbil, Keonjhar, Odisha
Client Name & Address	M/s Sree Metaliks Ltd, Loldapada, Dist-Dation, 10019
Work Order No./ Date	SML/BBL/ENV/WO/205/22-23; 24.09.2022
Nature of Sampling	Ambient Air Sample
Sampling Location &	AAQ1-Near Admin Office: 21°59'26.41"N Latitude & 85°19'39.29"E Longitude
Coordinates	
Sampling By	BIOME's Representative
Instrument Used	Respirable Dust Sampler, Fine Dust Sampler, Gaseous Attachment

Date Of Sampling	ΡΜ10 (μg/m ³)	PM2.5 (μg/m ³)	SO ₂ (μg/m ³)	NOx . (µg/m ³)
03.11.2022	75.2	38.8	13.2	20.2
07.11.2022	72.8	36.9	13.5	20.8
10.11.2022	74.6	37.8	13.8	21.2
14.11.2022	76.9	40.2	14.6	22.4
17.11.2022	73.8	73.8 37.4 13.5		21.6
21.11.2022	140		74.2	22.3
24.11.2022	77.2	77.2 40.8 14.8		22.8
28.11.2022	74.9	150		23.4
NAAQ* Standard	100	60	80	80
Methods of Analysis	IS:5182 (Part-23)	IS:5182 (Part-24)	IS:5182 (Part-2)	IS:5182 (Part-6)



Authorized Signatory

***END OF REPORT**

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither 1. inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified. 2.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and 3. should not be used in any advertising media without our special permission in writing. 4.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise. 5.



ENVIRONMENTAL CONSULTANT & NABL (ISO/IEC 17025:2017) ACCREDITED LABORATORY [ISO 14001:2015, ISO 9001:2015 & ISO 45001:2018 Certified Organization]



Report No -BMS/22/SML-Loidapada/404

Issued Date-08.12.2022

AMBIENT AIR QUALITY MONITORING TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Loidapada, Dist-Barbil, Keonjhar, Odisha	
Work Order No./ Date	SML/BBL/ENV/WO/205/22-23; 24.09.2022	
Nature of Sampling	Ambient Air Sample	
Sampling Location &	AAQ2-Near Dispensary: 21°59'33.80"N Latitude & 85°19'24.18"E Longitude	
Coordinates	AAQ2-Ital Dispensary, 21 59 bliet 11 200	
Sampling By	BIOME's Representative	
Instrument Used	Respirable Dust Sampler, Fine Dust Sampler, Gaseous Attachment	

Date Of Sampling	ΡΜ10 (μg/m ³)	PM2.5 (μg/m ³)	SO ₂ (μg/m ³)	NOx (μg/m ³)		
03.11.2022	62.4	31.6	7.8	13.2		
07.11.2022	64.6	32.5	8.2	13.8		
10.11.2022	62.9	32.8	7.9	13.5		
14.11.2022	60.8	31.1	8.1	13.9		
17.11.2022			8.5	14.2		
21.11.2022			8.8	14.8		
24.11.2022 62.9 32.3 28.11.2022 64.6 33.5	62.9	32.3	8.6	14.4		
	8.8	14.9				
NAAQ* Standard	NAAQ* 100		100 00		80	80
Methods of Analysis	IS:5182 (Part-23)	IS:5182 (Part-24)	IS:5182 (Part-2)	IS:5182 (Part-6)		



Authorized Signatory

END OF REPORT

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither 1. inferred nor implied.
- Total liability of our lab is limited to the invoiced amount. 2.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified. 3.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and 4.
- should not be used in any advertising media without our special permission in writing. Report refers to the sample submitted to us and not drawn by unless mentioned otherwise. 5.



ENVIRONMENTAL CONSULTANT & NABL (ISO/IEC 17025:2017) ACCREDITED LABORATORY

[ISO 14001:2015, ISO 9001:2015 & ISO 45001:2018 Certified Organization]



Issued Date-08.12.2022

Report No -BMS/22/SML-Loidapada/405

AMBIENT AIR QUALITY MONITORING TEST REPORT

	E Li Koopihar Odisha
Client Name & Address	M/s Sree Metaliks Ltd, Loidapada, Dist-Barbil, Keonjhar, Odisha
Work Order No./ Date	SML/BBL/ENV/WO/205/22-23; 24.09.2022
Nature of Sampling	Ambient Air Sample
Sampling Location &	AAQ3- Village Rugudihi:21°59'50.80"N Latitude & 85°19'20.16"E Longitude
Coordinates	AAQ5- Village Ruguulinit22 69 6111
Sampling By	BIOME's Representative
Instrument Used	Respirable Dust Sampler, Fine Dust Sampler, Gaseous Attachment

Date Of Sampling	ΡΜ10 (μg/m ³)	PM2.5 (μg/m ³)	SO ₂ (μg/m ³)	NOx - (µg/m ³)
03.11.2022	60.4	31.1	4.6	9.8
07.11.2022	63.5	32.8	4.9	10.3
10.11.2022	61.8	32.1	4.7	10.2
14.11.2022	64.6	32.8	5.1	10.6
17.11.2022	65.8	33.9	5.5	11.2
21.11.2022	63.8	32.9	5.1	10.8 -
24.11.2022	66.1	34.1	5.5	11.4
28.11.2022	64.4	33.1	5.8	11.6
NAAQ* Standard	100	60	80	80
Methods of Analysis (Part-23)		IS:5182 (Part-24)	IS:5182 (Part-2)	IS:5182 (Part-6)



Authorized Signatory

END OF REPORT

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither 1. inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified. 2.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and 3.
- should not be used in any advertising media without our special permission in writing. 4. Report refers to the sample submitted to us and not drawn by unless mentioned otherwise. 5.



ENVIRONMENTAL CONSULTANT & NABL (ISO/IEC 17025)2017) ACCREDITED LABORATORY

[ISO 14001:2015, ISO 9001:2015 & ISO 45001:2018 Certified Organization]

Report No -BMS/22/SML-Loidapada/406

Issued Date-08.12.2022

TC-10049

AMBIENT AIR QUALITY MONITORING TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Loidapada, Dist-Barbil, Keonjhar, Odisha
Work Order No./ Date	SML/BBL/ENV/WO/205/22-23; 24.09.2022
Nature of Sampling	Ambient Air Sample
Sampling Location & Coordinates	AAQ4-Village Lohidapada:21°59'35.97"N Latitude & 85°19'08.86"E Longitude
Sampling By	BIOME's Representative
Instrument Used	Respirable Dust Sampler, Fine Dust Sampler, Gaseous Attachment

Date Of Sampling	PM10 (μg/m ³)	PM2.5 (μg/m ³)	SO ₂ (μg/m ³)	NOx (μg/m ³).	
03.11.2022	50.8	26.4	<4.0	<9.0	
07.11.2022	53.1	27.2	4.3	9.6	
10.11.2022	55.6	28.9	4.4	9.9	
14.11.2022			4.6	10.2	
17.11.2022	2022 56.1		4.5	10.6	
21.11.2022	.11.2022 55.4 27.9		4.7	10.8	
24.11.2022 5	54.9	27.6	4.4	10.4 -	
28.11.2022	56.9	28.6	4.8	10.8	
NAAQ* 100 Standard		60	80	80	
Methods of Analysis	IS:5182 (Part-23)	IS:5182 (Part-24)	IS:5182 (Part-2)	IS:5182 (Part-6)	



Authorized Signatory

*END OF REPORT

Note:

- 1. The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- 2. Total liability of our lab is limited to the invoiced amount.
- 3. Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- 5. Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.



ENVIRONMENTAL CONSULTANT & NABL (ISO/IEC 17025:2017) ACCREDITED LABORATORY

[ISO 14001:2015, ISO 9001:2015 & ISO 45001:2018 Certified Organization]

Report No -BMS/22/SML-Loidapada/407

Issued Date-08.12.2022

AMBIENT AIR QUALITY MONITORING TEST REPORT

Client Name &Address	M/s Sree Metaliks Ltd, Loidapada, Dist-Barbil, Keonjhar, Odisha			
Work Order No./ Date	SML/BBL/ENV/WO/205/22-23; 24.09.2022			
Nature of Sampling	Ambient Air Sample			
Sampling By	BIOME's Representative			
Instrument Used	CO Analyser			

				and the second second
Name of Location	A1 Near Admin Office	A2 Near Dispensary	A3 Village Rugudihi	A4 Village Lohidapada
Date Of Sampling	CO (mg/m ³)	CO (mg/m ³)	CO (mg/m ³)	CO (mg/m ³)
03.11.2022	0.6	0.43	0.43	0.29
07.11.2022	0.61	0.45	0.44	0.3
10.11.2022	0.63	0.44	0.43	0.32
14.11.2022	0.65	0.46	0.45	0.34
17.11.2022	0.63	0.47	0.46	0.35
21.11.2022	0.64	0.48	0.45	0.37
24.11.2022	0.65	0.46	0.46	0.33
28.11.2022	0.67	0.48	0.45	0.35
NAAQ* Standard	4	4	4	4
Methods of Analysis	IS: 5182 (Part- 10)	IS:5182 (Part-10)	IS:5182 (Part-10)	IS:5182 (Part-10)



Authorized Signatory

END OF REPORT

Note:

- 1. The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- 2. Total liability of our lab is limited to the invoiced amount.
- 3. Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and
- should not be used in any advertising media without our special permission in writing.
- 5. Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.



ENVIRONMENTAL CONSULTANT & NABL (ISO/IEC 17025:2017) ACCREDITED LABORATORY

[ISO 14001:2015, ISO 9001:2015 & ISO 45001:2018 Certified Organization]

Report No -BMS/22/SML-Loidapada/408

Issued Date-08.12.2022

AMBIENT AIR QUALITY MONITORING TEST REPORT

Client Name &Address	M/s Sree Metaliks Ltd, Loidapada, Dist-Barbil, Keonjhar, Odisha
Work Order No./ Date	SML/BBL/ENV/WO/205/22-23; 24.09.2022
Nature of Sampling	Ambient Air Sample
Sampling By	BIOME's Representative
Instrument Used	Respirable Dust Sampler, Benzene Sampler
Date of Sampling	21.11.2022

Name of Location	Location	Ο ₃ (μg/m ³)	NH ₃ (μg/m ³)	Pb (µg/m³)	Ni (ng/m³)	As (ng/m ³)	С ₆ Н ₆ (µg/m ³)	BaP (ng/m ³
AAQ-1	Near Admin Office	11.6	31.8	<0.06	<0.6	<0.44	<5	<1
AAQ-2	Near Dispensary	8.8	23.6	<0.06	<0.6	<0.44	<5	<1
AAQ-3	Village Rugudihi	<8.0	<20.0	<0.06	<0.6	<0.44	<5	<1
AAQ-4 Village Lohidapada	<8.0	<20.0	<0.06	<0.6	<0.44	<5	<1	
	NAAQ* 100 Standard	100	400	1	20	6	5	1
	Methods of Analysis	IS:5182 (Part-9)	IS:5182 (Part-25)	IS:5182 (Part-22)	IS:5182 (Part-26)	As per CPCB method followed by AAS	IS:5182 (Part-11)	IS:5182 (Part-12)

Authorized Signatory



END OF REPORT

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither 1. inferred nor implied.
- Total liability of our lab is limited to the invoiced amount.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified. 2.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and 3. should not be used in any advertising media without our special permission in writing. 4.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise. 5.



ENVIRONMENTAL CONSULTANT & NABL (ISO/IEC 17025:2017) ACCREDITED LABORATORY

[ISO 14001:2015, ISO 9001:2015 & ISO 45001:2018 Certified Organization]



Report No -BMS/22/SML-Loidapada/409

Issued Date-08.12.2022

Authorized Signatory

FUGITIVE MONITORING TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Loidapada, Dist-Barbil, Keonjhar, Odisha
Work Order No./ Date	SML/BBL/ENV/WO/205/22-23; 24.09.2022
Nature of Sampling	AAQ-Fugitive Dust Sample
Sampling By	BIOME's Representative
Instrument Used	Respirable Dust Sampler

Sl. No.	Name of Location	Latitude	Longitude	Date of Sampling	Result
1	Near Main Gate	21°59'36.61''N	85°19'27.95"E	18.11.2022	844.6
2	Near Crushing Plant	21°59'27.80"N	85°19'38.89"E	18.11.2022	865.2
3	Near Power Plant	21°59'27.87"N	85°19'30.78"E	18.11.2022	864.8
4	Near SMS - 1	21°59'23.62"N	85°19'37.62"E	18.11.2022	792.1
5	Near SMS - 2	21°59'36.28''N	85°19'34.16"E	22.11.2022	872.4
6	Near Blast Furnace	21°59'23.15"N	85°19'32.77"E	22.11.2022	928.6
7	Near Milling Role-1	21°59'23.96"N	85°19'39.63"E	22.11.2022	826.7
8	Near Milling Role-2	21°59'39.20"N	85°19'36.15"E	22.11.2022	945.6
ugitive Standard				7	1200
Analysis		- AND CALL			IS:5182 (Part-24)



END OF REPORT

Note:

- 1. The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- 2. Total liability of our lab is limited to the invoiced amount.
- 3. Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- 5. Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.





ENVIRONMENTAL CONSULTANT & NABL (ISO/IEC 17025:2017) ACCREDITED LABORATORY

[ISO 14001:2015, ISO 9001:2015 & ISO 45001:2018 Certified Organization]



Report No -BMS/22/SML-Loidapada/410

Issued Date-08.11.2022

AMBIENT NOISE LEVEL MONITORING TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Loidapada, Dist-Barbil, Keonjhar, Odisha
Work Order No./ Date	SML/BBL/ENV/WO/205/22-23; 24.09.2022
Nature of Sampling	Ambient Noise
Sampling Location	N1-Near Admin Office; Latitude21°59'26.41"N & Longitude 85°19'39.29"E N2-Near Dispensary; Latitude 21°59'33.80"N & Longitude 85°19'24.18"E N3-Village Rugudi; Latitude 21°59'50.80"N & Longitude 85°19'20.16"E N4-Village Lohidapada; Latitude 21°59'35.97"N& Longitude 85°19'08.86"E
Sampling By	BIOME's Representative
Instrument Used	Noise Meter
Date of Sampling	21.11.2022
Date of Receiving	22.11.2022
Instrument Used Date of Sampling Date of Receiving	Noise Meter 1 21.11.2022 1

TIME (6.00AM to 10.00PM)	N-1	N-2	N-3	N-4
Avg.	65.3	48.2	48.6	48.5
Standard as per CPCB	75.0		55.0	
Night time Noise mor	nitoring results N	loise Level in dB	(A)	341 ¹
TIME (10.00PM to 6.00AM)	N-1	N-2	N-3	N-4
Avg.	48.8	36.5	36.4	36.5
Standard as per CPCB	70.0		45.0	



Authorized Signatory

END OF REPORT

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither 1. inferred nor implied.
- Total liability of our lab is limited to the invoiced amount. 2.
- Samples will be destroyed after 30 days from the date of test report unless otherwise specified. 3.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and 4.
- should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise. 5.





ENVIRONMENTAL CONSULTANT & NABL (ISO/IEC 17025:2017) ACCREDITED LABORATORY

[ISO 14001:2015, ISO 9001:2015 & ISO 45001:2018 Certified Organization]



Report No -BMS/22/SML-Loidapada/411

Issued Date-08.11.2022

WORK ZONE NOISE LEVEL MONITORING TEST REPORT

Client Name & Address	M/s Sree Metaliks Ltd, Loidapada, Dist-Barbil, Keonjhar, Odisha		
Work Order No./ Date	SML/BBL/ENV/WO/205/22-23; 24.09.2022		
Nature of Sampling	Work Zone Noise		
Sampling Location	N1- Near Main Gate; Latitude21°59'36.61"N & Longitude 85°19'27.95"E N2- Near Crushing Plant; Latitude 21°59'27.80"N & Longitude 85°19'38.89"E N3- Near Power Plant; Latitude 21°59'27.87"N & Longitude 85°19'30.78"E N4- Near SMS - 1; Latitude 21°59'23.62"N & Longitude 85°19'37.62"E N5- Near SMS - 2; Latitude 21°59'36.28"N & Longitude 85°19'34.16"E N6- Near Blast Furnace; Latitude21°59'23.15"N & Longitude 85°19'32.77"E N7- Near Milling Role-1; Latitude21°59'23.96"N & Longitude 85°19'39.63"E N8- Near Milling Role-2; Latitude 21°59'39.20"N & Longitude 85°19'36.15"E		
Sampling By	BIOME's Representative		
Instrument Used	Noise Meter		
Date of Sampling 22.11.2022- 23.11.2022			
Date of Receiving	23.11.2022		

TIME (6.00AM to 10.00PM)	N-1	N-2	N-3	N-4	N-5	N-6	N-7	N-8
Avg.	71.4	71.6	70.6	70.1	70.8	70.7	71.1	70.9
Standard as per CPCB				75.0				
Night time Noise m	onitoring res	ults Noise Lev	el in dB (A)			-		
TIME (10.00PM to 6.00AM)	N-1	N-2	N-3	N-4	N-5	N-6	N-7	N-8
Avg.	66.2	68.8	65.2	63.8	64.2	66.6	67.6	68.2
Standard as per CPCB				70.0				



Authorized Signatory

END OF REPORT

Note:

- 1. The results listed refer only to tested samples and applicable parameters Endorsement of products is neither inferred nor implied.
- 2. Total liability of our lab is limited to the invoiced amount.
- 3. Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- 5. Report refers to the sample submitted to us and not drawn by unless mentioned otherwise.



ENVIRONMENTAL CONSULTANT & NABL (ISO/IEC 17025)2017) ACCREDITED LABORATORY



[ISO 14001:2015, ISO 9001:2015 & ISO 45001:2018 Certified Organization]

Report No -BMS/22/SML-Loidapada/312

Issued Date-08.12.2022

STACK EMISSION MONITORING TEST REPORT

Client Name &Address	M/s Sree Metaliks Ltd, Loidapada, Dist-Barbil, Keonjhar, Odisha
Work Order No./ Date	SML/BBL/ENV/WO/205/22-23; 24.09.2022
Nature of Sampling	Flue Gas
Sampling Location	St-1 DRI 1 & 2 Latitude 21°59'28.66"N & Longitude 85°19'35.76"E St-2 DRI 3 & 4 Latitude 21°59'26.74"N & Longitude 85°19'38.33"E St-3DRI 5 & 6 Latitude 21°59'26.95"N& Longitude 85°19'38.80"E St-4 DRI 7 Latitude 21°59'36.67"N& Longitude 85°19'66.06"E
Sampling By	BIOME's Representative
Instrument Used	Stack Kit
Date of Sampling	24.11.2022
Date of Receiving	26.11.2022
Date of Analysis	26.11.2022-27.11.2022

ANALYSIS RESULT

SI.		Testing Mothod	As per CPCB	Result			
No	litems	ms Testing Method	Standard	St-1	St-2	St-3	St-4
01	Flue Gas Temp. in K	IS-11255 (PART- 3) 1985, (RA- 2013)	4. <u>.</u>	392	393	397	394
02	Average flue gas Velocity in m/sec	IS-11255 (PART- 3) 1985, (RA- 2013)		12.78	12.4	12.53	12.73
03	Flow Rate in mg/Nm ³	IS-11255 (PART- 3) 1985, (RA- 2013)		19577.0	46866.4	46408.2	75991.1
04	Particulate Matter (PM) in mg/Nm ³	IS-11255(PART- 1) 1985, (RA- 2014) Gravimetric Method	100	56.8	39.2	36.5	47.2
05	Pbar in mmHg			690	690	690	690
06	SO ₂ in mg/Nm ³	IS-11255(PART- 2) 1985, (RA- 2019)	600	54.1	56.4	54.7	48.2





ENVIRONMENTAL CONSULTANT & NABL (ISO/IEC 17025:2017) ACCREDITED LABORATORY



[ISO 14001:2015, ISO 9001:2015 & ISO 45001:2018 Certified Organization]

07	NOx in mg/Nm ³	IS-11255(PART- 2) 1985	300	42.4	47.5	43.1	40.1
08	CO in %	IS-13270:1992, (RA-2019)	1%	<0.2	<0.2	<0.2	<0.2
09	CO2 in %	IS-13270:1992, (RA-2019)		2.0	2.3	2.2	2.2

Note-PBar & NOx are not under NABL Scope



Authorized Signatory

END OF REPORT

Note:

- The results listed refer only to tested samples and applicable parameters Endorsement of products is neither 1. inferred nor implied.
- Total liability of our lab is limited to the invoiced amount. 2.
- 3. Samples will be destroyed after 30 days from the date of test report unless otherwise specified.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and 4.
- should not be used in any advertising media without our special permission in writing.
- Report refers to the sample submitted to us and not drawn by unless mentioned otherwise. 5.